
Layer 0 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 45%
LD2 (29.7%)
LD1 (51.8%)
latent step 2
orig acc 100% | cf acc 55%
LD2 (27.6%)
LD1 (56.6%)
latent step 3
orig acc 100% | cf acc 58%
LD2 (23.4%)
LD1 (59.7%)
latent step 4
orig acc 100% | cf acc 63%
LD2 (28.5%)
LD1 (55.0%)
latent step 5
orig acc 100% | cf acc 51%
LD2 (29.0%)
LD1 (55.4%)
latent step 6
orig acc 99% | cf acc 53%
LD2 (27.6%)
LD1 (57.8%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 1 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 51%
LD2 (29.4%)
LD1 (52.6%)
latent step 2
orig acc 100% | cf acc 55%
LD2 (28.3%)
LD1 (55.5%)
latent step 3
orig acc 99% | cf acc 63%
LD2 (24.4%)
LD1 (60.3%)
latent step 4
orig acc 100% | cf acc 73%
LD2 (28.7%)
LD1 (54.9%)
latent step 5
orig acc 99% | cf acc 56%
LD2 (28.2%)
LD1 (55.9%)
latent step 6
orig acc 99% | cf acc 55%
LD2 (26.8%)
LD1 (59.1%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 2 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 61%
LD2 (27.8%)
LD1 (53.2%)
latent step 2
orig acc 99% | cf acc 61%
LD2 (30.2%)
LD1 (54.8%)
latent step 3
orig acc 99% | cf acc 68%
LD2 (23.9%)
LD1 (61.4%)
latent step 4
orig acc 100% | cf acc 79%
LD2 (26.5%)
LD1 (57.9%)
latent step 5
orig acc 99% | cf acc 60%
LD2 (25.1%)
LD1 (60.5%)
latent step 6
orig acc 99% | cf acc 61%
LD2 (27.6%)
LD1 (57.0%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 3 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 62%
LD2 (28.0%)
LD1 (51.8%)
latent step 2
orig acc 99% | cf acc 64%
LD2 (25.7%)
LD1 (58.7%)
latent step 3
orig acc 100% | cf acc 68%
LD2 (22.8%)
LD1 (63.0%)
latent step 4
orig acc 100% | cf acc 76%
LD2 (25.6%)
LD1 (60.5%)
latent step 5
orig acc 99% | cf acc 63%
LD2 (23.5%)
LD1 (60.5%)
latent step 6
orig acc 100% | cf acc 64%
LD2 (24.7%)
LD1 (59.2%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 4 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 61%
LD2 (26.4%)
LD1 (53.1%)
latent step 2
orig acc 100% | cf acc 70%
LD2 (23.2%)
LD1 (60.4%)
latent step 3
orig acc 99% | cf acc 70%
LD2 (22.0%)
LD1 (62.9%)
latent step 4
orig acc 100% | cf acc 75%
LD2 (23.8%)
LD1 (61.9%)
latent step 5
orig acc 100% | cf acc 62%
LD2 (23.3%)
LD1 (59.6%)
latent step 6
orig acc 100% | cf acc 67%
LD2 (25.3%)
LD1 (59.9%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 5 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 70%
latent step 2
orig acc 100% | cf acc 75%
latent step 3
orig acc 99% | cf acc 71%
latent step 4
orig acc 100% | cf acc 81%
latent step 5
orig acc 100% | cf acc 72%
latent step 6
orig acc 99% | cf acc 66%
LD1 (60.3%)
LD2 (23.2%)
LD1 (64.3%)
LD2 (21.3%)
LD1 (64.5%)
LD2 (21.8%)
LD1 (63.6%)
LD2 (23.2%)
LD1 (64.8%)
LD2 (21.6%)
LD1 (63.3%)
LD2 (23.4%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 6 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 77%
LD2 (23.7%)
LD1 (58.6%)
latent step 2
orig acc 100% | cf acc 74%
LD2 (20.1%)
LD1 (67.0%)
latent step 3
orig acc 100% | cf acc 77%
LD2 (23.2%)
LD1 (62.2%)
latent step 4
orig acc 100% | cf acc 88%
LD2 (22.8%)
LD1 (64.3%)
latent step 5
orig acc 100% | cf acc 76%
LD2 (22.5%)
LD1 (64.6%)
latent step 6
orig acc 100% | cf acc 70%
LD2 (19.6%)
LD1 (67.1%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 7 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 79%
LD2 (25.9%)
LD1 (60.2%)
latent step 2
orig acc 100% | cf acc 81%
LD2 (23.5%)
LD1 (63.1%)
latent step 3
orig acc 100% | cf acc 83%
LD2 (22.4%)
LD1 (65.2%)
latent step 4
orig acc 100% | cf acc 92%
LD2 (24.6%)
LD1 (66.3%)
latent step 5
orig acc 100% | cf acc 78%
LD2 (24.8%)
LD1 (61.8%)
latent step 6
orig acc 100% | cf acc 77%
LD2 (23.7%)
LD1 (64.6%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 8 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 86%
LD2 (22.2%)
LD1 (64.1%)
latent step 2
orig acc 100% | cf acc 88%
LD2 (22.7%)
LD1 (65.3%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (20.7%)
LD1 (68.3%)
latent step 4
orig acc 100% | cf acc 94%
LD2 (21.0%)
LD1 (68.9%)
latent step 5
orig acc 100% | cf acc 88%
LD2 (22.7%)
LD1 (65.0%)
latent step 6
orig acc 100% | cf acc 83%
LD2 (24.5%)
LD1 (64.0%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 9 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 89%
LD2 (26.3%)
LD1 (59.5%)
latent step 2
orig acc 100% | cf acc 88%
LD2 (27.3%)
LD1 (60.7%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (22.4%)
LD1 (66.2%)
latent step 4
orig acc 100% | cf acc 93%
LD2 (23.0%)
LD1 (67.5%)
latent step 5
orig acc 100% | cf acc 87%
LD2 (20.2%)
LD1 (68.8%)
latent step 6
orig acc 100% | cf acc 87%
LD2 (22.8%)
LD1 (66.8%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)

Layer 10 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 91%
LD2 (23.0%)
LD1 (62.8%)
latent step 2
orig acc 100% | cf acc 90%
LD2 (24.3%)
LD1 (63.6%)
latent step 3
orig acc 100% | cf acc 93%
LD2 (20.5%)
LD1 (67.1%)
latent step 4
orig acc 100% | cf acc 95%
LD2 (19.6%)
LD1 (70.7%)
latent step 5
orig acc 100% | cf acc 88%
LD2 (22.6%)
LD1 (64.4%)
latent step 6
orig acc 100% | cf acc 88%
LD2 (19.6%)
LD1 (68.8%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 11 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 89%
LD2 (23.7%)
LD1 (62.4%)
latent step 2
orig acc 100% | cf acc 87%
LD2 (20.6%)
LD1 (66.0%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (21.4%)
LD1 (64.1%)
latent step 4
orig acc 100% | cf acc 93%
LD2 (22.3%)
LD1 (65.8%)
latent step 5
orig acc 100% | cf acc 86%
LD2 (23.9%)
LD1 (63.1%)
latent step 6
orig acc 100% | cf acc 87%
LD2 (20.5%)
LD1 (67.9%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 12 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 87%
LD2 (22.2%)
LD1 (60.5%)
latent step 2
orig acc 100% | cf acc 86%
LD2 (20.5%)
LD1 (65.6%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (21.4%)
LD1 (63.2%)
latent step 4
orig acc 100% | cf acc 83%
LD2 (21.6%)
LD1 (64.1%)
latent step 5
orig acc 100% | cf acc 82%
LD2 (21.2%)
LD1 (64.1%)
latent step 6
orig acc 100% | cf acc 83%
LD2 (23.3%)
LD1 (63.4%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 13 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 87%
LD2 (23.3%)
LD1 (59.7%)
latent step 2
orig acc 100% | cf acc 86%
LD2 (22.5%)
LD1 (62.6%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (20.8%)
LD1 (61.9%)
latent step 4
orig acc 100% | cf acc 85%
LD2 (19.8%)
LD1 (63.6%)
latent step 5
orig acc 100% | cf acc 81%
LD2 (20.2%)
LD1 (63.7%)
latent step 6
orig acc 100% | cf acc 82%
LD2 (20.1%)
LD1 (63.4%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 14 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 83%
LD2 (25.3%)
LD1 (57.2%)
latent step 2
orig acc 100% | cf acc 86%
LD2 (26.8%)
LD1 (55.7%)
latent step 3
orig acc 100% | cf acc 88%
LD2 (24.3%)
LD1 (61.7%)
latent step 4
orig acc 100% | cf acc 83%
LD2 (23.6%)
LD1 (58.5%)
latent step 5
orig acc 100% | cf acc 81%
LD2 (21.9%)
LD1 (60.5%)
latent step 6
orig acc 100% | cf acc 84%
LD2 (22.9%)
LD1 (60.9%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 15 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 82%
LD2 (22.8%)
LD1 (58.7%)
latent step 2
orig acc 100% | cf acc 81%
LD2 (25.0%)
LD1 (57.8%)
latent step 3
orig acc 100% | cf acc 87%
LD2 (24.7%)
LD1 (59.4%)
latent step 4
orig acc 100% | cf acc 78%
LD2 (25.0%)
LD1 (57.0%)
latent step 5
orig acc 100% | cf acc 79%
LD2 (24.2%)
LD1 (57.7%)
latent step 6
orig acc 100% | cf acc 82%
LD2 (25.9%)
LD1 (57.7%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)


Layer 16 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 75%
LD2 (27.1%)
LD1 (56.2%)
latent step 2
orig acc 100% | cf acc 78%
LD2 (24.3%)
LD1 (57.3%)
latent step 3
orig acc 100% | cf acc 83%
LD2 (23.7%)
LD1 (61.9%)
latent step 4
orig acc 100% | cf acc 73%
LD2 (28.3%)
LD1 (53.1%)
latent step 5
orig acc 100% | cf acc 78%
LD2 (23.9%)
LD1 (58.4%)
latent step 6
orig acc 100% | cf acc 81%
LD2 (24.6%)
LD1 (57.1%)
Subtraction (orig 531 / cf 304)
Addition (orig 195 / cf 191)
Common-Division (orig 166 / cf 92)
Multiplication (orig 108 / cf 89)