
Layer 0 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 59%
LD2 (37.3%)
LD1 (47.6%)
latent step 2
orig acc 100% | cf acc 65%
LD2 (32.6%)
LD1 (53.1%)
latent step 3
orig acc 100% | cf acc 72%
LD2 (31.1%)
LD1 (54.7%)
latent step 4
orig acc 100% | cf acc 76%
LD2 (27.6%)
LD1 (56.5%)
latent step 5
orig acc 100% | cf acc 68%
LD2 (30.4%)
LD1 (54.9%)
latent step 6
orig acc 100% | cf acc 62%
LD2 (30.5%)
LD1 (56.1%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 1 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 64%
LD2 (33.1%)
LD1 (50.0%)
latent step 2
orig acc 100% | cf acc 69%
LD2 (30.8%)
LD1 (54.5%)
latent step 3
orig acc 100% | cf acc 72%
LD2 (30.4%)
LD1 (56.2%)
latent step 4
orig acc 100% | cf acc 81%
LD2 (27.1%)
LD1 (57.9%)
latent step 5
orig acc 100% | cf acc 72%
LD2 (31.1%)
LD1 (53.3%)
latent step 6
orig acc 100% | cf acc 69%
LD2 (29.4%)
LD1 (57.2%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 2 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 70%
LD2 (33.6%)
LD1 (50.0%)
latent step 2
orig acc 99% | cf acc 76%
LD2 (27.2%)
LD1 (58.5%)
latent step 3
orig acc 100% | cf acc 76%
LD2 (26.6%)
LD1 (59.5%)
latent step 4
orig acc 100% | cf acc 84%
LD2 (25.1%)
LD1 (61.1%)
latent step 5
orig acc 99% | cf acc 73%
LD2 (25.7%)
LD1 (61.3%)
latent step 6
orig acc 99% | cf acc 71%
LD2 (28.0%)
LD1 (57.0%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 3 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 71%
LD2 (31.5%)
LD1 (49.8%)
latent step 2
orig acc 100% | cf acc 75%
LD2 (24.9%)
LD1 (61.6%)
latent step 3
orig acc 100% | cf acc 78%
LD2 (24.0%)
LD1 (62.7%)
latent step 4
orig acc 100% | cf acc 86%
LD2 (22.7%)
LD1 (63.9%)
latent step 5
orig acc 99% | cf acc 72%
LD2 (25.7%)
LD1 (61.4%)
latent step 6
orig acc 100% | cf acc 76%
LD2 (28.5%)
LD1 (56.5%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 4 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 75%
LD2 (29.0%)
LD1 (53.3%)
latent step 2
orig acc 100% | cf acc 75%
LD2 (21.4%)
LD1 (64.9%)
latent step 3
orig acc 99% | cf acc 81%
LD2 (23.9%)
LD1 (63.9%)
latent step 4
orig acc 100% | cf acc 85%
LD2 (20.6%)
LD1 (67.3%)
latent step 5
orig acc 100% | cf acc 73%
LD2 (23.6%)
LD1 (61.9%)
latent step 6
orig acc 100% | cf acc 74%
LD2 (26.3%)
LD1 (60.3%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 5 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 78%
LD2 (22.9%)
LD1 (61.6%)
latent step 2
orig acc 100% | cf acc 78%
LD2 (22.0%)
LD1 (65.0%)
latent step 3
orig acc 99% | cf acc 82%
LD2 (21.1%)
LD1 (66.3%)
latent step 4
orig acc 100% | cf acc 87%
LD2 (19.7%)
LD1 (68.5%)
latent step 5
orig acc 100% | cf acc 76%
LD2 (19.7%)
LD1 (64.5%)
latent step 6
orig acc 100% | cf acc 79%
LD2 (22.8%)
LD1 (63.4%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 6 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 82%
LD2 (23.6%)
LD1 (61.4%)
latent step 2
orig acc 100% | cf acc 79%
LD2 (20.8%)
LD1 (66.8%)
latent step 3
orig acc 100% | cf acc 87%
LD2 (21.0%)
LD1 (66.2%)
latent step 4
orig acc 100% | cf acc 90%
LD2 (20.0%)
LD1 (68.7%)
latent step 5
orig acc 100% | cf acc 81%
LD2 (19.1%)
LD1 (67.8%)
latent step 6
orig acc 99% | cf acc 83%
LD2 (20.6%)
LD1 (67.5%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 7 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 88%
LD2 (23.4%)
LD1 (64.0%)
latent step 2
orig acc 100% | cf acc 87%
LD2 (21.7%)
LD1 (64.8%)
latent step 3
orig acc 100% | cf acc 89%
LD2 (19.6%)
LD1 (69.6%)
latent step 4
orig acc 100% | cf acc 93%
LD2 (20.1%)
LD1 (70.5%)
latent step 5
orig acc 100% | cf acc 89%
LD2 (19.2%)
LD1 (69.5%)
latent step 6
orig acc 100% | cf acc 87%
LD2 (20.0%)
LD1 (69.1%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 8 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 85%
LD2 (19.4%)
LD1 (70.2%)
latent step 2
orig acc 100% | cf acc 90%
LD2 (20.4%)
LD1 (67.3%)
latent step 3
orig acc 100% | cf acc 94%
LD2 (21.1%)
LD1 (67.2%)
latent step 4
orig acc 100% | cf acc 95%
LD2 (19.8%)
LD1 (70.6%)
latent step 5
orig acc 100% | cf acc 90%
LD2 (21.6%)
LD1 (66.5%)
latent step 6
orig acc 100% | cf acc 90%
LD2 (21.2%)
LD1 (67.3%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 9 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 92%
LD2 (22.1%)
LD1 (64.2%)
latent step 2
orig acc 100% | cf acc 91%
LD2 (22.6%)
LD1 (66.3%)
latent step 3
orig acc 100% | cf acc 95%
LD2 (19.6%)
LD1 (69.5%)
latent step 4
orig acc 100% | cf acc 97%
LD2 (19.7%)
LD1 (69.7%)
latent step 5
orig acc 100% | cf acc 94%
LD2 (20.9%)
LD1 (67.2%)
latent step 6
orig acc 100% | cf acc 92%
LD2 (20.5%)
LD1 (69.1%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 10 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 93%
LD2 (22.0%)
LD1 (65.8%)
latent step 2
orig acc 100% | cf acc 90%
LD2 (24.1%)
LD1 (61.1%)
latent step 3
orig acc 100% | cf acc 95%
LD2 (20.6%)
LD1 (64.3%)
latent step 4
orig acc 100% | cf acc 96%
LD2 (18.1%)
LD1 (68.0%)
latent step 5
orig acc 100% | cf acc 93%
LD2 (23.4%)
LD1 (62.8%)
latent step 6
orig acc 100% | cf acc 91%
LD2 (21.3%)
LD1 (65.4%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 11 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 92%
LD2 (22.5%)
LD1 (64.9%)
latent step 2
orig acc 100% | cf acc 90%
LD2 (20.0%)
LD1 (66.8%)
latent step 3
orig acc 100% | cf acc 94%
LD2 (21.2%)
LD1 (63.3%)
latent step 4
orig acc 100% | cf acc 95%
LD2 (20.9%)
LD1 (65.1%)
latent step 5
orig acc 100% | cf acc 89%
LD2 (23.2%)
LD1 (61.1%)
latent step 6
orig acc 100% | cf acc 90%
LD2 (23.3%)
LD1 (62.4%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 12 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 91%
LD2 (20.4%)
LD1 (65.1%)
latent step 2
orig acc 100% | cf acc 89%
LD2 (21.1%)
LD1 (66.0%)
latent step 3
orig acc 100% | cf acc 93%
LD2 (20.1%)
LD1 (64.0%)
latent step 4
orig acc 100% | cf acc 92%
LD2 (18.5%)
LD1 (66.6%)
latent step 5
orig acc 100% | cf acc 88%
LD2 (21.4%)
LD1 (63.6%)
latent step 6
orig acc 100% | cf acc 92%
LD2 (23.8%)
LD1 (61.6%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 13 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 87%
LD2 (21.3%)
LD1 (62.9%)
latent step 2
orig acc 100% | cf acc 91%
LD2 (24.7%)
LD1 (58.5%)
latent step 3
orig acc 100% | cf acc 93%
LD2 (21.0%)
LD1 (63.3%)
latent step 4
orig acc 100% | cf acc 90%
LD2 (19.2%)
LD1 (64.2%)
latent step 5
orig acc 100% | cf acc 88%
LD2 (20.4%)
LD1 (62.7%)
latent step 6
orig acc 100% | cf acc 89%
LD2 (21.0%)
LD1 (63.0%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 14 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 86%
LD2 (24.5%)
LD1 (60.2%)
latent step 2
orig acc 100% | cf acc 91%
LD2 (25.2%)
LD1 (58.5%)
latent step 3
orig acc 100% | cf acc 93%
LD2 (22.3%)
LD1 (62.0%)
latent step 4
orig acc 100% | cf acc 92%
LD2 (21.8%)
LD1 (60.9%)
latent step 5
orig acc 100% | cf acc 90%
LD2 (20.4%)
LD1 (62.0%)
latent step 6
orig acc 100% | cf acc 94%
LD2 (21.0%)
LD1 (62.4%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 15 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 100% | cf acc 83%
LD2 (24.4%)
LD1 (60.8%)
latent step 2
orig acc 100% | cf acc 91%
LD2 (24.1%)
LD1 (59.5%)
latent step 3
orig acc 100% | cf acc 90%
LD2 (23.0%)
LD1 (61.1%)
latent step 4
orig acc 100% | cf acc 90%
LD2 (23.3%)
LD1 (58.8%)
latent step 5
orig acc 100% | cf acc 89%
LD2 (22.7%)
LD1 (59.6%)
latent step 6
orig acc 100% | cf acc 90%
LD2 (23.6%)
LD1 (59.9%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)


Layer 16 — CF (filled) vs original SVAMP (faint) on original-fit LDA axes
latent step 1
orig acc 99% | cf acc 81%
LD2 (26.4%)
LD1 (57.8%)
latent step 2
orig acc 100% | cf acc 88%
LD2 (24.1%)
LD1 (60.0%)
latent step 3
orig acc 100% | cf acc 90%
LD2 (24.0%)
LD1 (58.9%)
latent step 4
orig acc 100% | cf acc 84%
LD2 (24.3%)
LD1 (56.3%)
latent step 5
orig acc 100% | cf acc 86%
LD2 (23.1%)
LD1 (56.2%)
latent step 6
orig acc 99% | cf acc 89%
LD2 (23.9%)
LD1 (56.9%)
Subtraction (orig 325 / cf 91)
Addition (orig 107 / cf 72)
Common-Division (orig 121 / cf 63)
Multiplication (orig 55 / cf 46)