ARTCRAFT FLEET TECHNICAL BROCHURE · SERIES #29

WikiCraft v0.1.0

> Local-first Markdown documentation, SQLite FTS5 search, and Architecture Decision Record (ADR) lifecycle studio.



v0.1.0	4 Crates	1593	6-Gate
RELEASE VERSION	WORKSPACE TIERS	PURE-RUST LOC	ARTCRAFT VERIFIED

Repository: `D:\Dev\repos\wikicraft` · **Standard:** `CRAFT_BROCHURE_STANDARD.md` · **Compiled via:** `BookCraft v0.5.0`

> Local-first Markdown documentation, SQLite FTS5 search, and Architecture Decision Record (ADR) lifecycle studio.

Part of the **Back-Office Craft Suite** (`craft-biz`). Replaces Confluence (\$60/seat/mo), Notion Team (\$100/seat/mo), and Slite.

Features

- **Local-first SQLite WAL:** Zero-cloud latency, ACID reliability, instant startup.
- **SQLite FTS5 Full-Text Search:** Instant sub-millisecond search across thousands of markdown documents with highlighted snippets.
- **ADR Lifecycle State Machine:** Formal tracking of architectural decisions across `proposed`, `accepted`, `rejected`, and `superseded` states.
- **Wiki-Link Topology Graph:** Parses `[[page-slug]]` syntax and tracks bi-directional links and backlinks.
- **Dual Surface:** Stdio JSON-RPC MCP server for autonomous AI coding agents + native `egui 0.37` desktop application.
- **Fleet Bus Integration:** Automatically publishes `adr.accepted` and `adr.superseded` bus events across fleet applications.

Quick Start

```
# Check status
wikicraft status

# Save a page
wikicraft page-save architecture/db "Database Architecture" "We use SQLite WAL with
[[architecture/overview]]."

# Search documentation
wikicraft search "SQLite"

# Propose an ADR
wikicraft adr-save ADR-001 "Adopt Rust 2021" proposed "Need memory safety" "Adopt Rust
across fleet" "Zero runtime overhead"

# Launch MCP server
wikicraft mcp

# Launch native desktop workstation
wikicraft-app
```

Ports

- Frontend Webapp: `11260`
- Backend / MCP API: `11261`

Product Requirements & Architecture Specification

1. Executive Summary

`wikicraft` is the central documentation, knowledge repository, and Architecture Decision Record (ADR) management system of the Back-Office Craft Suite.

2. Key Capabilities

- **Local Markdown Tree Ingestion:** Automatically crawls local repositories and projects, extracting wiki links (`[[link]]`) and indexing documentation into SQLite FTS5.
- **Fast Full-Text Search (FTS5):** Sub-millisecond snippet queries without cloud dependencies or telemetry leaks.
- **ADR Governance:** Formally manages architectural decisions with status transitions (`proposed`, `accepted`, `rejected`, `superseded`) and broadcast notifications over the `craft-biz` bus.
- **Zero-Cloud Air-Gapped Operation:** Eliminates external vendor subscription fees and preserves confidential system design data.

3. Replaces & Cost Savings

- **Replaces:** Confluence (\$60/seat/mo), Notion Team (\$100/seat/mo), Slite (\$10/seat/mo).
- **Cost Reduction:** 100% elimination of cloud subscription fees, zero latency, guaranteed uptime during network partitioning.

Complete MCP Tool & CLI Verb Reference

WikiCraft exposes 12 Model Context Protocol (MCP) tools over stdio JSON-RPC.

Tool	Parameters	Description
`wiki_status`	none	Reports database health, page counts, ADR counts, and link counts.
`wiki_page_save`	`id`, `title`, `content`	Saves or updates a markdown documentation page.
`wiki_page_get`	`id`	Retrieves a page by ID with backlinks and outgoing links.
`wiki_page_list`	none	Lists all documentation pages with version numbers and modification dates.
`wiki_page_delete`	`id`	Deletes a documentation page by ID.
`wiki_page_search`	`query`	Runs SQLite FTS5 full-text search and returns highlighted snippet matches.
`wiki_page_backlinks`	`id`	Discovers all pages that link to the specified page ID.
`wiki_adr_save`	`id`, `title`, `status`, `context`, `decision`, `consequences`, `superseded_by`	Creates or updates an ADR with status transitions.
`wiki_adr_get`	`id`	Fetches details and history of an Architecture Decision Record.
`wiki_adr_list`	none	Lists all Architecture Decision Records.
`wiki_tree_import`	`path`	Recursively indexes a folder of markdown files into the wiki.
`wiki_inbox_drain`	none	Acknowledges and clears pending signals in the wiki event bus inbox.