

SIMATS ENGINEERING

ASSESSMENT TOOL 3

COURSE NAME: Database Management Systems
COURSE CODE: CSA05

COURSE OUTCOME COVERED

CO3: *Analyze relational databases using functional dependencies, normalization (1NF to 5NF), and key constraints to identify redundancy and ensure data integrity. (BL2, BL3)*

Activity Tool : MCQ Test (Low)
Assessment Tool Weightage: 30%

QUESTIONS			Total Marks: 50
Q.No	Question	Bloom's Level	Marks
1	Which of the following is true about 1NF? (a) Allows multi-valued attributes (b) Eliminates partial dependencies (c) All attributes must be atomic (d) Eliminates transitive dependencies	BL2 – Understand	5
2	A relation is in 2NF if it is in 1NF and: (a) Has no transitive dependencies (b) Has no partial dependencies on primary key (c) Every attribute is a prime attribute (d) Has no multi-valued dependencies	BL2 – Understand	5
3	Which normal form deals with multi-valued dependencies? (a) 2NF (b) 3NF (c) BCNF (d) 4NF	BL2 – Understand	5
4	BCNF is a stricter version of: (a) 1NF (b) 2NF (c) 3NF (d) 4NF	BL2 – Understand	5
5	Functional dependency $X \rightarrow Y$ means: (a) Y determines X (b) X determines Y (c) X and Y are unrelated (d) Both determine each other	BL2 – Understand	5
6	Which of the following anomaly is NOT associated with unnormalized relations? (a) Insertion anomaly (b) Deletion anomaly (c) Update anomaly (d) Retrieval anomaly	BL2 – Understand	5
7	A superkey is: (a) A minimal set of attributes that uniquely identifies tuples (b) Any set of attributes that uniquely identifies tuples (c) An	BL2 – Understand	5

	attribute that depends on a non-prime attribute (d) A foreign key reference		
8	If R(A,B,C) has FD: $A \rightarrow B$ and $B \rightarrow C$, then C is: (a) Partially dependent on A (b) Fully dependent on A (c) Transitively dependent on A (d) Independently determined	BL2 – Understand	5
9	5NF is also known as: (a) Domain-Key Normal Form (b) Boyce-Codd Normal Form (c) Project-Join Normal Form (d) Element Normal Form	BL2 – Understand	5
10	Lossless-join decomposition ensures: (a) No data is lost during decomposition (b) All FDs are preserved (c) The relation is in BCNF (d) No null values exist	BL2 – Understand	5

Code of Conduct:

I Sandra Sudevan(192424422) (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.

Signature of the student:

Sandra Sudevan

RUBRICS FOR CALCULATION:

MCQ					
Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Conceptual Understanding	30%	Demonstrates thorough understanding; answers all questions accurately	Shows good understanding with few errors	Partial understanding; several incorrect responses	Lacks understanding ; majority of answers incorrect
Accuracy of Answers	25%	All answers are correct	Most answers are correct with minor mistakes	Some correct answers; frequent errors	Mostly incorrect answers
Application of Knowledge	20%	Correctly applies concepts to	Applies concepts with minor errors	Limited ability to apply concepts	Unable to apply concepts

		problem-based questions			
Time Management	15%	Completes quiz well within time efficiently	Completes on time with minor delays	Requires extra time or rushes through questions	Unable to complete within given time
Question Interpretation	10%	Interprets all questions correctly and responds appropriately	Misinterprets a few questions	Often misinterprets questions	Unable to understand questions

ANSWERS

1. (c) All attributes must be atomic
2. (b) Has no partial dependencies on primary key
3. (d) 4NF
4. (c) 3NF
5. (b) X determines Y
6. (d) Retrieval anomaly
7. (b) Any set of attributes that uniquely identifies tuples
8. (c) Transitively dependent on A
9. (c) Project-Join Normal Form
- 10.(a) No data is lost during decomposition