

Ex:No: 14

TCL COMMANDS – COMMIT, SAVEPOINT, ROLLBACK

1)

```
mysql>
mysql> CREATE TABLE Class (
->     id INT PRIMARY KEY,
->     name VARCHAR(30)
-> );
Query OK, 0 rows affected (0.980 sec)

mysql>
mysql> INSERT INTO Class VALUES
-> (1, 'alpha'),
-> (2, 'beta'),
-> (3, 'gamma'),
-> (4, 'delta'),
-> (5, 'echo');
Query OK, 5 rows affected (0.161 sec)
Records: 5  Duplicates: 0  Warnings: 0

mysql>
mysql> COMMIT;
Query OK, 0 rows affected (0.005 sec)

mysql>
mysql> START TRANSACTION;
Query OK, 0 rows affected (0.003 sec)

mysql>
mysql> UPDATE Class SET name='bravo' WHERE id=5;
Query OK, 1 row affected (0.061 sec)
Rows matched: 1  Changed: 1  Warnings: 0

mysql> SAVEPOINT A;
Query OK, 0 rows affected (0.007 sec)

mysql>
mysql> INSERT INTO Class VALUES(6, 'uppal');
Query OK, 1 row affected (0.004 sec)

mysql> SAVEPOINT B;
Query OK, 0 rows affected (0.003 sec)
```

2)

```
mysql>
mysql> INSERT INTO Class VALUES(7,'balu');
Query OK, 1 row affected (0.004 sec)
```

```
mysql> SAVEPOINT C;
Query OK, 0 rows affected (0.003 sec)
```

```
mysql>
mysql> SELECT * FROM Class;
```

id	name
1	alpha
2	beta
3	gamma
4	delta
5	bravo
6	uppal
7	balu

```
7 rows in set (0.015 sec)
```

```
mysql>
mysql> ROLLBACK TO B;
Query OK, 0 rows affected (0.011 sec)
```

```
mysql>
mysql> SELECT * FROM Class;
```

id	name
1	alpha
2	beta
3	gamma
4	delta
5	bravo
6	uppal

```
6 rows in set (0.005 sec)
```