

You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

Natural language support but running in an English locale


R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Previously saved workspace restored]

```
> patient <- data.frame(  
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),  
+   Age = c(25, 40, 55, 35, 60),  
+   BMI = c(22, 28, 30, 26, 32),  
+   BP = c(120, 135, 145, 130, 150),  
+   Cholesterol = c(180, 210, 240, 200, 260)  
+ )  
> pairs(patient[,2:5],  
+       main = "Scatterplot Matrix of Health Indicators")  
>
```

Scatterplot Matrix of Health Indicators



```

R Console
Natural language support but running in an English locale


R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Previously saved workspace restored]

> patient <- data.frame(
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
+   Age = c(25, 40, 55, 35, 60),
+   BMI = c(22, 28, 30, 26, 32),
+   BP = c(120, 135, 145, 130, 150),
+   Cholesterol = c(180, 210, 240, 200, 260)
+ )
> pairs(patient[,2:5],
+       main = "Scatterplot Matrix of Health Indicators")
> qqnorm(patient$Cholesterol,
+       main = "Q-Q Plot of Cholesterol")
> qqline(patient$Cholesterol, col="red")
>
4

```



```


'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

[Previously saved workspace restored]

> patient <- data.frame(
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
+   Age = c(25, 40, 55, 35, 60),
+   BMI = c(22, 28, 30, 26, 32),
+   BP = c(120, 135, 145, 130, 150),
+   Cholesterol = c(180, 210, 240, 200, 260)
+ )
> pairs(patient[,2:5],
+   main = "Scatterplot Matrix of Health Indicators")
> qqnorm(patient$Cholesterol,
+   main = "Q-Q Plot of Cholesterol")
> qqline(patient$Cholesterol, col="red")
> plot(ecdf(patient$Cholesterol),
+   main = "ECDF of Cholesterol",
+   xlab = "Cholesterol",
+   ylab = "Cumulative Probability")
>
4

```





```
> patient <- data.frame(
+   Patient_ID = c("P1", "P2", "P3", "P4", "P5"),
+   Age = c(25, 40, 55, 35, 60),
+   BMI = c(22, 28, 30, 26, 32),
+   BP = c(120, 135, 145, 130, 150),
+   Cholesterol = c(180, 210, 240, 200, 260)
+ )
> pairs(patient[,2:5],
+       main = "Scatterplot Matrix of Health Indicators")
> qqnorm(patient$Cholesterol,
+       main = "Q-Q Plot of Cholesterol")
> qqline(patient$Cholesterol, col="red")
> plot(ecdf(patient$Cholesterol),
+       main = "ECDF of Cholesterol",
+       xlab = "Cholesterol",
+       ylab = "Cumulative Probability")
> avg_values <- colMeans(patient[,2:5])
>
> barplot(avg_values,
+       col = c("skyblue", "orange", "green", "pink"),
+       main = "Average Health Indicators",
+       xlab = "Indicators",
+       ylab = "Average Value")
>
4
```

