

STATEMENT OF WORK

Credit Union Voice Modernization

Phased Migration from Cisco CUCM to Cloud-Based Microsoft Teams Phone

Draft implementation strategy • Version 1.0 • October 9, 2026

Sample migration plan created by Sandrina Mosley

Prepared for: [Credit Union / Client Name] | Prepared by: [Service Provider / Project Team]

Document status: Planning baseline. Final scope, pricing, dates, licensing quantities, porting eligibility and technical design require discovery and client approval.

1. Executive Summary

This Statement of Work (SOW) defines a phased approach to transition a multi-branch credit union environment from a hybrid on-premises Cisco Unified Communications Manager (CUCM) and Microsoft Teams voice configuration to a cloud-first Microsoft Teams Phone solution. Each branch's published main telephone number will be ported to the selected PSTN provider, assigned to a Teams voice application resource account, and presented through a Microsoft Teams Auto Attendant. User calling, routing, emergency calling, business-hours behavior, and branch-specific requirements will be tested before each branch is accepted.

The target state removes CUCM call control, on-premises voice gateways/SBC dependencies used solely by CUCM, and related telephony servers after all call paths, integrations, analog devices, fax/alarm/elevator lines, contact-center dependencies, and emergency-call requirements have been addressed. Microsoft Teams Phone is the cloud PBX; PSTN access is supplied by Microsoft Calling Plans or a qualified Operator Connect provider. Direct Routing is an exception path only if a documented requirement cannot be met by the other options and the design can eliminate CUCM as a dependency.

2. Objectives and Success Outcomes

- Move in-scope users and branch voice services to Microsoft Teams Phone in planned migration waves.
- Port each branch's main published number with minimal service interruption and verified inbound routing.
- Create a dedicated Auto Attendant and resource account per branch (or an approved shared design where justified), including business hours, holidays, greetings, menu choices and overflow handling.
- Standardize cloud voice policies, number assignment, emergency calling, security, monitoring and support.
- Retire CUCM and associated telephony components only after dependencies are removed and formal sign-off is received.

3. Scope

In scope


- Discovery and inventory of CUCM clusters, nodes, dial plan, route patterns, partitions/CSS, gateways, SIP trunks, voicemail, call handlers, hunt groups, call queues, phones, analog endpoints, numbers, carrier contracts, recordings and integrations.
- Microsoft 365 / Teams tenant review, licensing assessment, Teams Phone configuration, voice policies, number management, emergency calling and network readiness.
- PSTN provider selection support, porting coordination, Letter of Authorization (LOA), carrier service records, port schedules and branch-by-branch number validation.
- Resource account creation in Microsoft 365, licensing, telephone number assignment, and Auto Attendant configuration in Teams admin center.
- Pilot, branch migration waves, user communications, training, cutover support, hypercare, documentation and CUCM decommission planning.

Out of scope unless added by change control

- New WAN circuits, LAN switching, Wi-Fi, cabling, UPS, internet circuits, or major firewall redesign.
- Third-party contact-center replacement, compliance recording platform replacement, trading/ATM/branch-line applications, or custom application redevelopment.
- Carrier fees, porting fees, hardware purchases, taxes, calling usage, and Microsoft/provider subscription costs.
- Migration of non-voice workloads or decommissioning unrelated Active Directory, Exchange, identity, or network infrastructure.

4. Current Architecture

CURRENT STATE — HYBRID CUCM + MICROSOFT TEAMS VOICE



Illustrative baseline — confirm actual SBCs, gateways, carrier trunks, survivable sites, integrations and call flows during discovery.

Figure 1. Illustrative current-state architecture. The discovery phase must replace this conceptual view with a verified as-built diagram and identify every call path and dependency.

Confidential planning document • Replace placeholders and validate licensing/provider terms before implementation

5. Proposed Cloud Architecture

PROPOSED STATE — CLOUD-BASED MICROSOFT TEAMS PHONE




Figure 2. Proposed cloud-first target. Microsoft Teams Phone provides call control; the chosen PSTN provider provides telephone numbers and external calling. Branch main numbers terminate on voice application resource accounts associated with Auto Attendants.

6. PSTN Connectivity Recommendation

Select one primary PSTN model after confirming number portability, branch geography, emergency services, call volumes, contract economics, support model and required features:

Option	Best fit / design notes	CUCM decommission impact
Operator Connect (recommended to evaluate first)	Use an approved operator integrated with Teams; carrier manages PSTN connectivity. Confirm porting, service numbers, emergency services, SLAs and support ownership.	Can remove CUCM and SBCs if no remaining use cases require them.
Microsoft Calling Plans	Microsoft provides PSTN service where available. Validate geographic availability, porting eligibility, domestic/international usage and toll-free requirements.	Simplest cloud design where service coverage and calling economics fit.
Direct Routing	Use only if required for specialized carrier contracts, routing, legacy devices, or integrations. Requires certified SBC(s), carrier interconnect and ongoing SBC operations.	Can remove CUCM, but not necessarily SBCs. This is not a fully Microsoft-managed PSTN edge.

7. Licensing and Service Prerequisites

Exact SKUs depend on the existing Microsoft 365 agreement, whether Teams is included in the base suite, country, calling model and user population. Licensing must be validated against the tenant's current contract before purchase.

Requirement	Who / when needed	Notes
Microsoft Teams entitlement	All Teams users	Confirm whether each existing Microsoft 365/Office 365 plan includes Teams; some commercial SKUs are sold without Teams.
Teams Phone Standard	Each user who needs PSTN/PBX calling, unless already included	Provides cloud PBX features. Microsoft 365 E5 / Office 365 E5 configurations may already include Teams Phone, depending on SKU and Teams entitlement.
PSTN connectivity	Users / tenant / numbers	Choose Microsoft Calling Plan (separate or bundled), Operator Connect, Teams Phone Mobile where appropriate, or Direct Routing. Teams Phone licensing alone does not supply PSTN numbers/connectivity.
Microsoft Teams Phone Resource Account license	Each Auto Attendant or Call Queue resource account	Microsoft provides a zero-cost allocation subject to the licensing process; acquire enough licenses in the tenant. A separate resource account is typically used per branch AA.
Pay-as-you-go / Communications Credits or carrier setup	Only where applicable to voice-app outbound PSTN actions	For Microsoft-provided numbers, outbound external transfers/callbacks by Auto Attendant/Call Queue resource accounts may require funded PAYG or Communications Credits. For Operator Connect, confirm requirements with the operator.
Emergency calling configuration	All users and branch locations	Configure emergency addresses, policies and network locations; test according to local rules and provider capabilities.
Optional: Teams Premium / compliance / recording	Only if required by approved requirements	Not generally required for basic Teams Phone or Auto Attendant. Validate compliance recording, retention and regulatory needs separately.

Licensing rule of thumb: each human user requiring external telephony needs a qualifying Teams license plus Teams Phone entitlement and PSTN connectivity. Each branch Auto Attendant needs a resource account and a Teams Phone Resource Account license; the branch's main number is assigned to that resource account. Do not license a resource account as a regular human user unless a specific, documented requirement calls for it.

8. Branch Number Porting and Auto Attendant Procedure

1. **Build a branch number inventory:** For each branch, record main number, associated DIDs, toll-free numbers, carrier/account details, BTN, service address, CSR, billing account number, authorized signer, porting PIN where applicable, and all numbers that must remain active.
2. **Select PSTN provider and validate porting:** Confirm the selected Microsoft Calling Plan or Operator Connect provider supports the numbers, service-number use, geographic area, and emergency calling requirements. Avoid cancelling the losing carrier service before port completion.
3. **Prepare port request:** Collect the provider-required LOA and supporting carrier documents. Verify customer legal name/address exactly matches carrier records. Submit port order with a requested cutover window and an escalation contact.
4. **Create resource account in Microsoft 365 admin center:** Create a dedicated resource account such as RA-AA-BranchName@tenant-domain. Keep sign-in disabled. Assign the Microsoft Teams Phone Resource Account license and ensure country/usage location is correct.
5. **Port / acquire branch main number:** Submit port through Teams admin center for Microsoft Calling Plans, or coordinate with the Operator Connect provider. Confirm the number appears in the tenant and is available for voice application assignment.
6. **Assign number to resource account:** In Teams admin center, go to Voice > Resource accounts, select the resource account, choose Assign/unassign, select the correct phone number type, assign the ported main number, and save.
7. **Create Auto Attendant:** In Teams admin center, go to Voice > Auto attendants and create the branch AA. Set language, time zone, operator or greeting, business-hours call flow, after-hours flow, holiday schedules, menu prompts and directory/search settings as approved.
8. **Configure call destinations:** Route menu options to appropriate Teams users, call queues, shared service desks or another AA. Configure timeout, invalid-input, no-agent, overflow and voicemail behavior. Validate external transfer requirements and resource-account outbound licensing.
9. **Test before and after port:** Test calls from mobile, landline and internal Teams; menu options; caller ID; after-hours/holiday routing; transfers; voicemail; emergency calling; call queues; recording/compliance features; and failover/continuity procedures.
10. **Accept and monitor:** Obtain branch manager and service owner sign-off. Monitor call quality, failed calls, port status, help-desk tickets and member-service impact during hypercare.

9. Phased Migration Plan

Phase 0 — Mobilization and governance

Confirm sponsor, project manager, voice architect, M365/Teams engineer, network/security, branch owners, carrier and help desk. Agree scope, change control, success criteria, risk register and communications plan.

Phase 1 — Discovery and current-state assessment

Inventory CUCM clusters/nodes, users, phones, directory numbers, partitions/CSS, route patterns, translation patterns, SIP trunks, gateways, voicemail, hunt groups, analog lines, contact center, paging, recording, emergency calling, carrier contracts and number ownership. Identify each dependency and disposition.

Phase 2 — Target design and readiness

Choose Calling Plans or Operator Connect; approve high-level and low-level designs; assess WAN/Internet, QoS, firewall/proxy, power, Teams client/device compatibility, identity and Conditional Access. Establish emergency calling locations and support model.

Phase 3 — Tenant and licensing preparation

Validate tenant health and domain, user identities, Teams licenses, Teams Phone entitlement, voice policies, resource-account licensing, PSTN provider integration, number inventory, emergency policies and administrative roles. Configure monitoring and reporting.

Phase 4 — Pilot branch

Select one low-complexity branch and a representative user cohort. Configure AA/resource account, port one branch main number, migrate pilot users and test inbound/outbound, call flows, devices, emergency calling, user experience and support runbooks. Resolve defects before scaling.

Phase 5 — Branch migration waves

Group branches by complexity and geography. For each wave: freeze changes; confirm port readiness; create resource accounts/AAs; pre-stage users/policies; communicate cutover; port numbers; validate calls; track incidents; obtain sign-off. Keep a defined rollback/contingency plan with carrier and technical owners.

Phase 6 — Enterprise voice completion

Migrate remaining users, service numbers, call queues, shared phones, analog dependencies and approved integrations. Confirm no production call routes or required services depend on CUCM.

Phase 7 — CUCM decommission readiness

Complete dependency sign-off; export final configuration and backups; retain records per policy; remove/replace SIP trunks and gateways as appropriate; disable CUCM services in a controlled non-production test window where possible; verify no unexpected traffic or business impact.

Phase 8 — Decommission and closeout

Approve formal decommission change; shut down and remove CUCM nodes and voice components no longer required; remove obsolete DNS, certificates, firewall rules, monitoring, backups and support contracts where appropriate; update diagrams/runbooks; complete knowledge transfer and final acceptance.

10. Branch Wave Runbook / Cutover Checklist

- T-10 to T-5 business days: verify LOA/CSR, port status, number list, carrier account match, service address and cutover approval.
- T-5 to T-2 days: finish resource account, AA, menus, business hours, holidays, queue membership, licenses, emergency location and end-to-end test plan.
- T-1 day: send branch/user communication; confirm escalation bridge, carrier contact, change record, rollback decision owner and final go/no-go.
- Cutover window: confirm port complete; assign/verify main number; place inbound and outbound test calls; test menu paths and after-hours route; verify caller ID and emergency-call procedure; document results.

- First 1–3 business days: hypercare, monitor failed calls and call quality, triage issues, daily branch owner check-in.
- Close wave: resolve or accept residual issues, obtain branch sign-off and update migration tracker.

11. Testing and Acceptance Criteria

- 100% of approved branch main numbers are ported or otherwise activated and route to the intended branch Auto Attendant.
- All published menu options, business-hours schedules, holiday schedules, timeout/invalid-input handling and voicemail/overflow destinations pass approved test cases.
- Representative inbound and outbound PSTN calls succeed for each user profile and branch; caller ID and number presentation meet requirements.
- Emergency calling policies, branch emergency addresses and location behavior are validated with the provider and according to approved safety procedures. Do not place uncoordinated test calls to emergency services.
- All in-scope users and shared devices have the correct licenses, policies, numbers and support instructions.
- No in-scope production call flow depends on CUCM before decommission approval.
- Branch owner, service owner, IT operations and project sponsor sign the acceptance record.

12. Rollback and Continuity Strategy

Rollback is branch-specific and must be agreed with the carrier before the port window. A number port may not be instantly reversible; therefore, the primary risk control is pre-cutover validation, accurate port data, a tested temporary alternate contact path, and a documented carrier escalation. Keep CUCM operational during the migration waves until the final decommission gate is passed. Do not disconnect or cancel legacy circuits, carrier services, or CUCM dependencies until the associated numbers and services are confirmed working in Teams and the client signs off.

13. Roles and Responsibilities

Role	Responsibilities
Client project sponsor	Funding, business priorities, scope decisions, escalations and final acceptance.
Client IT / M365 owner	Tenant access, licensing procurement, identity, security policies, user data and change approvals.
Voice migration lead	CUCM discovery, dial-plan mapping, target architecture, migration runbook, cutover coordination and decommission plan.
Network / security team	Internet/WAN readiness, QoS, firewall, DNS, certificates where relevant, emergency network locations and monitoring.
Branch manager / business owner	Approve menus, greetings, hours, holiday calendars, call destinations and branch acceptance.
Carrier / Operator Connect provider	Porting validation, LOA processing, port date, PSTN activation, number routing and carrier-side troubleshooting.
Service desk / operations	User communications, knowledge articles, incident intake, escalation and post-cutover support.

14. Deliverables

- Current-state inventory and as-built architecture diagram.
- Target-state architecture and low-level configuration design.
- CUCM-to-Teams number, route and feature mapping workbook.
- License and PSTN cost model with quantities by user and branch.
- Branch porting tracker and Auto Attendant design workbook.
- Pilot results, test scripts, cutover and rollback runbooks.
- Branch acceptance records, issues log and hypercare summary.
- CUCM decommission checklist, final architecture, support runbooks and knowledge-transfer session.

15. Assumptions, Risks and Dependencies

- The client will provide authorized access to CUCM, Teams admin center, Microsoft 365 admin center, carrier portals and current billing/number records.
- Number portability and port dates are subject to carrier validation, complete documentation, service-area eligibility and provider scheduling.
- Branch count, user count, number count, calling volume, contact-center requirements, analog devices and integration inventory are not yet supplied; schedule and pricing must be baselined after discovery.
- Credit unions may have regulatory, retention, recording, privacy, business-continuity and vendor-risk obligations. Compliance and legal owners must approve the target design.
- Internet outage resilience, power, failover routing, emergency calling and alternate member contact paths must be explicitly designed; cloud voice does not remove branch network dependencies.
- A number used for a main AA may need to be treated as a voice-app/service number and assigned to a resource account, subject to provider number type and porting rules.
- Any requirement for survivable branch calling, analog devices, alarms, elevators, fax, paging, contact center, call recording or special carrier routing may change architecture, cost and timeline.

16. Indicative Schedule

Planning estimate only; refine after discovery and porting-provider review.

Workstream	Indicative duration	Exit gate
Mobilization and discovery	2–4 weeks	Inventory and scope approved
Design, licensing and readiness	2–4 weeks	Target design and licenses approved
Pilot branch	2–3 weeks	Pilot acceptance
Branch waves	1–2 weeks per wave, overlapping as feasible	Branch acceptance per wave
Final remediation and CUCM decommission	2–4 weeks after final migration	Dependency sign-off and decommission approval

17. Change Control and Commercial Terms

This SOW is a technical planning baseline, not a fixed-price quote. A final commercial SOW should define the number of branches, users, service numbers, call queues, shared phones, integrations, porting orders, after-hours cutovers, support hours, travel, taxes, carrier charges, license costs, acceptance period, warranty/hypercare period and payment milestones. Any work outside approved scope must be documented through a change request with impact to schedule, cost and risk.

Confidential planning document • Replace placeholders and validate licensing/provider terms before implementation

18. Microsoft Reference Documentation

- **Teams Phone licensing and plans:** <https://www.microsoft.com/en-us/microsoft-teams/microsoft-teams-phone>
- **Teams add-on licensing:** <https://learn.microsoft.com/microsoftteams/teams-add-on-licensing/microsoft-teams-add-on-licensing>
- **Voice application prerequisites and licensing:** <https://learn.microsoft.com/en-us/microsoftteams/aa-cq-reference-prerequisites-licensing>
- **Manage resource accounts for voice applications:** <https://learn.microsoft.com/en-us/microsoftteams/aa-cq-manage-resource-accounts>
- **Get telephone numbers for Teams:** <https://learn.microsoft.com/en-us/microsoftteams/manage-phone-numbers-landing-page>
- **US phone number porting guidance:** <https://learn.microsoft.com/en-us/microsoftteams/phone-reference/manage-numbers/phone-number-management-for-the-u-s>
- **Teams network topology for cloud voice:** <https://learn.microsoft.com/en-us/microsoftteams/manage-your-network-topology>
- **Dynamic emergency calling:** <https://learn.microsoft.com/en-us/microsoftteams/configure-dynamic-emergency-calling>

19. Approval

Approver	Name / Title	Signature / Date
Client sponsor		
Client IT / service owner		