



# MOSAIC<sub>bioacc</sub> REPORT

#### 2021-06-03

This report is provided by the  $MOSAIC_{bioacc}$  application available here: https://mosaic.univ-lyon1.fr/bioacc

 $Contact: \ sandrine.charles@univ-lyon1.fr$ 

MOSAIC<sub>bioacc</sub> uses the JAGS (version 4.3.0) and R (version 4.0.2) software, and in particular packages RJags (version 4.10), jagsUI (version 1.5.1) and Shiny (version 1.6.0).

The MOSAIC<sub>bioacc</sub> application is a turn-key web tool providing bioaccumulation factors (BCF/BSAF/BMF) from a toxicokinetic (TK) model fitted to accumulation-depuration data. It is designed to fulfil the requirements of regulators when examining applications for market authorization of active substances.

## Data summary

File used: Daphnia anthracene 24h Wang2021 gut-food.txt

Exposure:  $59.745 \ \mu g.g^{-1}$ 

Accumulation phase duration: 24 hours

Number of replicates: 3

Times: 0, 0.5, 2, 5, 10, 24, 26, 29, 34, 48, 72

Exposure routes: food

Elimination routes: excretion

#### Bayesian inference

Three MCMC chains were used to estimate model parameters.

Number of iterations: 221014

Thin: 59





#### TK Model

The TK model used for these calculations was:

$$\frac{dC_p(t)}{dt} = k_{uf} \times c_f - (k_{ee}) \times C_p(t) \quad for \ 0 \le t \le t_c$$

$$\frac{dC_p(t)}{dt} = -(k_{ee}) \times C_p(t) \quad for \ t > t_c$$

with:

t: time (expressed in hours)

 $t_c$ : duration of the accumulation phase (expressed in hours )

 $C_p(t)$ : internal concentration of the parent compound at time (expressed in  $\mu g.g^{-1}$ )

 $k_{ee}$ : elimination rates of excretion (expressed per hours  $^{-1}$ )

 $c_f$ : exposure concentration of food route (expressed in  $\mu g.g^{-1}$ )

 $k_{uf}$ : uptake rate of food exposure (expressed per hours  $^{-1}$ )


## Bioaccumulation factor calculation

#### Calculations

$$BMF_k = \frac{k_{uf}}{k_{ee}}$$

$$BMF_{ss} = \frac{C_p(t_c)}{c_f}$$

 $BMF_k$  plot



BMF summary






	2.5%	50%	97.5%	CV
BMFk	0.0357	0.0412	0.0462	0.064

## Fitting results

## Fit plot



## Quantiles of estimated parameters

	2.5%	50%	97.5%	
$\overline{k_{uf}}$	0.01389	0.02033	0.03475	$h^{-1}$
$k_{ee}$	0.3325	0.4916	0.8752	$h^{-1}$
$\sigma_p$	0.327	0.4326	0.6299	$\mu g.g^{-1}$

## Goodness-of-fit criteria

#### Posterior Predictive Check

The PPC shows the observed values against their corresponding estimated predictions (black dots), along with their 95% credible interval (vertical segments). If the fit is correct, we expect to see 95% of the data within the intervals. Ideally observations and predictions should coincide, so we would expect to see black dots along the first bisector y = x (plain black line). The 95% credible intervals are colored in green if they






overlap this line, in red otherwise.

## Parent compound:

## percentage of data in CI:




#### Priors and posteriors

The prior distribution is represented by the gray area and the posterior distribution by the orange area. The accuracy of the model parameter estimation can be visualized by comparing prior and posterior distributions: the overall expectation is to get a narrower posterior distribution compared to the prior one, what reflects that data contributed enough to precisely estimate parameters.








#### Correlation between parameters

If you want to see the coloured matrix giving a summary of parameter correlations, you need to import the corresponding figure directly from the application, page bottom, section "Downloads", then choose Download an output and select "GOF" then "parameter correlation". You can select the output format you prefer.

Correlations between parameters are visualized by projecting the joint posterior distribution in a plot matrix with planes of parameter pairs (lower triangular elements), marginal posterior distribution of each model parameter (diagonal), and Pearson correlation coefficients (upper triangular elements). Correlations are expected to be low (reflected by "potatoid" shapes of density lines in orange); a leaning elliptical shape translates high correlations (positive if leaning to the right, negative if leaning to the left).







## **Potential Scale Reduction Factors**

Convergence of the MCMC chains can be check with the Gelman-Rubin diagnostic expressed with the potential scale reduction factor (PSRF). Approximate convergence is diagnosed when the PSRF is below 1.01.

	PSRF
kuf	1.294384
kee	1.294292
sigmaCpred	1.017708





#### Watanabe-Akaike information criterion

Information criteria offer a computationally appealing way of estimating the generalization performance of the model. A fully Bayesian criterion is the widely applicable information criterion (WAIC) by Watanabe a penalized deviance statistics accounting for the uncertainty in the parameters and can be used also for singular models. WAIC is widely used in model comparison for a same dataset (e.g., with or without  $k_{\rm ee}$ ). Sub-models with lower WAIC values will be preferred.

WAIC = 31.8

#### **Deviance Information Criterion**

This criteria, denoted DIC, is a penalized deviance statistics accounting for the number of parameters for use in model comparison for a same dataset (e.g., with or without  $k_{\rm ee}$ ). Sub-models with lower DIC values will be preferred.


DIC = 35.88692

#### Traces of MCMC iterations

A traceplot is an essential plot for assessing convergence and diagnosing of MCMC chains. It shows the time series of the sampling process leading to the posterior distribution. Different colors are used for each of the chains (here 3) to assess within-chain convergence.


















# Data Table

time	conc	expf	replicate
0.0	0.00000000	59.745	1
0.5	0.93280213	59.745	1
0.5	1.02426390	59.745	2
2.0	1.09710956	59.745	1
2.0	2.01172725	59.745	2
2.0	2.32269727	59.745	3
5.0	2.23048006	59.745	1
5.0	2.50481141	59.745	2
5.0	1.24263899	59.745	3
10.0	2.75960933	59.745	1
10.0	2.57668579	59.745	2
10.0	2.00962282	59.745	3
24.0	2.88398655	59.745	1
24.0	2.60960124	59.745	2
24.0	1.87785312	59.745	3
26.0	1.10908862	59.745	1
26.0	0.98109610	59.745	2
26.0	0.90787273	59.745	3
29.0	0.83389392	59.745	1
29.0	0.54121625	59.745	2
29.0	0.41316978	59.745	3
34.0	0.08261237	59.745	1
34.0	0.13748943	59.745	2
48.0	0.02406605	59.745	1
48.0	0.02412001	59.745	2
72.0	0.00000000	59.745	1