

The Perchlorate Scrubber

Detoxifying Martian Soil into Something a Crop Can Grow In

Concept Study PS-CS-029 · Off-World Civilisation Toolkit, Volume II · July 2026

Classification: Speculative engineering, constrained to known physics

Wijerathne Arachchilage Sandun Priyankara Wijerathne

sandunwijerathne51@gmail.com · linkedin.com/in/sandun-wijerathne · github.com/sandunwijerathne

Abstract

The soil of Mars is poisoned. Across the planet, the fine dust that covers everything contains perchlorates — chlorine-oxygen salts that are toxic to humans, harmful to the thyroid, and hostile to most crops — at concentrations high enough to matter. Any plan to grow food in Martian regolith, or simply to live surrounded by its dust, must reckon with this: the ground itself is a hazard. This study describes a machine to remove that hazard. The PS-1 'Hygeia' is a soil-detoxification reactor that strips perchlorates from Martian regolith, rendering the soil safe to grow in and safe to handle. It can do so by washing the highly soluble salts out with water and then destroying them — either with tailored microbes that consume perchlorate and breathe out chlorine and oxygen, or by heating, or by chemical means. Crucially, the poison is also a resource: perchlorate is rich in oxygen, and destroying it releases that oxygen, so the scrubber can turn a toxin into breathable gas. We describe the chemistry, the reactor, the twin prize of clean soil and free oxygen, and the honest containment problem of handling a toxic dust that gets into everything.

1. Introduction: The Poisoned Ground

One of the more sobering discoveries of Mars exploration was that its soil is not merely infertile but actively toxic. Measurements at the Martian surface found perchlorate salts distributed in the regolith at concentrations of roughly half a percent by mass — a small number that is nonetheless far above the level at which perchlorate is a concern for human health (Hecht et al., 2009). Perchlorates interfere with the thyroid's uptake of iodine in humans, are toxic in quantity, and are damaging to many plants; a dust this laden with them is a material to be feared, not farmed. And on Mars the dust is everywhere: fine, wind-borne, electrostatically clinging, tracked into every airlock and settling on every surface.

This poses a double problem for any settlement. First, the dream of growing food directly in Martian soil — rather than in imported hydroponic media — runs immediately into the fact that the soil would poison the crops and, through them, the crew. Second, even setting agriculture aside, a toxic dust that infiltrates habitats and coats equipment is a chronic health hazard to a crew that cannot escape it. Making Martian regolith safe — safe to grow in, safe to live among — is therefore not an optional refinement but a prerequisite for using the planet's own ground at all. The Perchlorate Scrubber is the machine that makes the ground usable.

2. Concept Description

The PS-1 'Hygeia' is a soil-processing reactor that takes in raw, perchlorate-laden regolith and returns clean, detoxified soil. Its operation turns on a convenient chemical fact: perchlorate salts are highly soluble in water. The first step is therefore to wash the regolith — mixing it with water so that the perchlorate dissolves out of the soil and into the water, leaving the mineral grains behind. The washed

soil, now largely free of perchlorate, is separated from the liquid and is safe to use; the perchlorate has simply been moved from the solid into a contaminated brine.

That brine is then treated to destroy the perchlorate rather than merely relocate it, and here the concept offers several routes. The most elegant is biological: certain microbes use perchlorate as we use oxygen, consuming it and reducing it to harmless chloride and — significantly — oxygen. A tank of such perchlorate-reducing microorganisms can digest the brine, leaving clean, reusable water and releasing oxygen gas (Davila, Willson and McKay, 2013, on the biological route and its oxygen yield). Alternatively the perchlorate can be broken down by heat or by chemical reaction. Whichever route is used, the cycle closes: the water is recovered and reused to wash the next batch, the soil comes out clean, and the destroyed perchlorate yields its oxygen.

3. The Chemistry: A Poison Made of Oxygen

The word perchlorate names a family of salts built around the perchlorate ion, which is a single chlorine atom bound to four oxygen atoms. That structure is the key to everything about the concept. It is what makes perchlorate a strong oxidiser and, in the body, a thyroid disruptor — the toxicity that must be removed. But it is also what makes perchlorate a remarkable store of oxygen: each perchlorate ion carries four oxygen atoms, so breaking the ion apart liberates a great deal of oxygen. The very feature that makes the salt dangerous makes it valuable.

This is why the scrubber is better understood as a resource extractor than merely a decontaminator. Destroying the perchlorate — biologically, thermally, or chemically — does not simply neutralise a poison; it releases oxygen that can be breathed or used, from a source that blankets the entire planet. The biological route is especially attractive because the microbes do the work at modest temperatures and yield oxygen directly (Davila, Willson and McKay, 2013); it has the character of the algal loop elsewhere in this catalogue, a living system harnessed to a chemical task. A settlement that must scrub its soil anyway can, in the same process, harvest oxygen from the ground — turning the planet's most notorious hazard into one of its assets.

4. The Machine Itself

Functionally the scrubber is a wet chemical plant with three stages: a washing stage that mixes regolith with water and dissolves out the perchlorate; a separation stage that divides the clean soil from the contaminated brine; and a destruction stage — a bioreactor, furnace, or chemical reactor — that breaks down the perchlorate in the brine, recovers the water, and captures the released oxygen. Around these sit the handling systems that move dusty regolith in and clean soil out, the water-recovery loop that lets the same water wash batch after batch, and the gas-capture system that collects the oxygen. Water is the central consumable, which ties the scrubber directly to the water-harvesting and recycling infrastructure a Martian base requires anyway.

The dominant engineering challenge is not the chemistry but the handling. Perchlorate-laden dust is toxic and pervasive, and a machine built to process it in bulk must contain it rigorously, protecting the crew from exposure at every transfer — a serious dust-management and containment problem in an environment where the dust already gets into everything. The wet process helps, because wetting the dust immediately suppresses it, but the intake of dry toxic regolith and the disposal or use of any residues demand careful sealed handling. This is the honest heart of the concept's difficulty: the chemistry is well

understood and even generous, but processing a poisonous dust safely, continuously, and without contaminating the people it is meant to protect is a real and central design burden.

Stage	Input	Output
Wash	raw regolith + water	perchlorate dissolved into brine
Separate	wet slurry	clean soil + contaminated brine
Destroy	brine (microbes/heat/chem)	chloride + oxygen + clean water
Recover	water, oxygen	water reused, O2 captured
Product	-	safe soil + breathable oxygen

Table 1. The scrubber's stages — poison out, oxygen and clean soil in.

5. Operations Concept

Phase one is dust safety: a small scrubber processing the regolith destined for high-contact uses — the soil brought into habitats, packed against structures, or handled by the crew — simply to reduce the perchlorate exposure that dust poses, a health measure valuable from the first day of a surface mission. Phase two is agricultural soil preparation: detoxifying regolith in quantity so that it can serve as a growing medium for crops, opening the possibility of farming in Martian soil rather than in wholly imported media. Phase three couples the scrubber to oxygen production, running it at a scale where the oxygen released from destroyed perchlorate becomes a meaningful contribution to the base's breathing-gas and propellant supply, so that soil detoxification and oxygen generation are one integrated process. Each phase is useful alone, and each makes more of the planet's own ground safely available.

6. Honest Difficulties

The central difficulty is containment, and it deserves emphasis because it is easy to underestimate. The scrubber exists to handle a toxic dust, and doing so at scale, continuously, without exposing the crew, is genuinely hard on a planet where that dust already contaminates every surface and infiltrates every seal. The intake of dry perchlorate-rich regolith, the handling of concentrated brine, and the disposal of any residues all demand rigorous sealed processing. Water is a real cost: the wet process consumes water, which is precious on Mars and must be recovered efficiently, tying the scrubber's viability to the water-recovery loop. The biological destruction route, though elegant, requires keeping a microbial culture healthy and contained, with the same fragility as any living system (Davila, Willson and McKay, 2013). And detoxified soil is not automatically fertile — removing the poison makes it safe, but making it grow crops well is a further step of adding nutrients and structure. None of these is a barrier of chemistry; perchlorate reduction is well understood (Hecht et al., 2009; Davila, Willson and McKay, 2013). They are the practical costs of cleaning a poisoned world.

7. Pathway to Reality

The concept rests on established science. The presence and concentration of perchlorate in Martian soil is measured fact (Hecht et al., 2009); perchlorate-reducing microorganisms are well known on Earth, where they are used to clean perchlorate-contaminated water, and their application to Martian soil detoxification with oxygen as a by-product has been specifically proposed (Davila, Willson and McKay, 2013); and washing, thermal, and chemical routes to perchlorate destruction are all understood. The

credible near-term step is a small dust-detoxification unit tied to the water system, proving the wash-and-destroy cycle and the containment before scaling up. Because it unlocks both safe soil and oxygen from the same abundant, planet-wide feedstock, and because it addresses a hazard that any Martian settlement must confront regardless, the Perchlorate Scrubber is among the most necessary machines in any serious plan to live on Mars.

8. Conclusion

Mars offers its would-be settlers ground that is at once a threat and a gift: a dust that would poison a crew and their crops, built around an ion that is four-fifths oxygen. The Perchlorate Scrubber takes that paradox by both horns, washing the poison from the soil and then destroying it in a way that hands back breathable oxygen — turning the planet's most feared material into safe earth and free air in a single process. It asks, in return, for the discipline to handle a toxic dust without being harmed by it, which is no small thing on a world made of the stuff. But a civilisation cannot farm ground it dare not touch, and the first step to making Mars a home is to make its soil safe to hold. This is the machine that does it — and, in doing it, breathes.

References

Harvard referencing style (Cite Them Right).

- Davila, A.F., Willson, D., Coates, J.D. and McKay, C.P. (2013) 'Perchlorate on Mars: a chemical hazard and a resource for humans', *International Journal of Astrobiology*, 12(4), pp. 321-325.
- Hecht, M.H., Kounaves, S.P., Quinn, R.C., West, S.J., Young, S.M.M., Ming, D.W., Catling, D.C., Clark, B.C., Boynton, W.V., Hoffman, J., DeFlores, L.P., Gospodinova, K., Kapit, J. and Smith, P.H. (2009) 'Detection of perchlorate and the soluble chemistry of Martian soil at the Phoenix lander site', *Science*, 325(5936), pp. 64-67.