Euclid's Elements

Book I

If Euclid did not kindle your youthful enthusiasm, you were not born to be a scientific thinker.

Albert Einstein

Table of Contents, Chapter 1

- 1 Construct an equilateral triangle
- 2 Copy a line
- 3 Subtract one line from another
- 4 Equal triangles if equal side-angle-side
- 5 Isosceles triangle gives equal base angles
- 6 Equal base angles gives isosceles triangle
- 7 Two sides of triangle meet at unique point
- 8 Equal triangles if equal side-side
- 9 How to bisect an angle
- 10 Bisect a line
- 11 Construct right angle, point on line
- 12 Construct perpendicular, point to line
- 13 Sum of angles on straight line = 180
- 14 Two lines form a single line if angle = 180

- 15 Vertical angles equal one another
- 16 Exterior angle larger than interior angle
- 17 Sum of two interior angles less than 180
- 18 Greater side opposite of greater angle
- 19 Greater angle opposite of greater side
- 20 Sum of two angles greater than third
- 21 Triangle within triangle has smaller sides
- 22 Construct triangle from given lines
- 23 Copy an angle
- 24 Larger angle gives larger base
- 25 Larger base gives larger angle
- 26 Equal triangles if equal angle-side-angle
- 27 Alternate angles equal then lines parallel
- 28 Sum of interior angles = 180, lines parallel

- 29 Lines parallel, alternate angles are equal
- 30 Lines parallel to same line are parallel to themselves
- 31 Construct one line parallel to another
- 32 Sum of interior angles of a triangle = 180
- 33 Lines joining ends of equal parallels are parallel
- 34 Opposite sides-angles equal in parallelogram
- 35 Parallelograms, same base-height have equal area
- 36 Parallelograms, equal base-height have equal area
- 37 Triangles, same base-height have equal area
- 38 Triangles, equal base-height have equal area



Table of Contents, Chapter 1

- 39 Equal triangles on same base, have equal height
- 40 Equal triangles on equal base, have equal height
- 41 Triangle is half parallelogram with same base and height
- 42 Construct parallelogram with equal area as triangle
- 43 Parallelogram complements are equal
- 44 Construct parallelogram on line, equal to triangle
- 45 Construct parallelogram equal to polygon
- 46 Construct a square
- 47 Pythagoras' theorem
- 48 Inverse Pythagoras' theorem




Proposition 45 of Book I

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.




To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.




In other words

Start with a given rectilinear figure ABCD and a given angle $\boldsymbol{\epsilon}$

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.








In other words

Start with a given rectilinear figure ABCD and a given angle ϵ

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.




In other words

Start with a given rectilinear figure ABCD and a given angle ϵ

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



In other words


Start with a given rectilinear figure ABCD and a given angle ϵ

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction

Draw line DB, creating two triangles

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



In other words

Start with a given rectilinear figure ABCD and a given angle ε


Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction

Draw line DB, creating two triangles

Create a parallelogram equal to triangle ABD, with angle ε (I·42)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



 $ABCD = \Delta ABD + \Delta DBC$

 $\angle FKH = \epsilon$

 $\triangle ADB = \Box FGHK$

In other words

Start with a given rectilinear figure ABCD and a given angle $\boldsymbol{\epsilon}$

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction

Draw line DB, creating two triangles


Create a parallelogram equal to triangle ABD, with angle ϵ (I·42)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.

 $ABCD = \Delta ABD + \Delta DBC$

 $\angle FKH = \epsilon$

ΔADB = □FGHK



In other words

Start with a given rectilinear figure ABCD and a given angle ε

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD


Construction

Draw line DB, creating two triangles

Create a parallelogram equal to triangle ABD, with angle ε (I·42)

Create a parallelogram equal to triangle DBC, with angle ϵ (I·42)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



 $ABCD = \Delta ABD + \Delta DBC$

 $\angle FKH = \epsilon$

ΔADB = □FGHK

 $\angle GHM = \epsilon$

 $\Delta DBC = \Box GHLM$

In other words

Start with a given rectilinear figure ABCD and a given angle ϵ

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction


Draw line DB, creating two triangles

Create a parallelogram equal to triangle ABD, with angle ε (I·42)

Create a parallelogram equal to triangle DBC, with angle ϵ (I·42)

Create a parallelogram, equal to triangle DBC, on side GH (I·44)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



 $ABCD = \Delta ABD + \Delta DBC$

 $\angle FKH = \epsilon$

ΔADB = □FGHK

 $\angle GHM = \epsilon$

ΔDBC = □GHLM

 \Box FLMK = ABCD

In other words

Start with a given rectilinear figure ABCD and a given angle ϵ

Create a parallelogram with an angle ϵ , such that it is equal in area to the polygon ABCD

Construction

Draw line DB, creating two triangles


Create a parallelogram equal to triangle ABD, with angle ε (I·42)

Create a parallelogram equal to triangle DBC, with angle ε (I·42)

Create a parallelogram, equal to triangle DBC, on side GH (I·44)

FLMK is a parallelogram, and it's area is equal to the polygon ABCD


To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



Proof:

Copyright © 2019 by Sandy Bultena

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



 $ABCD = \Delta ABD + \Delta DBC$

 $\angle FKH = \epsilon$

 $\triangle ADB = \Box FGHK$

 $\angle GHM = \epsilon$


ΔDBC = □GHLM

FK || GH, FG || KH

Proof:

FGHK is a parallelogram by construction so its sides are parallel

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



$$ABCD = \Delta ABD + \Delta DBC$$

 $ZFKH = \epsilon$

 $\triangle ADB = \Box FGHK$

 $\angle GHM = \epsilon$

ΔDBC = □GHLM


FK || GH, FG || KH ε + δ = 2∟

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD =
$$\triangle$$
ABD + \triangle DBC
 \angle FKH = ϵ
 \triangle ADB = \Box FGHK
 \angle GHM = ϵ
 \triangle DBC = \Box GHLM
FK | GH, FG | KH
 ϵ + δ = 2 L

KH,HM = KM


Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



$$ABCD = \Delta ABD + \Delta DBC$$

 $\angle FKH = \epsilon$

$$\triangle ADB = \Box FGHK$$

$$\angle GHM = \epsilon$$

$$\Delta DBC = \Box GHLM$$

FK | GH, FG | KH
$$\epsilon + \delta = 2$$

Proof:


FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD =
$$\triangle$$
ABD + \triangle DBC
 \angle FKH = ϵ
 \triangle ADB = \Box FGHK
 \angle GHM = ϵ
 \triangle DBC = \Box GHLM
FK | GH, FG | KH
 ϵ + δ = 2^{\bot}
KH, HM = KM
KM | FG

Proof:

FGHK is a parallelogram by construction so its sides are parallel


Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD = \triangle ABD + \triangle DBC \angle FKH = ϵ \triangle ADB = \Box FGHK \angle GHM = ϵ \triangle DBC = \Box GHLM FK || GH, FG || KH ϵ + δ = 2L KH, HM = KM KM || FG GL || HM, GH || LM

Proof:

FGHK is a parallelogram by construction so its sides are parallel


Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29) GLMH is a parallelogram by construction, so all its sides are parallel

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD =
$$\triangle$$
ABD + \triangle DBC
 \angle FKH = ϵ
 \triangle ADB = \square FGHK
 \angle GHM = ϵ
 \triangle DBC = \square GHLM
FK || GH, FG || KH
 ϵ + δ = 2 L
KH, HM = KM
KM || FG
GL || HM, GH || LM
 ϵ + β = 2 L

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)


Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29) GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD =
$$\triangle$$
ABD + \triangle DBC
 \angle FKH = ϵ
 \triangle ADB = \Box FGHK
 \angle GHM = ϵ
 \triangle DBC = \Box GHLM
FK || GH, FG || KH
 ϵ + δ = 2^{\bot}
KH, HM = KM
KM || FG
GL || HM, GH || LM
 ϵ + β = 2^{\bot}
FG, GL = FL

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram


Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)


GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



ABCD =
$$\triangle$$
ABD + \triangle DBC

ZFKH = ϵ
 \triangle ADB = \square FGHK

ZGHM = ϵ
 \triangle DBC = \square GHLM

FK | GH, FG | KH

 ϵ + δ = 2 \square

KH, HM = KM

KM | FG

GL | HM, GH | LM

 ϵ + β = 2 \square

FG, GL = FL

FK | LM

GK = GH = LM = x

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel


Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)

By their construction, lines GK and GH and LM are all of equal length

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29


Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)

By their construction, lines GK and GH and LM are all of equal length

Lines joined to the extremities of equal parallel lines are themselves equal and parallel (I·33)

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



 $ABCD = \Delta ABD + \Delta DBC$ $\angle FKH = \epsilon$ $\triangle ADB = \Box FGHK$ $\angle GHM = \epsilon$ ΔDBC = □GHLM FK | GH, FG | KH $\varepsilon + \delta = 2$ KH, HM = KMKM | FG GL | HM, GH | LM $\varepsilon + \beta = 2L$ FG,GL = FLFK || LM GK = GH = LM = x $FL = KM FL \parallel KM$ $FKML = \Box$

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I·29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)


Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)

By their construction, lines GK and GH and LM are all of equal length

Lines joined to the extremities of equal parallel lines are themselves equal and parallel (I·33)

FKML is a parallelogram

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



Copyright © 2019 by Sandy Bultena

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)


By their construction, lines GK and GH and LM are all of equal length

Lines joined to the extremities of equal parallel lines are themselves equal and parallel (I·33)

FKML is a parallelogram

By construction, FGHK equals the area of ABD, and GHML equals the area DBC, and the addition of equals are equal, therefore ABCD equals FKLM

To construct a parallelogram equal to a given rectilinear figure in a given rectilinear angle.



Copyright © 2019 by Sandy Bultena

 $ABCD = \Delta ABD + \Delta DBC$ $\angle FKH = \epsilon$ $\triangle ADB = \Box FGHK$ $\angle GHM = \epsilon$ ΔDBC = □GHLM FK | GH, FG | KH $\varepsilon + \delta = 2$ KH, HM = KMKM | FG GL | HM, GH | LM $\varepsilon + \beta = 2L$ FG,GL = FLGK = GH = LM = xFL = KM FL | KM FKML = \square $\sqcap FKML = ABCD$

Proof:

FGHK is a parallelogram by construction so its sides are parallel

Since FK and GH are parallel lines, angles FKH and GHK sum to two right angles (I-29)

Since angles GHK and GHM sum to two right angles, KH is in a straight line with HM (I·14)

Lines KM and FG are parallel since FGHK is a parallelogram

Thus, the alternate angles (HGF and GHM) are equal (I-29)

GLMH is a parallelogram by construction, so all its sides are parallel

Angles LGH and GHM sum to two right angles I-29

Since angles FGH and LGH sum to two right angles, FG is in a straight line with GL (I·14)

Lines FK and GH are parallel to each other, and lines GH and LM are parallel to each other, therefore lines FK and LM are parallel (I·30)

By their construction, lines GK and GH and LM are all of equal length

Lines joined to the extremities of equal parallel lines are themselves equal and parallel (I-33)

FKML is a parallelogram

By construction, FGHK equals the area of ABD, and GHML equals the area DBC, and the addition of equals are equal, therefore ABCD equals FKLM

Youtube Videos

https://www.youtube.com/c/SandyBultena











Except where otherwise noted, this work is licensed under http://creativecommons.org/licenses/by-nc/3.0