Euclid's Elements

Book VII

Definitions:

- A unit is that by virtue of which each of the things that exist is called one
- 2 A number is a multitude composed of units. (not one)
- A number is part of a number, the less of the greater, when it measures the greater
- 11 A prime number is that which is measured by a unit alone.
- 12 Numbers prime to one another are those which are measured by a unit alone as a common measure
- A number is said to multiply a number when that which is multiplied is added to itself as many times as there are units in the other, and thus some number is produced.
- Numbers are proportional when the first is the same multiple, or the same part, or the same parts, of the second that the third is of the fourth.

As long as algebra and geometry have been separated, their progress have been slow and their uses limited; but when these two sciences have been united, they have lent each mutual forces, and have marched together towards perfection.

Joseph-Louis Lagrange (1736 to 1813)



Table of Contents, Chapter 7

- Determine if two numbers are relatively prime
- 2 Find the greatest common divisor for two numbers
- 3 Find the largest common divisor for three numbers
- Given two natural numbers, A and B, either B is part of A, or there exists a natural number (a part) that can measure both A and B
- 5 If B = $(1/q)\cdot A$ and D = $(1/q)\cdot C$, then $(B+D) = (1/q)\cdot (A+C)$
- 6 If B = $(p/q)\cdot A$ and D = $(p/q)\cdot C$, then $(B+D) = (p/q)\cdot (A+C)$
- 7 If B = A/q and D = C/q, B>D, then (B-D) = (A-C)/q
- 8 If B = $(p/q)\cdot A$ and D = $(p/q)\cdot C$, B>D, then $(B-D) = (p/q)\cdot (A-C)$
- 9 If B = $(1/q)\cdot A$ and D = $(1/q)\cdot C$, and If B = $(r/s)\cdot D$, then A = $(r/s)\cdot C$

- 10 If B = $(p/q)\cdot A$ and D = $(p/q)\cdot C$, and If B = $(r/s)\cdot D$, then A = $(r/s)\cdot C$
- 11 If A:B = C:D, then (A-C):(B-D) = A:B
- 12 If A:B = C:D, then (A+C):(B+C) = A:B
- 13 If A:B = C:D, then A:C = B:D
- 14 If A:B = D:E and B:C = E:F, then A:C = D:F
- 15 If B = i·1 and E = i·D, and if D = j·1 then E = j·B
- 16 $A \times B = B \times A$
- 17 If D = A × B and E = A × C then D:E = B:C
- 18 If D = B × A and E = C × A then D:F = B:C
- 19 If A:B = C:D then A × D = B × C
 If A × D = B × C then A:B = C:D
- 20 Given the ratio A:B and C,D are the smallest numbers such that A:B = C:D then A = n·C and B = n·D

- If A,B are relatively prime, then A,B are the smallest whole numbers that can be used to describe the ratio A:B
- 22 If A,B are the smallest whole numbers that can be used to describe the ratio A:B, then A,B are relatively prime
- 23 If A,B are relatively prime and if A = n·C, then B,C are relatively prime
- 24 If A,C are relatively prime and B,C are relatively prime then the A × B is relatively prime to C
- 25 If A,B are relatively prime then A²,B are relatively prime
- 26 If A is relatively prime to C and D, and if B is also relatively prime to C and D, then A × B is relatively prime to C × D
- 27 If A,B are relatively prime, then A²,B² are relatively prime, and A³,B³ are relatively prime, and so on



Table of Contents, Chapter 7

- 28 If A,B are relatively prime, then A,(A+B) are relatively prime
- 29 If A is prime, and B ≠ n·A, then A,B are relatively prime
- 30 If C = A×B and C = i·D where D is prime, then either A = j·D or B = j·D
- 31 If $A = B \times C$, then $A = j \cdot D$ where D is prime
- 32 If A is a number then it is either prime, or $A = j \cdot D$ where D is prime
- Find the smallest numbers X,Y,Z where the ratio X:Y:Z is equal to the given ratio A:B:C
- 34 Find the lowest common denominator of 2 numbers
- 35 If E is the lowest common denominator of A,B, and if C = n ·A = m·B, then C = i·E
- 36 Find the least common multiple of 3 numbers


- If $A = p \cdot B$, then $A = q \cdot C$ where $C = p \cdot 1$
- 38 If $A = (1/c) \cdot B$ and $C = c \cdot 1$ then $A = n \cdot C$
- Find the smallest number that has the fractions 1/a, 1/b, 1/c



If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



$$A:B = C:D \rightarrow A\times D = B\times C$$


 $A\times D = B\times C \rightarrow A:B = C:D$

In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

If A times D equals B times C
Then A is to B as C is to D

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



$$A:B = C:D \rightarrow A\times D = B\times C$$

 $A\times D = B\times C \rightarrow A:B = C:D$

$$\frac{a}{b} = \frac{c}{d} \rightarrow ad = bc$$

$$ad = bc \rightarrow \frac{a}{b} = \frac{c}{d}$$


In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

If A times D equals B times C
Then A is to B as C is to D

... or as fractions:

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.




$$A:B = C:D$$

In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.




In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.




In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C Let G equal A times C

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words


Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C Let G equal A times C

Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof


Let E equal A times D, and F equal B times C

Let G equal A times C

Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)

But the ratio C to D is equal to the ratio A to B, therefore A to B is also equal to G to E (V·11)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C


Let G equal A times C

Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)

But the ratio C to D is equal to the ratio A to B, therefore A to B is also equal to G to E (V·11)

Since G and F are equal to A times C and B times C respectively, then the ratio of G to F is equal to the ratio A to B (VII·18)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C

Let G equal A times C


Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)

But the ratio C to D is equal to the ratio A to B, therefore A to B is also equal to G to E (V·11)

Since G and F are equal to A times C and B times C respectively, then the ratio of G to F is equal to the ratio A to B (VII-18)

Since the ratios G to E and G to F both equal the ratio A to B, then they also equal each other (V·11)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C

Let G equal A times C

Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)


But the ratio C to D is equal to the ratio A to B, therefore A to B is also equal to G to E (V·11)

Since G and F are equal to A times C and B times C respectively, then the ratio of G to F is equal to the ratio A to B (VII-18)

Since the ratios G to E and G to F both equal the ratio A to B, then they also equal each other (V·11)

And thus E and F must be equal (V·9)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

Given four numbers in proportion, where A is to B as C is to D Then A times D equals B times C

Proof

Let E equal A times D, and F equal B times C

Let G equal A times C

Since G and E are equal to A times C and A times D respectively, then the ratio of G to E is equal to the ratio C to D (VII-17)


But the ratio C to D is equal to the ratio A to B, therefore A to B is also equal to G to E (V·11)

Since G and F are equal to A times C and B times C respectively, then the ratio of G to F is equal to the ratio A to B (VII-18)

Since the ratios G to E and G to F both equal the ratio A to B, then they also equal each other (V·11)

And thus E and F must be equal (V-9)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.




In other words

If A times D equals B times C
Then A is to B as C is to D

Proof

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.




In other words

If A times D equals B times C
Then A is to B as C is to D

Proof

Let E equal A times D, and F equal B times C therefore E equals F

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



$$A \times D = B \times C$$

$$E = A \times D$$

$$F = B \times C$$

 $E = F$

$$G = A \times C$$

In other words


If A times D equals B times C
Then A is to B as C is to D

Proof

Let E equal A times D, and F equal B times C therefore E equals F

Let G equal A times C

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

If A times D equals B times C
Then A is to B as C is to D


Proof

Let E equal A times D, and F equal B times C therefore E equals F

Let G equal A times C

Since E equals F, then the ratio of G to E is equal to the ratio of G to F $(V\cdot 7)$

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

If A times D equals B times C
Then A is to B as C is to D

Proof


Let E equal A times D, and F equal B times C therefore E equals F

Let G equal A times C

Since E equals F, then the ratio of G to E is equal to the ratio of G to F (V·7)

But G is to E as C is to D (VII-17)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

If A times D equals B times C
Then A is to B as C is to D

Proof

Let E equal A times D, and F equal B times C therefore E equals F


Let G equal A times C

Since E equals F, then the ratio of G to E is equal to the ratio of G to F (V-7)

But G is to E as C is to D (VII-17)

And G is to F as A is to B (VII-18)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

If A times D equals B times C
Then A is to B as C is to D

Proof

Let E equal A times D, and F equal B times C therefore E equals F

Let G equal A times C


Since E equals F, then the ratio of G to E is equal to the ratio of G to F (V·7)

But G is to E as C is to D (VII-17)

And G is to F as A is to B (VII-18)

Since E and F are equal, the ratio G to E is equal to the ratio G to F, therefore A to B equals C to D (V·11)

If four numbers be proportional, the number produced from the first and fourth will be equal to the number produced from the second and third; and, if the number produced from the first and fourth be equal to that produced from the second and third, the four numbers are proportional.



In other words

If A times D equals B times C
Then A is to B as C is to D

Proof

Let E equal A times D, and F equal B times C therefore E equals F

Let G equal A times C

Since E equals F, then the ratio of G to E is equal to the ratio of G to F (V·7)

But G is to E as C is to D (VII-17)

And G is to F as A is to B (VII-18)

Since E and F are equal, the ratio G to E is equal to the ratio G to F, therefore A to B equals C to D (V·11)

Youtube Videos

https://www.youtube.com/c/SandyBultena











Except where otherwise noted, this work is licensed under http://creativecommons.org/licenses/by-nc/3.0