# Euclid's Elements

# Book VII

#### **Definitions:**

- A unit is that by virtue of which each of the things that exist is called one
- 2 A number is a multitude composed of units. (not one)
- A number is part of a number, the less of the greater, when it measures the greater
- 11 A prime number is that which is measured by a unit alone.
- 12 Numbers prime to one another are those which are measured by a unit alone as a common measure
- A number is said to multiply a number when that which is multiplied is added to itself as many times as there are units in the other, and thus some number is produced.
- Numbers are proportional when the first is the same multiple, or the same part, or the same parts, of the second that the third is of the fourth.

As long as algebra and geometry have been separated, their progress have been slow and their uses limited; but when these two sciences have been united, they have lent each mutual forces, and have marched together towards perfection.

Joseph-Louis Lagrange (1736 to 1813)



# **Table of Contents, Chapter 7**

- 1 Determine if two numbers are relatively prime
- 2 Find the greatest common divisor for two numbers
- 3 Find the largest common divisor for three numbers
- Given two natural numbers, A and B, either B is part of A, or there exists a natural number (a part) that can measure both A and B
- 5 If B =  $(1/q)\cdot A$  and D =  $(1/q)\cdot C$ , then  $(B+D) = (1/q)\cdot (A+C)$
- 6 If B =  $(p/q)\cdot A$  and D =  $(p/q)\cdot C$ , then  $(B+D) = (p/q)\cdot (A+C)$
- 7 If B = A/q and D = C/q, B>D, then (B-D) = (A-C)/q
- 8 If B =  $(p/q)\cdot A$  and D =  $(p/q)\cdot C$ , B>D, then  $(B-D) = (p/q)\cdot (A-C)$
- 9 If B = (1/q)·A and D = (1/q)·C, and If B = (r/s)·D, then A = (r/s)·C

- 10 If B =  $(p/q)\cdot A$  and D =  $(p/q)\cdot C$ , and If B =  $(r/s)\cdot D$ , then A =  $(r/s)\cdot C$
- 11 If A:B = C:D, then (A-C):(B-D) = A:B
- 12 If A:B = C:D, then (A+C):(B+C) = A:B
- 13 If A:B = C:D, then A:C = B:D
- 14 If A:B = D:E and B:C = E:F, then A:C = D:F
- 15 If B = i·1 and E = i·D, and if D = j·1 then E = j·B
- 16  $A \times B = B \times A$
- 17 If D = A × B and E = A × C then D:E = B:C
- 18 If D = B × A and E = C × A then D:E = B:C
- 19 If A:B = C:D then  $A \times D = B \times C$ If  $A \times D = B \times C$  then A:B = C:D
- 20 Given the ratio A:B and C,D are the smallest numbers such that A:B = C:D then A = n·C and B = n·D

- 21 If A,B are relatively prime, then A,B are the smallest whole numbers that can be used to describe the ratio A:B
- 22 If A,B are the smallest whole numbers that can be used to describe the ratio A:B, then A,B are relatively prime
- 23 If A,B are relatively prime and if A = n·C, then B,C are relatively prime
- 24 If A,C are relatively prime and B,C are relatively prime then the A × B is relatively prime to C
- 25 If A,B are relatively prime then A<sup>2</sup>,B are relatively prime
- 26 If A is relatively prime to C and D, and if B is also relatively prime to C and D, then A × B is relatively prime to C × D
- 27 If A,B are relatively prime, then A<sup>2</sup>,B<sup>2</sup> are relatively prime, and A<sup>3</sup>,B<sup>3</sup> are relatively prime, and so on



# **Table of Contents, Chapter 7**

- 28 If A,B are relatively prime, then A,(A+B) are relatively prime
- 29 If A is prime, and B ≠ n·A, then A,B are relatively prime
- 30 If C = A×B and C = i·D where D is prime, then either A = j·D or B = j·D
- 31 If  $A = B \times C$ , then  $A = j \cdot D$  where D is prime
- 32 If A is a number then it is either prime, or  $A = j \cdot D$  where D is prime
- Find the smallest numbers X,Y,Z where the ratio X:Y:Z is equal to the given ratio A:B:C
- 34 Find the lowest common denominator of 2 numbers
- 35 If E is the lowest common denominator of A,B, and if C = n ·A = m·B, then C = i·E
- 36 Find the least common multiple of 3 numbers

- If  $A = p \cdot B$ , then  $A = q \cdot C$  where  $C = p \cdot 1$
- 38 If  $A = (1/c) \cdot B$  and  $C = c \cdot 1$  then  $A = n \cdot C$
- Find the smallest number that has the fractions 1/a, 1/b, 1/c




Proposition 24 of Book VII

If two numbers be prime to any number, their product also will be prime to the same



If two numbers be prime to any number, their product also will be prime to the same




$$gcd(A,C) = 1$$
  
 $gcd(B,C) = 1$   
 $D = A \times B$ 

# In other words

If A and B are both prime to C, and D is the product of A,B

If two numbers be prime to any number, their product also will be prime to the same



$$gcd(A,C) = 1$$
  
 $gcd(B,C) = 1$ 


$$D = A \times B$$

$$gcd(C,D) = 1$$

#### In other words

If A and B are both prime to C, and D is the product of A,B
Then C and D are prime to one another


If two numbers be prime to any number, their product also will be prime to the same



$$gcd(A,C) = 1$$
  
 $gcd(B,C) = 1$   
 $D = A \times B$ 

# **Proof by Contradiction**

If two numbers be prime to any number, their product also will be prime to the same



$$gcd(A,C) = 1$$

$$gcd(B,C) = 1$$

$$D = A \times B$$


$$C = k \cdot E$$

$$D = f \cdot E$$

# **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

If two numbers be prime to any number, their product also will be prime to the same



$$gcd(A,C) = 1$$
  
 $gcd(B,C) = 1$ 

$$D = A \times B$$

$$C = k \cdot E$$
  
 $D = f \cdot E$ 


$$gcd(A,E) = 1$$

#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

If two numbers be prime to any number, their product also will be prime to the same




### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D

If two numbers be prime to any number, their product also will be prime to the same




#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII·16)

If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**


Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII·16)

Therefore D equals F times E (VII.Def.15)

If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**


Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them


Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B

If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D


Therefore F also measures D according to the units in E (VII·16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B

If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII-19)

If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D

Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)


But D is also equal to A times B, therefore F times E equals A times B

If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII·19)

A and E are relatively prime, so therefore they are the smallest numbers which can represent the ratio E to A (VII-21)



If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B


If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII·19)

A and E are relatively prime, so therefore they are the smallest numbers which can represent the ratio E to A (VII-21)

Since A and E are the smallest numbers in the ratio of B and F, E will measure B (and A will measure F) (VII-20)



If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B

If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII-19)


A and E are relatively prime, so therefore they are the smallest numbers which can represent the ratio E to A (VII-21)

Since A and E are the smallest numbers in the ratio of B and F, E will measure B (and A will measure F) (VII-20)

But E also measures C, which is impossible since B,C are relatively prime (VII.Def.12)



If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B

If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII-19)

A and E are relatively prime, so therefore they are the smallest numbers which can represent the ratio E to A (VII-21)


Since A and E are the smallest numbers in the ratio of B and F, E will measure B (and A will measure F) (VII-20)

But E also measures C, which is impossible since B,C are relatively prime (VII.Def.12)

Therefore no number E measures C and D, which means that C and D are relatively prime



If two numbers be prime to any number, their product also will be prime to the same



#### **Proof by Contradiction**

Assume that C and D are not prime to one another, and E measures both of them

Since A and C are relatively prime, and E measures C, then A and E are also relatively prime (VII-23)

Let F be equal to the number of times that E measures D Therefore F also measures D according to the units in E (VII-16)

Therefore D equals F times E (VII.Def.15)

But D is also equal to A times B, therefore F times E equals A times B

If the product of the extremes are equal to that of the means, the four numbers are proportional, in other words E is to A as B is to F (VII-19)

A and E are relatively prime, so therefore they are the smallest numbers which can represent the ratio E to A (VII-21)

Since A and E are the smallest numbers in the ratio of B and F, E will measure B (and A will measure F) (VII-20)

But E also measures C, which is impossible since B,C are relatively prime (VII.Def.12)

Therefore no number E measures C and D, which means that C and D are relatively prime



#### **Youtube Videos**

https://www.youtube.com/c/SandyBultena











Except where otherwise noted, this work is licensed under http://creativecommons.org/licenses/by-nc/3.0