




let vs const








※懶人包:優先用let

- 不要用"不用宣告"&"var"

- 用 "let" & "const"





- 1. 字串裡面可以包變數 hi, \${variable} (js) 字串 \${} 變數
- 2. "hi,\${variable}" (php) 前後 雙引號

```
// array

// index array
$indexArr = [1,2,3];

// Associative array
$assocArr = [
    's1' => 'amy',
    's2' => 'bob',
    's3' => 'cat'
];
```

```
myArr = [1, 2, 3];
console.log('myArr', myArr);
myObj = {
    's1': 'amy',
    's2': 'bob', ❖
    's3': 'cat',
console.log('myObj', myObj);
    myArr ▼ (3) [1, 2, 3] i
            1: 2
            2: 3
            length: 3
          ▶ [[Prototype]]: Array(0)
    myObj ▼ {s1: 'amy', s2: 'bob', s3: 'cat'} 1
            s1: "amy"
           s2: "bob"
            s3: "cat"
           ▶ [[Prototype]]: Object
```


```
myArr = [1, 2, 3];
                                                  // assocArr = [
// array
                                                  // 's1' : 'test',
// index array
                                                  console.log('myArr', myArr);
\frac{1}{2}
                                                  myObj = {
// Associative array
                                                      's1': 'amy',
$assocArr = [
                                                      's2': 'bob',
     's1' => 'amy',
                                                      's3': 'cat',
     's2' => 'bob',
     's3' => 'cat'
                                                  console.log('myObj', myObj);
];
                                                     myArr ▼ (3) [1, 2, 3] i
                                                             0: 1
                                                             1: 2
           <style>
                                                             2: 3
                                                             length: 3
               p {
                                                           ▶ [[Prototype]]: Array(0)
                    color: ■red;
                                                     myObj ▼ {s1: 'amy', s2: 'bob', s3: 'cat'} i
                    text-align: center;
                                                             s1: "amy"
                                                             s2: "bob"
                                                             s3: "cat"
                                                            ▶ [[Prototype]]: Object
           </style>
```


```
ኤፍ ቀO ↔ ↔ ጭ II ··· 👛 test.php ×
ड s20241128-01_js.html ●
s20241128 > ⑤ s20241128-01_js.html > � html > � body
You, 10 分鐘前 | 1 author (You)
1 <!DOCTYPE html>
                                                                                                                                 s20241128 > @ test.php
                                                                                                                                         You, 10 分鐘前 | 1 author (You)
<?php
        <html lang="en">
                                                                                                                                              $name = 'jia-3';
                                                                                                                                              echo("Hi $name");
              <meta charset="UTF-8">
             <meta name="viewport" content="width=device-width, initial-scale=1.0">
             <title>Document</title>
                                                                                                                                              $indexArr =[1,2,3];
                                                                                                                                              $assocArr = [
                                                                                                                                              's1' => 'amy',
's2' => 'bob',
's3' => 'cat'
                   console.log('Hello JavaScript~~');
                   let name = 'jia-3 ('*')/'
                   console.log(`HI, I'm ${name}`);
                  // const 恆定的 的意思
const mobile = '0911-111-111 >皿<';
                  console.log(`mobile: ${mobile}`);
                  myArr = [1, 2, 3];


// assocArr = [

// 's1' : 'test',
                   console.log('myArr', myArr);
                  myObj = {
    's1': 'amy',
    's2': 'bob',
    's3': 'cat',
                   console.log('myObj', myObj);
```


F12 的結果檔







https://jquery.com/



https://oscarotero.com/jquery/

