


3. . Suppose there are 2 Users and they are having Create, Read, Edit access on Account Object with the same profile but we want to open up the access for one user to delete how will you implement the Security setting.


Solution:

Step 1: we need create a profile for the two user which has the access to Create, Read, Edit for follow as per. Setup-quick search[profile]



Step 2:


Click on the new to create a new profile along with the label and Api



Here I had made it my profile name as Jaga and the existing profile as Standard Platform User.

Step 3:

Now click on the edit and scroll down to custom object settings and enable the read,create,edit and view options. After that click on save.



Profiles | Salesforce

Search Setup

SetupHomeObject Manager

users

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

ProspectorUsers

Didn't find what you're looking for?
Try using Global Search.

SETUP

Profiles

Communication Subscription Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Communication Subscription Timings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contacts	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Addresses	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Emails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Custom Object Permissions

	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Providers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: --None--

Enable different Experience Cloud login policies for employees

Separate Experience Cloud site and Salesforce login authentication for employees

Relax login IP restrictions

Skip employee device activation during Experience Cloud site login

Locations	<input type="checkbox"/>	<input type="checkbox"/>
Party Consents	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Topics	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Sellers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Streaming Channels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User External Credentials	<input type="checkbox"/>	<input type="checkbox"/>

	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Resources	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

25°C
Partly sunny

Search

ENG
IN

08:21 AM
01-10-2023

Profiles | Salesforce

Search Setup

SetupHomeObject Manager

users

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

ProspectorUsers

Didn't find what you're looking for?
Try using Global Search.

SETUP

Profiles

Communication Subscription Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Communication Subscription Timings	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contacts	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Addresses	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Consents	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Contact Point Emails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Custom Object Permissions

	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Providers	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: --None--

Enable different Experience Cloud login policies for employees

Separate Experience Cloud site and Salesforce login authentication for employees

Relax login IP restrictions

Skip employee device activation during Experience Cloud site login

Locations	<input type="checkbox"/>	<input type="checkbox"/>
Party Consents	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Push Topics	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Sellers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Streaming Channels	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User External Credentials	<input type="checkbox"/>	<input type="checkbox"/>


	Basic Access				Data Administration	
	Read	Create	Edit	Delete	View All	Modify All
Resources	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

25°C
Partly sunny

Search


ENG
IN

08:21 AM
01-10-2023



Step 4



Now you can preview your created profile on the profile option here my profile name jaga has been created with the access of read,create,edit along with view on it





Step 5:

Now create two users by enter into the Setup-quick search[user] and then click on new user

after clicking that you need to create two user along with the profile as Jaga which we have created on the step 2. once the one user has been created click on the save&new so that you can create the second user and there the user name can be created with alternate name but with the same user profile and once the two user are create click on save.





Now you can preview your two user that you have created in my side I had create the two users a Jagadesh11 and Jagadesh22 as a director channel sales with the marketing team.

Step 6:

Now the two user as been created with the profile so that two user can perform the Create, Read, Edit and view on both the user. So as per the given task we need to allocate a specific access as delete on one user for that we need create a permission set for one user so it can created as

setup-quick search[permission set]-new-fill label name [auto select the API name]-click on

save-object settings-accounts.

This screenshot shows the 'Permission Sets' page in the Salesforce Setup interface. The left sidebar contains navigation links for 'Users', 'Feature Settings', and 'Data.com'. The main content area is titled 'Permission Sets' and includes a table listing various permission sets. The table has columns for 'Action', 'Permission Set Label', 'Description', and 'License'. The 'All Permission Sets' dropdown is set to 'All'. The table lists 15 permission sets, including 'Buyer', 'Buyer Manager', 'CRM User', 'Commerce Admin', 'Contact Center Admin', 'Contact Center Agent', 'Contact Center Supervisor', 'Experience Profile Manager', 'Facility Manager', 'Field Service Mobile Standard Permission Set', 'Merchandiser', 'Order Management Agent', and 'Order Management Co-ops Manager'. The bottom of the page shows a status bar with '1-25 of 10' and '0 Selected'.

Action	Permission Set Label	Description	License
<input type="checkbox"/>	Buyer	Allows access to the store. Lets users see products and categories,...	B2B Buyer Permission Set One Seat
<input type="checkbox"/>	Buyer Manager	Includes all buyer capabilities, and allows access to manage carts an...	B2B Buyer Manager Permission Set One Seat
<input type="checkbox"/>	CRM User	Denotes that the user is a Sales Cloud or Service Cloud user.	CRM User
<input type="checkbox"/>	Commerce Admin	Allow access to commerce admin features	Commerce Admin Permission Set License Seat
<input type="checkbox"/>	Contact Center Admin	Manage Service Cloud Voice contact centers that use Amazon Conne...	Service Cloud Voice User
<input type="checkbox"/>	Contact Center Agent	Access agent features in Service Cloud Voice contact centers that us...	Service Cloud Voice User
<input type="checkbox"/>	Contact Center Supervisor	Access supervisor features in Service Cloud Voice contact centers th...	Service Cloud Voice User
<input type="checkbox"/>	Experience Profile Manager		Salesforce
<input type="checkbox"/>	Facility Manager	Lets users create, read, edit, and delete locations, sublocati ons, queu...	Facility Manager
<input type="checkbox"/>	Field Service Mobile Standard Permission Set	Give your mobile workforce access to the Field Service mobile app. S...	Field Service Mobile
<input type="checkbox"/>	Merchandiser	Allow access to commerce merchandising features.	Commerce Merchandiser User Permission Set License Seat
<input type="checkbox"/>	Order Management Agent	Read Access to all entities enabled by Order Management	Lightning Order Management User
<input type="checkbox"/>	Order Management Co-ops Manager	Access to all features enabled by Order Management	Lightning Order Management User

This screenshot shows the 'Create' page for a new Permission Set in the Salesforce Setup interface. The page is titled 'Permission Set Create' and includes a 'Save' button. The 'Enter permission set information' section contains fields for 'Label' (permission12), 'API Name' (permission12), and 'Description'. The 'Session Activation Required' checkbox is unchecked. The 'Select the type of users who will use this permission set' section includes a dropdown menu for 'License' set to 'None'. The page also includes a 'Help for this Page' link and a 'Save' button at the bottom.

Permission Set Create

Enter permission set information

Label: permission12

API Name: permission12

Description:

Session Activation Required: ☐

Select the type of users who will use this permission set

Who will use this permission set?

-Choose '-None-' if you plan to assign this permission set to multiple users with different user and permission set licenses.

-Choose a specific user license if you want users with only one license type to use this permission set.

-Choose a specific permission set license if you want this permission set license auto-assigned with the permission set.

Not sure what a permission set license is? [Learn more here.](#)

License: --None--

Permission Sets | Salesforce

kiot-5e-dev-ed.develop.lightning.force.com/lightning/setup/PermSets/page?address=%2F0PSSj000008Pgtu%3FsfddlFrameOrigin%3Dhttps%253A%252F%252Fkiot-5e-dev-ed.devel...

Search Setup

SetupHomeObject Manager

users

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Didn't find what you're looking for?
Try using Global Search.

SETUP

Permission Sets

Permission Set

permission12

Find Settings...CloneDeleteEdit PropertiesManage Assignments

Permission Set Overview

Description

License

Session Activation Required

Last Modified By

API Name

Namespace Prefix

Created By

01/10/2023, 8:24 am

Apps

Assigned Apps

Settings that specify which apps are visible in the app menu

Assigned Connected Apps

Settings that specify which connected apps are visible in the app menu

Object Settings

Permissions to access objects and fields, and settings such as tab availability

App Permissions

Permissions to perform app-specific actions, such as "Manage Call Centers"

Apex Class Access

Permissions to execute Apex classes

Visualforce Page Access

Permissions to execute Visualforce pages

External Data Source Access

25°C

Partly sunny

Search

ENG IN

08:24 AM

01-10-2023

Permission Sets | Salesforce

kiot-5e-dev-ed.develop.lightning.force.com/lightning/setup/PermSets/page?address=%2F0PSSj000008Pgtu%3Fsf%3DEntityPermissions

Search Setup

SetupHomeObject Manager

users

Users

Permission Set Groups

Permission Sets

Profiles

Public Groups

Queues

Roles

User Management Settings

Users

Feature Settings

Data.com

Prospector Users

Didn't find what you're looking for?
Try using Global Search.

SETUP

Permission Sets

Permission Set

permission12

Find Settings...CloneDeleteEdit PropertiesManage Assignments

Permission Set Overview

Object Settings

Object Name

Object Permissions

Total Fields

Tab Settings

Account Brands

No Access

9

--

Accounts

No Access

44

--

AI Insight Reasons

No Access

--

--

AI Record Insights

No Access

--

--

Alternative Payment Methods

No Access

27

--

API Anomaly Event Shares

No Access

14

--

App Analytics Query Requests

No Access

--

--

Application Usage Assignments

No Access

--

--

Appointment Categories

No Access

3

--

Appointment Invitations

No Access

17

--

Appointment Invites

--

4

--

Appointment Schedule Appointments

No Access

--

--

Appointment Schedule Logs

No Access

--

--

Appointment Topic Time Slots

No Access

6

--

Asset Actions

No Access

30

--

Asset Action Sources

No Access

18

--

25°C


Partly sunny

Search

ENG IN


08:25 AM


01-10-2023



Step7:


Now to give the specific delete access to the user click on edit on the Account and then enable the read,create,edit and the delete on it so that the permission set will have a specific special access on it. once it has been done click on save and then click on manage assignment.








Step 8

Now click on add assignment there you will find your two created users click on any one user to give a special access as delete on it and then click on assign so that the specific selected user can have a special access as delete on it.






Click on next.



Now click on Assign.



Now the specific access for the Jagadesh11 user has been assigned successfully.