

Data Flow Diagram & User Stories

Implement Client Script & UI Policy (Incident)

Date	01 October 2026	Team ID	SWTID-2026-4057
Project Name	Implement Client Script & UI Policy (Incident)	Module	ServiceNow Incident


1. Purpose

This document defines the data flow and user interactions for the ServiceNow Incident configuration. The design shows how an Incident user provides or changes data, how the Incident form applies UI Policies and Client Scripts, and how the system either accepts the update or prevents an invalid action.

2. System Scope


The data flow covers the Incident form and Incident list interactions implemented in the project: High Impact UI Policy, Assignment group mandatory control, Urgency read-only behavior, automatic Urgency update, save-time Assigned To validation, and list-edit restriction for State.

3. Data Flow Diagram – Context / Level 0



Level 0 interpretation: The user interacts with the Incident form or list. The client-side control layer evaluates the configured conditions and either changes field behavior, validates the record, blocks the action, or permits the update to reach the Incident record.

4. Data Flow Diagram – Level 1



Key data movements: Impact value drives conditional controls; the UI Policy changes Assignment group and Urgency behavior; the onChange script can set Urgency to High; the onSubmit script validates Assigned To before save; the onCellEdit script blocks direct State changes from the list; valid data is saved to the Incident record.

5. User Stories

ID	User Story	Acceptance Criteria
US-01	As an Incident user, I want the Assignment group to become mandatory when Impact is High so that high-impact Incidents contain routing information.	When Impact = 1 – High, Assignment group is mandatory. When the condition becomes false, the policy is reversed.
US-02	As an Incident user, I want Urgency to become read-only for High Impact Incidents so that the configured urgency value is not changed manually.	When Impact = High, Urgency is visible and read-only. When the condition is false, the read-only behavior is reversed.
US-03	As an Incident user, I want Urgency to be set automatically to High when Impact changes to High so that related values remain consistent.	Changing Impact to High sets Urgency to High and displays an informational message.
US-04	As an Incident user, I want the system to stop submission when a High Impact Incident has no Assigned To value so that incomplete records are not saved.	If Impact = High and Assigned To is empty, submission is blocked and an error is shown for Assigned To.
US-05	As an Incident user, I want direct State changes through list editing to be blocked so that State is updated through the Incident form instead.	Attempting to edit State in the Incident list displays a message and the callback returns false.
US-06	As an Incident user, I want valid Incident updates to save normally after all required conditions are satisfied so that controlled data entry does not prevent legitimate work.	When required information is present and no restricted list action is attempted, the Incident can be saved successfully.

6. User Interaction Flow

1. The user opens or creates an Incident record. 2. The user enters Incident details. 3. If Impact is changed to High, the UI Policy and onChange Client Script apply the configured field behavior. 4. If the user submits the form, the onSubmit Client Script checks the Assigned To condition. 5. If the user attempts to edit State from the Incident list, the onCellEdit Client Script blocks the operation. 6. If all applicable conditions are satisfied, the Incident update is accepted.

7. Data Elements Involved

Data Element	Role in Data Flow	Control
Impact	Drives the High Impact condition and onChange behavior.	UI Policy / onChange
Assignment group	Provides routing information for a High Impact Incident.	UI Policy Action – Mandatory
Urgency	Automatically set to High and controlled as read-only for High Impact.	UI Policy Action / onChange
Assigned To	Required before saving a High Impact Incident.	onSubmit validation
State	Controlled when an Incident is edited directly from the list.	onCellEdit restriction

8. Traceability to the Project Problem

The data flow and user stories directly address the project problem of incomplete, inconsistent, or incorrect Incident data entry. Conditional field behavior is handled by the UI Policy and UI Policy Action; automatic value control is handled by the onChange Client Script; save-time validation is handled by the onSubmit Client Script; and restricted list interaction is handled by the onCellEdit Client Script.

9. Summary

The proposed data flow keeps the control logic at the Incident user-interface level. User actions are evaluated immediately, applicable rules are applied without requiring an unnecessary form submission, invalid saves are blocked, and valid Incident updates continue to the Incident record. The user stories define the expected behavior in a testable form and provide a direct link between the project requirements and implementation.