

Dragon Quest Monsters: Joker 2 Professional Quick Translation Patching Guide:


1. Install python. On windows, you'll get it from here:

<https://www.python.org/ftp/python/3.14.5/python-3.14.5-amd64.exe>


SELECT "Add python.exe to PATH".




2. Download the code from the [repository](#) (edit: or the [fork](#))




3. Get a copy of ndstool or build it from source. (Note: I cannot verify the version from dslazy works properly, due to it being several years old)



4. In Pro_Tools, rename **blz_win** to **blz**



5. In the file bar, type **cmd** and then press enter to bring up a command prompt



6. In the command prompt, type **python --version** and press enter, which should give you a version string like this. This verifies you have Python installed correctly.

```
C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>python --version
Python 3.14.5
```

7. Now you'll do **mkdir Pro_ROM** and extract the data from your .nds file with this command:
ndstool -x DQMJ2P.nds -7 Pro_ROM\arm7.bin -9 Pro_ROM\arm9.bin -d Pro_ROM\data -y Pro_ROM\overlay -t Pro_ROM\banner.bin -h Pro_ROM\header.bin -y7 Pro_ROM\y7.bin -y9 Pro_ROM\y9.bin

```
C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>mkdir Pro_ROM

C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>ndstool -x DQMJ2P.nds -7 Pro_ROM\arm7.bin -9 Pro_ROM\arm9.bin -d Pro_ROM\data -y Pro_ROM\overlay -t Pro_ROM\banner.bin -h Pro_ROM\header.bin -y7 Pro_ROM\y7.bin -y9 Pro_ROM\y9.bin
Nintendo DS rom tool 1.24 - Nov  2 2005 00:24:53 by Rafael Vuijk (aka DarkFader)
```

Normally, I would include **-o Pro_ROM\logo.bin** but the DSLazy version of ndstool does not properly support it.

8. Decompress the arm9.bin so the tools can use it:

```
python Pro_Tools\arm9tool.py decompress Pro_ROM\arm9.bin Pro_Tools\Pro_ARM9.bin
C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>python Pro_Tools\arm9tool.py decompress Pro_ROM\arm9.bin Pro_Tools\Pro_ARM9.bin
BLZ footer: header=0x9 enc_len=0x924b4 dec_delta=0x54764
decompressed: 0x964b4 -> 0xae18 bytes
```

9. Now you can run the automatic patcher

```
python Pro_Tools\performpatch.py
```

```
C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>python Pro_Tools\performpatch.py  
Enter ROM directory [default: Pro_ROM]:
```

If you used a different directory name, enter it here. After pressing enter, the script will automatically build the data and apply the necessary patches.

10. Rebuild with ndstool:

```
ndstool -c Patched.nds -7 Pro_ROM\arm7.bin -9 Pro_ROM\arm9.bin -d Pro_ROM\data -y  
Pro_ROM\overlay -t Pro_ROM\banner.bin -h Pro_ROM\header.bin -y7 Pro_ROM\y7.bin -y9  
Pro_ROM\y9.bin
```

```
Done.
```

```
C:\Users\Trait\Downloads\DQMJ2Pro_Translation-master\DQMJ2Pro_Translation-master>ndstool -c Patch  
ed.nds -7 Pro_ROM\arm7.bin -9 Pro_ROM\arm9.bin -d Pro_ROM\data -y Pro_ROM\overlay -t Pro_ROM\bann  
er.bin -h Pro_ROM\header.bin -y7 Pro_ROM\y7.bin -y9 Pro_ROM\y9.bin_
```

Again, I would include -o if this version of ndstool supported it.

And now you should have a finished “Patched.nds” file you can use in whatever emulator you prefer.