SMARTBRIDGE
Let's bridge the gap

SKILL WALL
A SmartBridge Project

Solution Requirements

Date	29 September 2026
Team ID	SWTID-2026-9550
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	4 Marks

Define Functional and Non-Functional Requirements:

Create a comprehensive list of requirements to define exactly what the Script-Controlled ACL solution will do and how well it will perform.

- **Functional Requirements (FR)** define specific behaviors, functions, or features of the system.
- **Non-Functional Requirements (NFR)** specify criteria that judge the operation of the system.

Step 1: Functional Requirements (FR)

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
1	Authentication	Users must securely log in to the ServiceNow instance before accessing the Institution Details table.	High
2	Authorization levels	Roles bb1, bb2, bb3 and bb4 define permissions for Read, Create, Write and Delete operations.	High
3	Read access control	The Read ACL checks the Branch condition and bb1 role. Admin users are allowed full access.	High
4	Create access	The Create ACL permits users with the bb2 role to create Institution Details records.	High

S.No	Requirement Category	Requirement Description	Priority (High/Medium/Low)
5	Write access	The Write ACL permits users with the bb3 role to edit permitted Institution Details records.	High
6	Delete access	The Delete ACL permits users with the bb4 role to delete permitted Institution Details records.	High
7	Business rules, etc.	The ACL script evaluates roles and conditions and denies access to users who do not satisfy the configured rules.	High
8	Testing & verification	Administrators must impersonate users with different role combinations and verify expected access to records and operations.	High

Step 2: Non-Functional Requirements (NFR)

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
1	Performance & Speed	ACL evaluation should not noticeably delay opening or working with Institution Details records.	Normal list/form access completes without significant delay.

2	Scalability	The ACL design should continue to work as the number of records and authorized users increases.	Works correctly with increasing records/users.
3	Security & Data Privacy	Unauthorized users must not read, create, modify or delete protected records.	Unauthorized access is denied; authorized access follows configured roles.

S.No	NFR Category	Requirement Description	Target Metric / Acceptance Criteria
4	Reliability & Availability	ACL rules should consistently return the expected access decision whenever users access the table.	Consistent results across repeated tests.
5	Usability & Accessibility	Authorized users should see only the actions and records they are permitted to use.	Expected buttons/actions appear according to permissions.
6	Other / Maintainability	Roles, ACL conditions and scripts should be documented so administrators can update or troubleshoot access rules.	ACL configuration is understandable and testable.