Project Executable Files

Date	29 September 2026
Team ID	SWTID-2026-9550
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	3 Marks

Project Executable Files

This document provides the submission checklist, project structure, deployment/access details, run instructions, and known limitations for the ServiceNow Script-Controlled ACL project. The project uses role-based and script-controlled ACLs to restrict record access according to the Branch field and user roles.

Step 1: Submission Checklist

S.No	Item to Submit	Submitted (Yes / No / N/A)
1	Complete source code / ServiceNow configuration steps	Yes
2	README / Setup Guide (instructions to configure and run the project)	Yes
3	requirements.txt / package.json / dependency file	N/A
4	Database schema / seed files (if applicable)	N/A
5	Environment configuration file (.env.example or similar)	N/A
6	Deployed application URL (if hosted)	N/A – ServiceNow instance
7	APK / Executable binary (if applicable)	N/A
8	Dockerfile / Containerization config (if applicable)	N/A
9	Test steps and verification results	Yes
10	Demo video / walkthrough (if required)	Not provided

Step 2: File / Folder Structure

This is a ServiceNow configuration project. The deliverables are organized below as logical project components rather than a conventional application source tree.

```
/script-controlled-acl
  /documentation – Project guide and configuration steps
  /users-and-roles – EEE User and custom roles bb1, bb2, bb3, bb4
  /tables – Institution Details table (u_institution_details)
  /fields – Roll Number, Student Name, Faculty Name, Branch, Email, Phone, Description
  /acl/read – READ ACL with Branch = EEE and script condition
  /acl/create – CREATE ACL requiring bb2
  /acl/write – WRITE ACL requiring bb3
  /acl/delete – DELETE ACL requiring bb4
  /verification – Impersonation and access verification steps
```

Step 3: Deployment / Access Details

Field	Details
Hosted / Deployed URL	ServiceNow instance URL – to be provided
Login Credentials (Demo)	Admin access and test user: EEE User (eeeuser@gmail.com)
Platform / Hosting Provider	ServiceNow
Repository Link	Not provided
Demo Video Link	Not provided

Step 4: Run / Configuration Instructions

Configure and verify the project in a ServiceNow instance using the following steps:

Pre-requisites:
• ServiceNow instance with administrator access
• Ability to elevate to the security_admin role
• Access to User Administration, Tables and Access Control (ACL)

Step 1: Log in to ServiceNow with admin access.
Step 2: Create the test user EEE User with email eeeuser@gmail.com.
Step 3: Create custom roles bb1, bb2, bb3, bb4 and assign them as required.
Step 4: Create u_institution_details with the required fields.
Step 5: Create the READ ACL: record/read, name u_institution_details, active and advanced; require bb1; Data condition Branch is EEE.
Step 6: Add the script-controlled READ logic shown below.
Step 7: Create CREATE ACL requiring bb2.
Step 8: Create WRITE ACL requiring bb3.
Step 9: Create DELETE ACL requiring bb4.
Step 10: Impersonate users and verify access using u_institution_details.list.

Script-Controlled READ ACL

```
(function () {
// Allow admin users full access
if (gs.hasRole('admin')) {
return true;
}

// Allow users with bb1 role to see EEE records
if (gs.hasRole('bb1')) {
return true;
}

// Deny access for all others
return false;
})();
```

Verification

Role / User	Expected Access
Admin	Can view all records regardless of Branch
User with bb1	Can view EEE branch records
User without required role	Cannot view protected records
bb1 + bb2	Can view EEE records and create records
bb1 + bb2 + bb3	Can view and edit EEE records
bb1 + bb2 + bb3 + bb4	Can view, create, edit and delete EEE records

Step 5: Known Issues / Limitations

S.No	Known Issue / Limitation	Workaround / Status
1	The project depends on a configured ServiceNow instance and appropriate administrative permissions.	Use a ServiceNow instance with admin/security_admin access.
2	The project document does not specify a deployed instance URL, repository link or demo video.	Provide these separately if required.
3	The READ script and Branch data condition must be configured consistently.	Verify Branch = EEE and test through impersonation.

Step 6: Project Team Details

Role	Name	Email
Team Leader	K. Sangavi	sangavikumaresan11@gmail.com
Team Member	S. Shri kamali	kamalisiva2007@gmail.com
Team Member	M. Shafrin banu	shafrinbanu3110@gmail.com
Team Member	A. Varsha	mailtovarsha2006@gmail.com
Team Member	S. Veera Lakshmi	lakshmisurya656@gmail.com

Step 7: Conclusion

By completing this project, learners gain an understanding of how script-controlled READ, WRITE, CREATE, and DELETE ACLs enforce record-level security in ServiceNow. User roles and record field values are evaluated together to make access decisions and protect records from unauthorized viewing, modification, creation, and deletion.

Project: Script-Controlled ACL – Restrict Record Access Based on Field Value
Team ID: SWTID-2026-9550
Team Size: 5