

**OKUMA Corporation**

OGUCHI-CHO, NIWA-GUN, AICHI, 480-0193, JAPAN

Issued : July 3th 2015

Quotation # : 160SA201504-00

Messrs.: **JIANGSU HYUNDAI WIA CORP.****Grinding machine for BJ / OUTER RACE****1. MODEL**

CNC Cylindrical Grinder

GA-26T II x 35

with CNC controller OSP-U20G

JAPANESE FOB YEN

1 set ¥16,800,000

2.

Scales : Metric

Power source : 380V / 50Hz

Name plates : Chinese

STANDARD SPECIFICATIONS & ACCESSORIES

1) Machine color : Okuma standard color	1 set	*Chg to optional
2) Workhead : Dead center (C-spec) type workhead, MT4	1 set	*Chg to optional
3) Footstock : Standard (50mm stroke)	1 set	*Chg to optional
4) Wheel motor : Standard 7.5kw	1 set	*Chg to optional
5) Wheelhead speed : Standard 45m/s	1 set	*Chg to optional
6) Coolant tank(200L) with coolant separator(F12)	1 set	*Chg to optional
7) Wheel dresser at rear side of workhead	1 set	*Chg to optional
8) Diamond tool (D5 / 1pc)	1 set	*Chg to optional
9) Coolant nozzles	1 set	
10) Wheel flange 25mm-75mm width, 1pc	1 set	*Chg to optional
11) Carbide center MT4 , 2pcs	1 set	*Chg to optional
12) Hydraulic oil tank	1 set	*Chg to optional
13) Lubrication tank	1 set	
14) Full enclosed cover	1 set	*Chg to optional
15) Monitor display : English	1 set	
16) Manuals	1 set	

3. OPTIONAL ACCESSORIES

1) Special machine color requirement	1 set	¥160,000
-Machine and Electricals ... RAL9002		
-Actuators, Motors and Chain covers ... RAL1018		
-Inside of EC box ... RAL9002		
2) Chucking headstock MT6	1 set	¥1,200,000
3) Long travel footstock (w/AbsoScale) MT5	1 set	¥1,550,000
4) Grinding wheel speed, 60m/sec	1 set	¥560,000
5) Rotary dresser, Traverse type	1 set	¥940,000
6) Full enclosed cover for NC bed tooling	1 set	¥270,000
7) Wheel jib crane (for automation)	1 set	¥290,000
8) Machine riser +20mm	1 set	¥170,000
9) NC bed tooling	1 set	¥2,350,000
10) Work drive system	1 set	¥880,000
-Special designed driving center, MT5 2sets		
-Special designed driving block, 7kinds x 1pc each (7pcs in total)		
11) Coolant tank and separator	1 set	¥5,033,000
-Magnet separator, Sumitomo K-12RKA-1+FC - 1.TP		
-Coolant temperature regulator, KantoSeiki KTV-15		
12) Constant grinding lubricant flow to sizing equipment	1 set	¥310,000
13) Auto sizing gauge	1 set	¥1,900,000
-Marposs Unimar w/o notch		
-Controller : E9		
-Including 1 each of spare finger and contact		
14) NC locator (table mount type), Marposs Unimar + E3 μ	1 set	¥2,270,000
15) Pre-arrangement for mist collector	1 set	¥280,000
-Customer to provide REVEN mist collecting device and stand kit.		
-Okuma to provide On/Off SW to operation panel, 150mm dia hole and duct. Power source will be provided up to terminal block in EC box		
16) Automatic following grinding wheel triangular auxiliary ceiling cover	1 set	¥1,070,000
-Special designing with air motor type		
17) Center hole lube supplier, tailstock side	1 set	¥200,000
18) Spindle orientation, prox switch type	1 set	¥270,000
19) Work air blow	1 set	¥220,000
20) Wheel auto balancer, Marposs FT2000, pulley side mount	1 set	¥1,950,000
21) Auto wheel shutter	1 set	Included
22) Top cover auto open/close	1 set	¥480,000
23) Tooling fee for 7 kinds of workpiece	1 set	¥1,060,000
24) Customized options for M/S Jiangsu Hyundai Wia Corp.	1 set	¥1,240,000
25) Chinese consent preparation	1 set	¥130,000

-220V ±10% 2A 50Hz		
26) Air conditioner installation at Okuma	1 set	¥540,000
-Customer to supply 3 sets of air conditioner to Okuma.		
27) Spare finger and contact for NC locator	1 set	¥443,000
28) Wheel auto retract function (when power failure is occurred)	1 set	¥410,000
29) Air gun	1 set	¥120,000
30) Coolant gun	1 set	¥220,000
31) Riser for hydraulic tank and wheel spindle lube tank	1 set	¥21,000
32) Work support counter of constant pressure tailstock, 80 kinds	1 set	¥270,000
33) Wheel memory input data, 48 sets	1 set	¥140,000
34) Air control unit	1 set	¥180,000
35) Wheel lifting fixture (to avoid an interference with loader)	1 set	¥52,000
36) Wheel motor 22kW	1 set	¥730,000
37) GB standard (safety regulation for China)	1 set	¥1,050,000
38) Local power source	1 set	¥440,000
39) Special designed wheel flange	7 sets	¥1,330,000
-304.8 mm dia		
40) Special designed grinding wheel *Details below	1 set	¥2,340,000
- #19 21019-D2001 2pcs		
- #20 21020-D3501 2pcs		
- #22 21022-D2001 1pc		
- #22 21022-0020A 1pc		
- #23 21023-0001A 2pcs		
- #24 21024-0040A 2pcs		
- #24 21025-D3101 2pcs		
41) Balancing arbor	1 set	¥65,000
42) Wheel balancing stand 760mm dia, rail type	1 set	¥270,000
43) Special center with lube groove, MT5 (1 kind)	2 sets	¥130,000
44) Rotary diamond, 80mm dia disk type	2 sets	¥700,000
45) Spare belt for workhead	1 set	¥12,000
46) Spare belt for wheelhead (grinding speed 45m/s)	1 set	¥33,000
47) Customer selected spare parts	1 set	¥900,000
48) Oil temperature regulator, KantoSeiki MLHA-05-H	1 set	¥570,000
49) Machine lifting hook	1 set	¥39,000
50) Run off at OKUMA JAPAN (2kinds / Max 30pcs each)	1 set	¥740,000
51) Air conditioner and Mist collector	1 set	¥1,200,000
4. OSP P300M OPTIONAL ACCESSORIES		
1) NML-D kit for OSP-U20G	1 set	¥430,000
User task 2	(1 set)	
FD adaptor for USB memory, USB memory input/output 1.44MB	(1 set)	
Tape storage capacity, 640m	(1 set)	
Status indicator, 3-story type C	(1 set)	
NC operation monitor	(1 set)	
Displays wheel change indication	(1 set)	
Displays wheel change warning	(1 set)	
Auto wheel trueing	(1 set)	
Cycle time reduction	(1 set)	
Grinding wheel emergency retraction	(1 set)	
2) Post process gauging I/F, BCD type 2 digits.	1 set	¥190,000
3) Dressing during loading	1 set	¥220,000
5. GANTRY LOADER		
1) Okuma auto load/unload system with IN/OUT device	1 set	¥8,500,000
- 2-axis gantry loader, OGL-10-P		
*Own stand and swing arm type		
6. MISCELLANEOUS COST		
1) Supervisor Fee	1 set	¥6,900,000
2) Export packing charge and FOB Nagoya	1 set	¥850,000
3) Warranty Bond	1 set	¥130,000
TOTAL PRICE		¥71,748,000
SPECIAL DISCOUNT		(¥21,748,000)
BEST PRICE		¥50,000,000

*** TERMS & CONDITIONS**

1. PRICE BASE: FOB NAGOYA
2. PAYMENT: 10% T/T DOWNPAYMENT, 90% L/C AT SIGHT
3. DELIVERY: 8 MONTH SHIPMENT, AFTER RECEIPT OF AN USER'S FORMAL ORDER.
4. VALIDITY: TWO WEEKS

**OKUMA Corporation**

OGUCHI-CHO, NIWA-GUN, AICHI, 480-0193, JAPAN

Issued : July 3th 2015

Quotation # : 160SA201504-1@

Messrs.: **JIANGSU HYUNDAI WIA CORP.****Grinding machine for TJ / T-Housing****1. MODEL**

CNC Cylindrical Grinder

GA-26T II x 35

with CNC controller OSP-U20G

JAPANESE FOB YEN

1 set ¥16,800,000

2.

Scales : Metric

Power source : 380V / 50Hz

Name plates : Chinese

STANDARD SPECIFICATIONS & ACCESSORIES

1) Machine color : Okuma standard color	1 set	*Chg to optional
2) Workhead : Dead center (C-spec) type workhead, MT4	1 set	*Chg to optional
3) Footstock : Standard (50mm stroke)	1 set	*Chg to optional
4) Wheel motor : Standard 7.5kw	1 set	*Chg to optional
5) Wheelhead speed : Standard 45m/s	1 set	*Chg to optional
6) Coolant tank(200L) with coolant separator (F12)	1 set	*Chg to optional
7) Wheel dresser at rear side of workhead	1 set	*Chg to optional
8) Diamond tool (D5 / 1pc)	1 set	*Chg to optional
9) Coolant nozzles	1 set	
10) Wheel flange 25mm-75mm width, 1pc	1 set	*Chg to optional
11) Carbide center MT4 , 2pcs	1 set	*Chg to optional
12) Hydraulic oil tank	1 set	*Chg to optional
13) Lubrication tank	1 set	
14) Full enclosed cover	1 set	*Chg to optional
15) Monitor display : English	1 set	
16) Manuals	1 set	

3. OPTIONAL ACCESSORIES

1) Special machine color requirement	1 set	¥160,000
-Machine and Electricals ... RAL9002		
-Actuators, Motors and Chain covers ... RAL1018		
-Inside of EC box ... RAL9002		
2) Chucking headstock MT6	1 set	¥1,200,000
3) Long travel footstock (w/AbsoScale) MT5	1 set	¥1,550,000
4) Grinding wheel speed, 60m/sec	1 set	¥560,000
5) Rotary dresser, Traverse type	1 set	¥940,000
6) Full enclosed cover for NC bed tooling	1 set	¥270,000
7) Wheel jib crane (for automation)	1 set	¥290,000
8) Machine riser +20mm	1 set	¥170,000
9) NC bed tooling	1 set	¥2,350,000
10) Work drive system	1 set	¥880,000
-Special designed driving center, MT5 2sets		
-Special designed driving block, 11kinds x 2pc each (22pcs in total)		
11) Coolant tank and separator	1 set	¥5,033,000
-Magnet separator, Sumitomo K-12RKA-1+FC - 1.TP		
-Coolant temperature regulator, KantoSeiki KTV-15		
12) Constant grinding lubricant flow to sizing equipment	1 set	¥310,000
13) Auto sizing gauge	1 set	¥1,900,000
-Marposs Unimar w/o notch		
-Controller : E9		
-Including 1 each of spare finger and contact		
14) NC locator (table mount type), Marposs Unimar + E3 μ	1 set	¥2,270,000
15) Pre-arrangement for mist collector	1 set	¥280,000
-Customer to provide REVEN mist collecting device and stand kit.		
-Okuma to provide On/Off SW to operation panel, 150mm dia hole and duct. Power source will be provided up to terminal block in EC box		
16) Automatic following grinding wheel triangular auxiliary ceiling cover	1 set	¥1,070,000
-Special designing with air motor type		
17) Center hole lube supplier, tailstock side	1 set	¥200,000
18) Spindle orientation, prox switch type	1 set	¥270,000
19) Work air blow	1 set	¥220,000
20) Wheel auto balancer, Marposs FT2000, pulley side mount	1 set	¥1,950,000
21) Auto wheel shutter	1 set	Included
22) Top cover auto open/close	1 set	¥480,000
23) Tooling fee for 11 kinds of workpiece	1 set	¥1,530,000
24) Customized options for M/S Jiangsu Hyundai Wia Corp.	1 set	¥1,240,000
25) Chinese consent preparation	1 set	¥130,000
-220V ±10% 2A 50Hz		

26) Air conditioner installation at Okuma -Customer to supply 3 sets of air conditioner to Okuma.	1 set	¥540,000
27) Spare finger and contact for NC locator	1 set	¥443,000
28) Wheel auto retract function (when power failure is occurred)	1 set	¥410,000
29) Air gun	1 set	¥120,000
30) Coolant gun	1 set	¥220,000
31) Riser for hydraulic tank and wheel spindle lube tank	1 set	¥21,000
32) Work support counter of constant pressure tailstock, 80 kinds	1 set	¥270,000
33) Wheel memory input data, 48 sets	1 set	¥140,000
34) Air control unit	1 set	¥180,000
35) Wheel lifting fixture (to avoid an interference with loader)	1 set	¥52,000
36) Wheel motor 22kW	1 set	¥730,000
37) GB standard (safety regulation for China)	1 set	¥1,050,000
38) Local power source	1 set	¥440,000
39) Special designed wheel flange -304.8 mm dia	6 sets	¥1,140,000
40) Special designed grinding wheel *Details below #20 GCN2.0 REAR用 2式 #22 JDy1.6AT, #24 GC N2.0MT 2WD, #24PFv1.8AT用 2式 #22 PFv1.8AT/2.0AT, #23 GC Y1.6MT 2WD, #24 GC N2.0AT用 2式 #22 LH 2式 #22 LR 2式 #23 JDy1.6TGDI 2式 #23 GCY1.6AT 2WD 2式	1 set	¥2,340,000
41) Balancing arbor	1 set	¥65,000
42) Wheel balancing stand 760mm dia, rail type	1 set	¥270,000
43) Special center with lube groove, MT5 (1 kind)	2 sets	¥130,000
44) Rotary diamond, 80mm dia disk type	2 sets	¥700,000
45) Spare belt for workhead	1 set	¥12,000
46) Spare belt for wheelhead (grinding speed 45m/s)	1 set	¥33,000
47) Customer selected spare parts	1 set	¥900,000
48) Oil temperature regulator, KantoSeiki MLHA-05-H	1 set	¥570,000
49) Machine lifting hook	1 set	¥39,000
50) Run off at OKUMA JAPAN (2kinds / Max 30pcs each)	1 set	¥740,000
51) Air conditioner and Mist collector	1 set	¥1,200,000
4. OSP P300M OPTIONAL ACCESSORIES		
1) NML-D kit for OSP-U20G	1 set	¥430,000
User task 2	(1 set)	
FD adaptor for USB memory, USB memory input/output 1.44MB	(1 set)	
Tape storage capacity, 640m	(1 set)	
Status indicator, 3-story type C	(1 set)	
NC operation monitor	(1 set)	
Displays wheel change indication	(1 set)	
Displays wheel change warning	(1 set)	
Auto wheel truing	(1 set)	
Cycle time reduction	(1 set)	
Grinding wheel emergency retraction	(1 set)	
2) Post process gauging I/F, BCD type 2 digits.	1 set	¥190,000
3) Dressing during loading	1 set	¥220,000
5. GANTRY LOADER		
1) Okuma auto load/unload system with IN/OUT device - 2-axis gantry loader, OGL-10-P *Own stand and swing arm type	1 set	¥8,500,000
6. MISCELLANEOUS COST		
1) Supervisor Fee	1 set	¥6,900,000
2) Export packing charge and FOB Nagoya	1 set	¥850,000
3) Warranty Bond	1 set	¥130,000
TOTAL PRICE		¥72,028,000
SPECIAL DISCOUNT		(¥22,028,000)
BEST PRICE		¥50,000,000

*** TERMS & CONDITIONS**

1. PRICE BASE: FOB NAGOYA
2. PAYMENT: 10% T/T DOWNPAYMENT, 90% L/C AT SIGHT
3. DELIVERY: 8 MONTH SHIPMENT, AFTER RECEIPT OF AN USER'S FORMAL ORDER.
4. VALIDITY: TWO WEEKS