



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

Hyundai WIA Corp
Mr. Gyu Tae Bae
#107, Seongsanpaechongro, Seongsan-gu,
Changwon
Gyeongsangnam-do 51556
REPUBLIC OF KOREA

Offer

Offers- No: 194772 / 2
date: 04/11/2021

Your technology contact

Andreas Liebrich

Phone +49 7162 17-4693
E-mail aliebrich@emag.com

Your contact

Do-Youn Koo

Phone +82 31 766-4415
E-mail dykoo@emag.com

Your Reference

Inquiry dated 29/08/2021
Contact Gyu Tae Bae
Phone +82 55 2306270
E-mail 31011@hyundai-wia.com

EMAG VERTICAL TWO SPINDLE BALL TRACK MILLING AND TURNING CENTRE VSC 315 DUO KBU for straight ball grooves (AC- and CUJ-joints) for the simultaneous machining of 2 Outer Races of the same type

Outer Race BJ#22 - soft
Outer Race BJ#23 - soft
Outer Race BJ#22 - hard
Outer Race BJ#23 - hard

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

Contents

Price Summary	3
1 EMAG VERTICAL TWO SPINDLE BALL TRACK MILLING AND TURNING CENTRE VSC 315 DUO KBU	6
Commercial Conditions	33
Enclosures	35

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

2/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

Price Summary

1 EMAG VERTICAL TWO SPINDLE BALL TRACK MILLING AND TURNING CENTRE VSC 315 DUO KBU

1.1 BASIC MACHINE

1.1.15 1 PRICE OF MACHINE VSC 315 DUO KBU (SIEMENS) - SOFT MACHINING 712.400,00 €

1.2 ADDITIONAL EQUIPMENT

1.2.2	2	TOOL BLOCK FOR 1 TURNING TOOL CAPTO C6 manually clamped	29.800,00 €
1.2.3	2	PROTECTIVE PLATE FOR THE EMPTY TURNING TOOL POSITION	250,00 €
1.2.6	1	LINEAR GANTRY LP3, WITH ROTATION MODULE	22.600,00 €
1.2.7	1	POSITION DETECTION	2.450,00 €
1.2.8	1	GRIPPER JAWS OUTER RACE CLAMPING DIA. 20-36	0,00 €
1.2.9	1	SHUTTLE ZR120DUO L-R/ L-L FOR WORKPIECE LOADING	39.600,00 €
1.2.10	2	WORKPIECE CARRIER EXPANDABLE OUTER RACE BJ#22	7.600,00 €
1.2.11	2	WORKPIECE CARRIER EXPANDABLE OUTER RACE BJ#23	7.600,00 €
1.2.12	2	WORKPIECE CARRIER RIGID OUTER RACE BJ#22	3.600,00 €
1.2.13	2	WORKPIECE CARRIER RIGID OUTER RACE BJ#23	3.600,00 €
1.2.14	2	AIR BLAST DIRECTED AT THE PICK-UP UNIT AND CLAMPING CHUCK	2.400,00 €
1.2.15	1	SHUTTLE ZR120DUO L-R/ L-L FOR WORKPIECE UNLOADING	30.800,00 €
1.2.16	1	PRISM FINISH PART FOR OUTER RACES	625,00 €
1.2.18	4	SAFETY SWITCH WITH CABLE FOR SAFETY ENCLOSURE	2.900,00 €
1.2.20	1	2 SWarf CONVEYORS, CHAIN TYPE	26.500,00 €
1.2.21	1	CHIP BOX (LARGE VERSION) - SUPPLIED BY CUSTOMER	0,00 €
1.2.22	1	AIR GUN	1.050,00 €
1.2.23	2	DRY-DUST AND MIST EXTRACTOR	10.200,00 €
1.2.25	1	NC-GUIDED EMERGENCY RETRACTION AT POWER FAILURE (ESR)	10.200,00 €
1.2.26	1	NETWORK DRIVE CONNECTION	1.950,00 €
1.2.27	2	INTERFACE TO EXTERNAL HANDLING SYSTEM - HARDWARE	7.100,00 €
1.2.28	1	MINI MANUAL CONTROL UNIT (SIEMENS)	4.400,00 €
1.2.29	1	CONNECTING KIT FOR MINI HAND-HELD CONTROL UNIT – SIEMENS	800,00 €
1.2.30	1	WORKSHOP-ORIENTATED PROGRAMMING AC-JOINTS - SOFT MACHINING	5.850,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

3/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.31	1	WORKSHOP-ORIENTATED PROGRAMMING CUJ-JOINTS - SOFT MACHINING	5.850,00 €
1.2.32	1	WORKSHOP-ORIENTATED PROGRAMMING AC- AND CUJ -JOINTS	5.850,00 €
1.2.34	1	ADDITIONAL ADAPTION (TROPICAL PACKAGE)	12.200,00 €
1.2.36	1	3-COLOUR STATUS LIGHT (Q-LIGHT)	1.150,00 €
1.2.37	1	MILLING SPINDLE (SPARE PART)	27.400,00 €
1.2.38	1	SPECIAL MACHINE COLOUR	3.350,00 €

1.3 COMPONENT RELATED EQUIPMENT

1.3.2	1	SET OF MILLING TOOLHOLDERS HSK 63-C ROUGH MILLING	8.900,00 €
1.3.3	1	SET OF MILLING TOOLHOLDERS HSK 63-C FINISH MILLING	8.900,00 €
1.3.4	1	SET OF MILLING TOOLS FOR ROUGH MILLING	11.700,00 €
1.3.5	1	SET OF MILLING TOOLS FOR FINISH MILLING	8.350,00 €
1.3.6	1	SET OF TURNING TOOLS FOR HARD TURNING	10.400,00 €
1.3.7	1	SET OF MILLING TOOLHOLDERS HSK-C63 FOR HARD MILLING	21.500,00 €
1.3.8	1	SET OF MILLING TOOLS FOR HARD MILLING OR BJ#22	11.900,00 €
1.3.9	1	SET OF MILLING TOOLS FOR HARD MILLING OR BJ#23	11.900,00 €
1.3.10	1	SETTING DIE FOR MILLING HEAD EXCHANGE	700,00 €
1.3.11	1	TEST BAR HSK 63-C	1.000,00 €
1.3.12	1	TEST BAR CAPTO C6	1.500,00 €
1.3.13	1	EQUIPMENT FOR BALL TRACK MILLING MACHINE	1.900,00 €
1.3.15	2	ROTATING SOLID CENTRE HYDRAULIC CHUCKING CYLINDER SIN85 - with 1 medium duct	10.200,00 €
1.3.16	2	WORKPIECE POSITION MONITORING, (AIR SENSING)	10.500,00 €
1.3.17	2	COLLET CHUCK 120	22.400,00 €
1.3.18	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#22 - SOFT	7.200,00 €
1.3.19	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#23 - SOFT	7.200,00 €
1.3.20	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#22 - HARD	4.000,00 €
1.3.21	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#23 - HARD	4.000,00 €
1.3.22	1	CHANGING FIXTURE (COLLET CHUCK 120)	2.050,00 €

1.4 SERVICES

1.4.2	1	PROJECT ENGINEERING	36.000,00 €
1.4.3	1	TOOLING LAYOUT FOR OUTER RACE BJ#22 - SOFT	5.250,00 €
1.4.4	1	TOOLING LAYOUT FOR OUTER RACE BJ#22 - HARD	5.250,00 €
1.4.5	1	TOOLING LAYOUT FOR OUTER RACE BJ#23 - SOFT	5.250,00 €

Price does not include options (*)

Offer : 194772 / 2

Hyundai WIA Corp

04/11/2021

4/35

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.6	1	TOOLING LAYOUT FOR OUTER RACE BJ#23 - HARD	5.250,00 €
1.4.7	1	MACHINE SETUP FOR OUTER RACE BJ#22 - SOFT	12.100,00 €
1.4.8	1	MACHINE SETUP FOR OUTER RACE BJ#22 - HARD	12.100,00 €
1.4.9	1	MACHINE SETUP FOR OUTER RACE BJ#23 - SOFT	8.550,00 €
1.4.10	1	MACHINE SETUP FOR OUTER RACE BJ#23 - HARD	8.550,00 €
1.4.11	1	PRE-ACCEPTANCE OF THE MACHINE - SOFT MACHINING	8.950,00 €
1.4.12	1	PRE-ACCEPTANCE OF THE MACHINE - HARD MACHINING	8.950,00 €
1.4.13	1	FUNCTION TEST OF THE MACHINE - SOFT MACHINING	3.250,00 €
1.4.14	1	FUNCTION TEST OF THE MACHINE - HARD MACHINING	3.250,00 €
1.4.15	1	INSTALLATION AND DEMONSTRATION (OVERSEAS)	33.900,00 €
1.4.16	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#22 - SOFT	5.350,00 €
1.4.17	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#22 - HARD	5.350,00 €
1.4.18	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#23 - SOFT	5.350,00 €
1.4.19	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#23 - HARD	5.350,00 €
1.4.22	1	PRODUCTION SUPPORT 1 WEEK AFTER START OF PRODUCTION	8.850,00 €
1.4.25	4	ADDITIONAL SET OF DOCUMENTATION	2.200,00 €
1.4.26	2	DOCUMENTATION ON USB	250,00 €
1.4.30	1	COMPLIANCE SPECIFICATION SHEET / DELIVERY CONDITIONS	10.800,00 €
1.4.32	1	OPERATING COURSE (Basic training)	6.850,00 €
1.4.33	1	MAINTENANCE (MECHANICAL AND ELECTRICAL) SERVICE COURSE (Basic training)	6.850,00 €
1.4.35	1	PACKING AND TRANSPORTATION OF TEST PIECES	4.650,00 €
1.4.36	1	PACKING AND TRANSPORTATION OF INSPECTION GAUGES	9.850,00 €
1.4.37	1	FOB HAMBURG	29.700,00 €
1.4.38	1	UNIQUE SPECIAL DISCOUNT	-507.475,00 €

1.5 MACHINE SPECIFICATIONS

Total: 906.800,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

5/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1 EMAG VERTICAL TWO SPINDLE BALL TRACK MILLING AND TURNING CENTRE VSC 315 DUO KBU

1.1 BASIC MACHINE

- 1.1.1 1 MINERALIT (CAST GRANITE) MACHINE BED
consisting of two separate sections, to prevent interaction during the machining process. For transport purposes the two sections are mechanically coupled.
The machine bed is manufactured from high quality Mineralit (cast granite) which guarantees superior thermal stability and excellent dampening characteristics. Mineralit has excellent vibration dampening properties which are six to eight times better than cast iron. The large distance between the two high precision pre-stressed linear roller guideways of the X-axis guarantees high accuracy and high dynamics. The guideways are outside the working area and therefore require no protective covers.
- 1.1.2 1 ENERGY CONTAINER WITH CONTROL CABINET
Electrical cabinet, cooled with water/air heat exchanger, equipped to VDE 0113 and EN 13849 and integrated in the over-all machine frame, thus ensuring a totally transportable unit. 400 V / 50 Hz machine voltage.
Other voltage on request.
The central grease supply system for lubrication of the recirculating ballscrews and guideway systems and also the service unit for compressed air supply are integrated in the energy container.
- 1.1.3 1 CNC-CONTROL SIEMENS
According to control specification.
- 1.1.4 1 HYDRAULIC UNIT
The hydraulic unit is equipped with a self regulating pump.
Supply 15 l/min (at 70 bar)
Tank capacity 63 l
- 1.1.5 1 COOLING UNIT (15 KW, water - air)
A cooling unit controls the thermal stability of the machine. Spindle bearings, drive unit and motor spindle for milling head are maintained at ambient temperature (10°C - 40°C).
Cooling capacity: 15 kW
- 1.1.6 1 MACHINE ENCLOSURE
The machining area is effectively separated from the load/unload area by the two side walls of the Mineralit machine base and a sliding door to the pick-up station.
An additional bellows completes the working area when loading and unloading the main spindle. Vapors generated during processing can't get into the environment.
A large door at the front of the machine provides access to the machining area (one for each spindle). The doors are equipped with a safety glass window to DIN EN ISO 23125:2010 specification.
Two inspection lamps are installed in each machining area (one at the B-axis and one at the spindle headstock cover traveling in X)

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

6/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

- 1.1.7 2 **MULTI-FUNCTIONAL CROSS-SLIDE WITH Y-AXIS**
For the complete machining with driven tools or with drilling, milling, reaming or grinding spindles.
Large stroke of the Y-axis.
This unit is equipped with three axes (X, Y and Z) for each spindle. Both spindles can be programmed independently via the CNC control.
High rapid feed enable short idle times by component load/unload and gauging (optionally).
The axes drives are quick reaction frequency controlled service free servomotors which drive the slides over high precision ballscrew spindles. The X-, Y- and Z-axis are equipped with completely enclosed linear measuring systems.
On activation of the emergency-stop or in case of power failure, a brake will stop the vertical axis.
- 1.1.8 2 **MOTOR SPINDLE**
Spindle headstock unit with motor spindle
The motor spindle is a high dynamic frequency controlled service free AC synchronous spindle motor.
High degree of spindle rigidity due to triple bearing support over a short distance.
Precision shoulder bearings arranged in tandem (double-O). Additional bearing at spindle end for length compensation. All bearings are lifetime lubricated and thus maintenance free.
Sealing air to prevent dirt from penetrating from the outside.
The guideway system in the Z axis is equipped with hydrostatic bearings for compensation the cutting forces which guarantee excellent guideway quality by minimum friction.
Thermo-symmetrical design and integrated coolant system guarantee constantly maintained accuracy.
Positioning accuracy of spindle: +/- 0,01 angular degrees (C-axis)
Electro-hydraulic spindle locking optionally.
- 1.1.9 2 **MILLING HEAD FOR MILLING OF BALL GROOVES**
with 2 milling spindles
consisting of:
one axis, NC controlled swivelling unit (B-axis)
Swivelling housing guided by roller bearings in the side walls of the machine base.
Swivelling angle -30° to +90° (120°)
Swivelling drive by torque drive. Direct measuring system.
- 2 MOTOR SPINDLES HPC190 (manually tool clamping)
Max. power 40 % ED kW 15
Torque at 40 % ED Nm 67
Max. spindle speed rpm 6.000
Full power at spindle speed rpm 3.000
Spindle taper DIN 69893 HSK C63 / F80
Fluid-cooled spindle housing. Hybrid bearing.
Lifetime lubricated. Temperature controlled.
Rotating components are precision-balanced in two planes.
Coolant supply to tool holder pocket with minimal quantity lubrication max. 10 bar.
Pneumatic spindle nose cleaning device. Air seal between spindle and housing.
(warranty period 18 months)

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

7/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.1.10	1	EMAG OPERATING AND SETTING MASKS The EMAG masks offer the setter/ operator optimal support in setting and operating the machine. Multiple base- and monitoring functions including data input are, depending on the machine type, available.	
1.1.11	1	EMAG - REMOTE DIAGNOSIS - SIEMENS Control system: Sinumerik 840Dsl - Linkage with user network necessary - Connection via Internet and safe VPN technology to EMAG server Scope of supply: - Software for remote maintenance - No additional equipment is supplied Content: - Remote access to NC / PLC / operating system for detailed error diagnosis and the possibility to support the customer in case of queries or problems. Preconditions: -Tele-diagnostics via Internet with VPN. Your advantages: - Quick, cost-effective support, resulting in reduced downtimes. - Up-to-date problem solving without lengthy delays. - Program extensions can be realised at a reduced cost. - "On-the-spot" co-operation between specialist and operating/service personnel allows for complex errors to be diagnosed, analysed and eliminated quickly. Availability: The service is available at the local service times for the following countries: Europe (excluding Russia), China and USA. For all other countries the service is linked to the service times of the CET. Validity: The use of the service is limited to the duration of the warranty. After expiry, it has to be re-ordered.	
1.1.12	1	For simple and fast programming of the machine on an appropriate ball track, the machine can be equipped with workshop-oriented programming modules. These modules are not included in the basic machine price and are described separately in the chapter „options to the CNC control“. On the other hand, the part programs can also be completed by the operator in normal ISO code.	
1.1.13	1	STANDARD COLOUR Machine - light grey to RAL 7035, front door - grey to RAL 7046, automation, swarf conveyor - grey to RAL 7046.	
1.1.14	1	NOISE LEVEL A maximum average corrected sound level of 78 dB(A) to DIN 45635 is obtained when turning with a continuous cut on a C45 steel disc in both longitudinal and transverse direction. If the workpiece has for example an interrupted cut due to its geometry or its clamping condition there may occur a higher sound level. For an extra cost sound deadening material can be fitted to reduce this higher sound level.	
1.1.15	1	PRICE OF MACHINE VSC 315 DUO KBU (SIEMENS) - SOFT MACHINING	712.400,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

8/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2 ADDITIONAL EQUIPMENT

1.2.1 TOOLING SYSTEM

1.2.2	2	TOOL BLOCK FOR 1 TURNING TOOL CAPTO C6 manually clamped consisting of: toolholder with clamping insert C6 With internal air blast feeding to the tools. The coolant system guarantees constantly maintained accuracy.	29.800,00 €
1.2.3	2	PROTECTIVE PLATE FOR THE EMPTY TURNING TOOL POSITION Cooling is prepared for retrofitting tool holders	250,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

9/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.4 COMPONENT STORAGE AND TRANSPORT SYSTEM

- 1.2.5 1 WORKPIECE LOADING by motorised, chain-type conveyor (supplied by customer)

Please note:

The height of the infeed conveyor have to be 1050 [mm].

The infeed conveyor should be provided with height-adjustable feet.

The workpiece stop at the end of the infeed conveyor must be adjustable too.

- 1.2.6 1 LINEAR GANTRY LP3, WITH ROTATION MODULE 22.600,00 €
2-axis linear gantry
Drive by NC servomotor. Direct connection to the machine.
Energy guiding on all axes via cable track.
Rotation unit driven by a servo motor with rotary inlet.
Workpiece transport with a pneumatic 3-finger centric gripper
incl. 1 set of workpiece-specific gripper jaws.
without position detection and sensor gripper monitoring.
Prepared for fitting of an automatic alignment device for the correct angular positioning
of workpieces in the ball tracks (hard machining).

Swivel angle ± 360°
X-axis stroke 630 mm
Z-axis stroke 500 mm
Workpiece weight max. 3,5kg

- 1.2.7 1 POSITION DETECTION 2.450,00 €
Position detection of the workpiece via Keyence laser sensor, mounted on the gantry
frame LP3

- 1.2.8 1 GRIPPER JAWS OUTER RACE CLAMPING DIA. 20-36
1 set of gripper jaws for 3-finger centric part gripper

Included in pos. "LINEAR GANTRY LP3, WITH ROTATION MODULE"

- 1.2.9 1 SHUTTLE ZR120DUO L-R/ L-L FOR WORKPIECE LOADING 39.600,00 €
Type: ZR120-A-1100-700-LE-B-1
Type: ZR120DUO-A-1600-1305-800-LE-B-1
For the workpiece transport through the machine, with a basic pallet for blank parts.
Consists of a spring-loaded pick-up station, including detection and emergency stop.
Slip / brake plate coated with spring steel, 1 trough for dry processing.
Mounting kit on the machine base body, 1x light barrier factory. Balluff.
Driven via servomotor.
The pick-up spindle grasps the blank parts of the shuttle.
The workpieces are positioned NC-controlled for the pick-up spindle. Different
workpiece diameters and heights are defined in the NC part program.

WORKPIECE CARRIERS FOR SOFT MACHINING

- 1.2.10 2 WORKPIECE CARRIER EXPANDABLE OUTER RACE BJ#22 7.600,00 €
for the radial location of outer races by spring-actuated balls, for special applications.
Designed for one workpiece.
- 1.2.11 2 WORKPIECE CARRIER EXPANDABLE OUTER RACE BJ#23 7.600,00 €
for the radial location of outer races by spring-actuated balls, for special applications.
Designed for one workpiece.

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

10/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

WORKPIECE CARRIERS FOR HARD MACHINING

1.2.12	2	WORKPIECE CARRIER RIGID OUTER RACE BJ#22 Hard machining for the location of outer races. Designed for one workpiece.	3.600,00 €
1.2.13	2	WORKPIECE CARRIER RIGID OUTER RACE BJ#23 Hard machining for the location of outer races. Designed for one workpiece.	3.600,00 €
1.2.14	2	AIR BLAST DIRECTED AT THE PICK-UP UNIT AND CLAMPING CHUCK For the cleaning of the pick-up unit and the clamping chuck by air blast. The air is processed by a service unit and directed at the component through nozzles.	2.400,00 €
1.2.15	1	SHUTTLE ZR120DUO L-R/ L-L FOR WORKPIECE UNLOADING Type: ZR120DUO-A-1600-1305-800-LE-B-1 For the workpiece transport of the parts by the machine, without pick-up station. Slip / brake plate coated with spring steel, 1 trough for dry processing. Mounting kit on the machine base body, 1x light barrier factory. Balluff. Driven via servomotor. The pick-up spindle is used to deposit the parts on the shuttle, which then (depending on the program selection), to the finished part storage or to the SPC removal. Without shuttle prisms for pushing out the workpieces. Please note: The height of the shuttle is 1050 [mm]. The height of the storage unit for finished parts must also be 1050 [mm] The storage unit must be provided with height-adjustable feet.	30.800,00 €
1.2.16	1	PRISM FINISH PART FOR OUTER RACES Prism for pushing the finished parts onto the outstocker.	625,00 €
1.2.17	1	SAFETY ENCLOSURE (supplied by customer) Please note: - EMAG will supply an incomplete / unsafe machine. - The customer is responsible for the safety of the system (machine and periphery).	
1.2.18	4	SAFETY SWITCH WITH CABLE FOR SAFETY ENCLOSURE for customer supplied safety enclosure consisting of: - cable - closing mechanism	2.900,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

11/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.19 COOLANT AND SWarf DISPOSAL SYSTEM

1.2.20	1	2 SWarf CONVEYORS, CHAIN TYPE Consisting of two single swarf conveyors: The first swarf conveyor is mounted laterally on the unloading side of the machine. Swarf exit height 350 mm The second swarf conveyor carries the swarfs to the rear side of the machine. Swarf exit height 1250 mm.	26.500,00 €
1.2.21	1	CHIP BOX (LARGE VERSION) - SUPPLIED BY CUSTOMER with caster	
1.2.22	1	AIR GUN with hose	1.050,00 €
1.2.23	2	DRY-DUST AND MIST EXTRACTOR For dry hard machining. Including stainless steel separator baffle. High-precision filtration unit with filter inserts. Air volume 1000 m3/h.	10.200,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

12/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.24 OPTIONAL EQUIPMENT FOR CNC CONTROL

1.2.25	1	NC-GUIDED EMERGENCY RETRACTION AT POWER FAILURE (ESR) Interpolated retraction of axis in case of power failure, voltage fluctuation and drive failure. Electric components (condenser modul) are used which maintain the voltage for the duration of the retreat and use the energy for the nc-guided retract of the axes. (strongly recommended for unstable power supply, expensive tools or workpieces)	10.200,00 €
1.2.26	1	NETWORK DRIVE CONNECTION (Control system Siemens 840Dsl) Linking the machine control to your network after startup in your factory, so that network drives are available in the user interface. NC-programs or any data can be stored or loaded from there. Customer-specific requirements / restrictions for network integration: - Operation with DHCP server yes / no; if no, then IP address, sub-net mask and default gateway - DNS server and enable code of network source (also IP-address of server, if DNS not known) - User name and password for the automatic preparation of the connection - Network cable into the electrical cabinet When providing server and directory names it has to be taken into account that the 840Dsl features an English language Windows operating system that cannot handle the German umlauts ä, ö and ü. When installing of security update, the company Siemens restrictions are to consider. If in the domain automatically software is installed on all computers, so the functionality is no longer guaranteed after restart!	1.950,00 €
1.2.27	2	INTERFACE TO EXTERNAL HANDLING SYSTEM - HARDWARE Safety signal interface via HAN24E plug on electrical cabinet with 8 potential-free inputs and 8 potential-free outputs for the change of safety signals "emergency-stop" and "access door open" Handling-signal interface via HAN16E plug on electrical cabinet Deviations of the standard interface on request at additional costs. (1.000,00 € / signal)	7.100,00 €
1.2.28	1	MINI MANUAL CONTROL UNIT (SIEMENS) For operating a combined positioning and transfer unit and/or a linear gantry loader. In the setting up mode of the automation components: the shuttle, the vertical and horizontal axis of the gantry, also the swivelling and gripping function of the part gripper can be manually operated with the manual control unit. If the doors of the safety enclosure are open, the acknowledgment key must be pressed on the manual control unit.	4.400,00 €
1.2.29	1	CONNECTING KIT FOR MINI HAND-HELD CONTROL UNIT – SIEMENS	800,00 €
1.2.30	1	WORKSHOP-ORIENTATED PROGRAMMING AC-JOINTS - SOFT MACHINING For outer races (straight grooves). For quick and easy programming parameters for componentrelated dimensions are adapted. Same process for tool-offset. Every tool is allocated an empirically determined preset quantity of workpieces to be machined. On expiry of the tool life the machine is stopped. Control monitor display: tool-no., preset and remaining tool life quantity of workpieces per tool.	5.850,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

13/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.31	1	WORKSHOP-ORIENTATED PROGRAMMING CUJ-JOINTS - SOFT MACHINING For outer races (straight grooves). For quick and easy programming parameters for componentrelated dimensions are adapted. Same process for tool-offset. Every tool is allocated an empirically determined preset quantity of workpieces to be machined. On expiry of the tool life the machine is stopped. Control monitor display: tool-no., preset and remaining tool life quantity of workpieces per tool.	5.850,00 €
1.2.32	1	WORKSHOP-ORIENTATED PROGRAMMING AC- AND CUJ -JOINTS For outer races (straight grooves). For quick and easy programming parameters for componentrelated dimensions are adapted. Same process for tool-offset. Every tool is allocated an empirically determined preset quantity of workpieces to be machined. On expiry of the tool life the machine is stopped. Control monitor display: tool-no., preset and remaining tool life quantity of workpieces per tool.	5.850,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

14/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.33 COUNTRY SPECIFIC EQUIPMENT

1.2.34	1	ADDITIONAL ADAPTION (TROPICAL PACKAGE) for max. 48°C ambient temperature on machines with "water /air" cooling unit for max. 52°C ambient temperature on machines with "water /water" cooling unit for min. 10°C with grease lubrication for min. 0°C with oil lubrication at max. 90% humidity additional or more powerful air condition in door of electrical cabinet additional 230V transformer for main switch electrical cabinet heated when machine switched off operating console heated when machine switched off additional fan, for air circulation in the operator console	12.200,00 €
--------	---	--	-------------

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

15/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.2.35 OTHER AUXILIARY EQUIPMENT

1.2.36	1	3-COLOUR STATUS LIGHT (Q-LIGHT) mounted on machine. Colour code: red: machine stopped yellow: warning -tool to be changed, -lubricant running low, etc. green: machine in automatic cycle.	1.150,00 €
1.2.37	1	MILLING SPINDLE (SPARE PART) One milling spindle as spare part	27.400,00 €
1.2.38	1	SPECIAL MACHINE COLOUR Complete machine according to customers colour specification.	3.350,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

16/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.3 COMPONENT RELATED EQUIPMENT

1.3.1 TOOL EQUIPMENT

TOOLING FOR SOFT MILLING

1.3.2	1	SET OF MILLING TOOLHOLDERS HSK 63-C ROUGH MILLING Toolholders for interchangeable milling heads. - 4 pcs rough milling holder for BJ#22 (2x on the MC, 2x as spare) - 4 pcs rough milling holder for BJ#23 (2x on the MC, 2x as spare)	8.900,00 €
1.3.3	1	SET OF MILLING TOOLHOLDERS HSK 63-C FINISH MILLING Toolholders for interchangeable milling heads. - 4 pcs finish milling holder BJ#22 (2x on the MC, 2x as spare) - 4 pcs finish milling holder BJ#23 (2x on the MC, 2x as spare)	8.900,00 €
1.3.4	1	SET OF MILLING TOOLS FOR ROUGH MILLING Head system with carbid cutting inserts - 30 cutting heads Ø21 for BJ#22 - 30 cutting heads Ø25 for BJ#23	11.700,00 €
1.3.5	1	SET OF MILLING TOOLS FOR FINISH MILLING Head system with carbid cutting inserts - 30 cutting heads Ø16 for BJ#22 - 30 cutting heads Ø16,8 for BJ#23	8.350,00 €

TOOLING FOR HARD TURNING AND MILLING

1.3.6	1	SET OF TURNING TOOLS FOR HARD TURNING consisting of: - 4 turning tool holder Capto C6 - 40 cbn cutting inserts	10.400,00 €
1.3.7	1	SET OF MILLING TOOLHOLDERS HSK-C63 FOR HARD MILLING - 8 pcs toolholders for interchangeable milling heads of spindle 1 - 8 pcs toolholders for interchangeable milling heads of spindle 2.	21.500,00 €
1.3.8	1	SET OF MILLING TOOLS FOR HARD MILLING OR BJ#22 Head system with 4 brazed cbn cutting inserts consisting of: - 30 cutting heads Ø16[mm]	11.900,00 €
1.3.9	1	SET OF MILLING TOOLS FOR HARD MILLING OR BJ#23 Head system with 4 brazed cbn cutting inserts consisting of: - 30 cutting heads Ø16.8[mm]	11.900,00 €
1.3.10	1	SETTING DIE FOR MILLING HEAD EXCHANGE consisting of: - 1 table-mount fixture for tool change	700,00 €
1.3.11	1	TEST BAR HSK 63-C For Geometry test of the milling spindles, including aluminium case for storage.	1.000,00 €
1.3.12	1	TEST BAR CAPTO C6 For Geometry test of the turning tool holder.	1.500,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

17/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.3.13	1	EQUIPMENT FOR BALL TRACK MILLING MACHINE consisting of: - 1 cone wiper - 1 torque wrench with insert - 2 plugs HSK63 - 1 ball plug gauge HSK63	1.900,00 €
--------	---	---	------------

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

18/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.3.14 CHUCKING SYSTEM

1.3.15	2	ROTATING SOLID CENTRE HYDRAULIC CHUCKING CYLINDER SIN85 - with 1 medium duct Max. drawbar force 3.325 daN at 70 bar. The clamping pressure is manually infinitely adjustable. . The clamping cylinder stroke and the clamping pressure are controlled by a linear measuring system and by a pressure switch.	10.200,00 €
1.3.16	2	WORKPIECE POSITION MONITORING, (AIR SENSING) The position of the workpiece in the clamping fixture is monitored by measuring the air pressure between the part stop and the component. This establishes contact accuracy. Inaccuracies on the workpiece resulting from deformation of clamping fixture or workpiece etc., are not recognised. The air is supplied by one or more nozzles (depending on clamping fixture type). The pressure is measured with a pressure switch. The air supply is controlled by a directional valve. The air flow is cleaned by a service unit and sent through the main spindle. NOTE: Requires CHUCKING CYLINDER WITH AIR THROUGH THE SPINDLE. Equipping the clamping fixture with a pneumatic system monitor is not included in the price of this item.	10.500,00 €
1.3.17	2	COLLET CHUCK 120 For clamping of Outer Races and Outer Race Discs. Installation direct on the main spindle (no spindle adapter required). With basic part stop. Outer dia.: 235 mm Clamping range: 60 mm - 120 mm Prepared for air sensing. Without workpiece-specifically interchangeable parts.	22.400,00 €
1.3.18	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#22 - SOFT Laid out for one Outer Race. Consisting of clamping head, part stop and control ring (in total 1 control ring).	7.200,00 €
1.3.19	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#23 - SOFT Laid out for one Outer Race. Consisting of clamping head, part stop and control ring (in total 1 control ring).	7.200,00 €
1.3.20	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#22 - HARD Laid out for one Outer Race. Consisting of clamping head and control ring (in total 1 control ring).	4.000,00 €
Please note: The part stop can be used from the set of interchangeable parts for soft machining.			
1.3.21	2	SET OF INTERCHANGEABLE PARTS (COLLET CHUCK 120) OR BJ#23 - HARD Laid out for one Outer Race. Consisting of clamping head and control ring (in total 1 control ring).	4.000,00 €

Please note:
The part stop can be used from the set of interchangeable parts for soft machining.

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

19/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.3.22	1	CHANGING FIXTURE (COLLET CHUCK 120) for quick changing of the workpiece-specific clamping head. Pneumatically operated.	2.050,00 €
--------	---	---	------------

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

20/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4 SERVICES

- 1.4.1 1 Please note that no additional services are contained in the previously specified prices. We would be pleased to carry out the following services and would quote according to your wishes.
- Preparation of tooling layouts and NC programs
- Set-up machine for component trials on your specific workpiece in our works
- Machine approval in our works by your engineers.
- Final acceptance at customer's plant with a specific workpiece
- 1.4.2 1 PROJECT ENGINEERING 36.000,00 €
Project engineering and coordination with suppliers and customers.
Engineering investigations (machine set up, with central automation, central exhaust, chip disposal)
Customization of interfaces with the suppliers.
- 1.4.3 1 TOOLING LAYOUT FOR OUTER RACE BJ#22 - SOFT 5.250,00 €
Generation of a customer-specific tooling layout with tool selection, NC workpiece program, clamping fixtures and attachments.
- Please note:**
Special price, as workpiece is identical and runs on machine MC SN-109522+109523
- 1.4.4 1 TOOLING LAYOUT FOR OUTER RACE BJ#22 - HARD 5.250,00 €
Generation of a customer-specific tooling layout with tool selection, NC workpiece program, clamping fixtures and attachments.
- Please note:**
Special price, as workpiece is identical and runs on machine MC SN-109522+109523
- 1.4.5 1 TOOLING LAYOUT FOR OUTER RACE BJ#23 - SOFT 5.250,00 €
Generation of a customer-specific tooling layout with tool selection, NC workpiece program, clamping fixtures and attachments.
- Please note:**
Special price, as workpiece is identical and runs on machine MC SN-109522+109523
- 1.4.6 1 TOOLING LAYOUT FOR OUTER RACE BJ#23 - HARD 5.250,00 €
Generation of a customer-specific tooling layout with tool selection, NC workpiece program, clamping fixtures and attachments.
- Please note:**
Special price, as workpiece is identical and runs on machine MC SN-109522+109523
- 1.4.7 1 MACHINE SETUP FOR OUTER RACE BJ#22 - SOFT 12.100,00 €
Optimisation of interfaces and system software. Fitment and test run of workpiece-specific clamping devices and tooling equipment. Test run of NC program, ready for customer's machine acceptance.
Tool life optimisation not included.

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

21/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.8	1	MACHINE SETUP FOR OUTER RACE BJ#22 - HARD Optimisation of interfaces and system software. Fitment and test run of workpiece-specific clamping devices and tooling equipment. Test run of NC program, ready for customer's machine acceptance. Tool life optimisation not included.	12.100,00 €
1.4.9	1	MACHINE SETUP FOR OUTER RACE BJ#23 - SOFT Optimisation of interfaces and system software. Fitment and test run of workpiece-specific clamping devices and tooling equipment. Test run of NC program, ready for customer's machine acceptance. Tool life optimisation not included.	8.550,00 €
1.4.10	1	MACHINE SETUP FOR OUTER RACE BJ#23 - HARD Optimisation of interfaces and system software. Fitment and test run of workpiece-specific clamping devices and tooling equipment. Test run of NC program, ready for customer's machine acceptance. Tool life optimisation not included.	8.550,00 €
1.4.11	1	PRE-ACCEPTANCE OF THE MACHINE - SOFT MACHINING Specific workpiece: Outer Race BJ#22 including measuring of workpiece at EMAG (3D measuring machine, FAG roundness measuring device, etc.). One workpiece in one clamping operation. Max. 30 components. Submission of proof to Cm of machine's capability of max. 3 measuring characteristics. For Cm of machine's capability measurements of workpiece 1, 5, 10, 15, 20, 25, 30.	8.950,00 €
1.4.12	1	PRE-ACCEPTANCE OF THE MACHINE - HARD MACHINING Specific workpiece: Outer Race BJ#23 including measuring of workpiece at EMAG (3D measuring machine, FAG roundness measuring device, etc.). One workpiece in one clamping operation. Max. 30 components. Submission of proof to Cm of machine's capability of max. 3 measuring characteristics. For Cm of machine's capability measurements of workpiece 1, 5, 10, 15, 20, 25, 30.	8.950,00 €
1.4.13	1	FUNCTION TEST OF THE MACHINE - SOFT MACHINING Specific workpiece: Outer Race BJ#22 for one workpiece including test run, without SPC analysis, 10 parts machined in 100% drawing tolerance. With measuring equipment supplied by customer.	3.250,00 €
1.4.14	1	FUNCTION TEST OF THE MACHINE - HARD MACHINING Specific workpiece: Outer Race BJ#23 for one workpiece including test run, without SPC analysis, 10 parts machined in 100% drawing tolerance. With measuring equipment supplied by customer.	3.250,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

22/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.15	1	INSTALLATION AND DEMONSTRATION (OVERSEAS) in your works The following services are included: - Machine installation and demonstration - Machine approval and hand-over - Talk-through of the machine documentation and service instruction - Operator instruction - Travel costs Total of 15 man days Not included are: - Machine set-up - Machine operation for production - Additional service Additional service engineer costs for time in excess of that quoted will be charged extra.	33.900,00 €
1.4.16	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#22 - SOFT Specific workpiece: Outer Race BJ#20 Gauging of the workpieces with measuring equipment supplied by customer. Uninterrupted machining of 30 workpieces Evaluation and guaranteed criteria are the same as for pre-acceptance test.	5.350,00 €
1.4.17	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#22 - HARD Specific workpiece: Outer Race BJ#22 - HARD Gauging of the workpieces with measuring equipment supplied by customer. Uninterrupted machining of 30 workpieces Evaluation and guaranteed criteria are the same as for pre-acceptance test.	5.350,00 €
1.4.18	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#23 - SOFT Specific workpiece: Outer Race BJ#23 Gauging of the workpieces with measuring equipment supplied by customer. Uninterrupted machining of 30 workpieces Evaluation and guaranteed criteria are the same as for pre-acceptance test.	5.350,00 €
1.4.19	1	FINAL ACCEPTANCE AT CUSTOMER'S PLANT OR BJ#23 - HARD Specific workpiece: Outer Race BJ#23 - hard Gauging of the workpieces with measuring equipment supplied by customer. Uninterrupted machining of 30 workpieces Evaluation and guaranteed criteria are the same as for pre-acceptance test.	5.350,00 €
1.4.20	1	INSTALLATION POINT The installation point has to be prepared in accordance with the documentation supplied. We take it for granted that all conditions are met before our installation crew arrives. Where waiting times are incurred due to the conditions not having been met, these will be charged extra. During installation and commissioning our engineers have to be provided, on request, with the support of skilled customer personnel and similar assistance. This also applies to the operation of cranes, handling equipment and other aids.	

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

23/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.21	1	MACHINE LIFTING EQUIPMENT EMAG will provide a lifting equipment to lift the machine by crane, free of charge. However, should the customer not return the equipment to EMAG within 4 weeks, freight and charges prepaid, a separate invoice of EUR 1.500,00 will be issued.	
1.4.22	1	PRODUCTION SUPPORT 1 WEEK AFTER START OF PRODUCTION 1 week (5 working days) production support at customers plant Performed by EMAG India or EMAG Korea.	8.850,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

24/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.23 DOCUMENTATION

1.4.24 1 DOCUMENTATION (Siemens)

OPERATING INSTRUCTIONS

1 complete set of operating instructions on paper

EU countries in the official language of the country; other countries on national regulations

Manuals for the machine:

- Introduction
- Safety instructions
- Product description
- Transport and installation
- Start-up
- Production
- Preventive maintenance

Manuals from the manufacturer of the control unit:

Siemens SIN 840D sl

- User manual
- Diagnostics manual
- Programming - Basics
- Programming - Cycles
- Programming - Operations planning and scheduling

Machine diagrams:

- Machine layout
- Transport diagram
- Machine data sheet
- Drive data sheet
- Connection data sheet for fluidics
- Connection data sheet for electrics

List of spare parts and wearing parts

Operating instructions from third parties

Documentation for clamping devices and tools

TECHNICAL DATA

1 set of technical data on paper, German or English

- Electrical circuit diagram with list of el. devices
- Fluid system diagram with list of el. devices
- Drawings of subassemblies with relevance for spare parts
- List of components with relevance for spare parts and wearing parts in relation to the drawings
- Technical data, test reports, declarations of incorporation from third parties

Other languages available on request for an additional charge; third party documentation excepted

1.4.25	4	ADDITIONAL SET OF DOCUMENTATION	2.200,00 €
		1 additional set of the documentation described above .	
		Language: English 4x	

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

25/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.26	2	DOCUMENTATION ON USB 1 complete set of documentation on USB	250,00 €
--------	---	--	----------

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

26/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.27 CE-MARKING

1.4.28 1 WITHOUT CE MARKING / DECLARATION OF CONFORMITY
(countries outside the EU)

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

27/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.29 CUSTOMER SPECIFICATION

1.4.30 1 COMPLIANCE SPECIFICATION SHEET / DELIVERY CONDITIONS 10.800,00 €
Design of mechanical-, electrical- and fluid equipment according to " ENG_RFQ_India
Step 8_2021_Aug_27_01, Rev. 1"
Due to our design we are unable to comply with the following items of your
specification sheet, meaning we must apply for an exceptional permission.

Item	Customer requirement	EMAG commitment
Basic Condition	- AC 415V (+/-15%) x3 phase x 50Hz - Surrounding temperature 0°C - 60°C	- AC 415V (+/-10%) x3 phase x 50 Hz like in your specifications item Electric 1. Main Circuit. - With tropical package surrounding temperature between 10°C and 48°C
Noise level	less than 75 dB (A)	up to 80dB (A)
General specification of Hyundai WIA	Keep the "General specification of Hyundai WIA"	This document is not part of the inquiry and therefore it is not considered
Durable & Perishable Tool	For 180.000 pcs. of workpiece machining (Turning and milling insert)	Quantity has changed compared to the RFQ. Please refer to the pos. 1.3.2 - 1.3.9 in this offer.
Main Circuit	Solenoid valve: 115V AC 50Hz, Lamp Type, Communication Type	24V DC with LED
CNC & PLC	- Voltage 240V - Memory USB Card - Memory EPROM	400V AC / 24V DC - Memory USB-Stick - No longer available from Siemens.
Safety fence	Need	Supplied by customer
CNC & PLC	Network interface - LAN	USB
Wiring	Remain the 30% marginal space and do not wire it hose together	max. 10% possible
Items for the capability (pre- and final acceptance)	Ball Track Milling: Groove Dia, Center, Ball Diameter	Ball diameter is no item for evaluation (Cm)

Price does not include options (*)

Offer : 194772 / 2

Hyundai WIA Corp

04/11/2021

28/35

Managing Directors:
Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Bank accounts:
UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.31 TRAINING

1.4.32	1	OPERATING COURSE (Basic training) For two participants in your works, performed by EMAG India . Matched to the machine design (modular customized) Training course duration: 3 days / shift (shift monday - friday). Language: English Documentation: 3x English, 1x Korean	6.850,00 €
1.4.33	1	MECHANICAL SERVICE COURSE (Basic training) For two participants in your works, performed by EMAG India. Matched to the machine design (modular customized) Training course duration: 3 days / shift (shift monday - friday). Language: English Documentation: 3x English, 1x Korean	6.850,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

29/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.4.34 TRANSPORT COSTS

1.4.35	1	PACKING AND TRANSPORTATION OF TEST PIECES Transport from customers plant in India or Korea.	4.650,00 €
1.4.36	1	PACKING AND TRANSPORTATION OF INSPECTION GAUGES Transport from customers plant in Korea. Transport from EMAG Salach back to customers plant in Korea. (Air freight, max. 250kg)	9.850,00 €
1.4.37	1	FOB HAMBURG from Salach, Incoterms 2020	29.700,00 €
1.4.38	1	UNIQUE SPECIAL DISCOUNT	-507.475,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

30/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

1.5 MACHINE SPECIFICATIONS

1.5.1 1 TECHNICAL MACHINE DATA VSC 315 DUO KBU Subject to change without notice

WORKING AREA

Chuck diameter	mm	250
Swing diameter	mm	260
X-stroke	mm	900
Y-stroke	mm	315
Z-stroke	mm	300

WORKPIECE DIMENSIONS

Workpiece length, max.	mm	260*
Workpiece O/D, max.	mm	120
Ball section dia., max.	mm	30

(*Longer workpieces on request)

MAIN SPINDLE

Spindle flange acc. to DIN 55026	size	8
Spindle front bearing diameter	mm	140
max. spindle speed	rpm	3000

MAIN DRIVE

AC-Synchronous motor 40/100 % ED	kW	28,5/27,5
Max. power	kW	28,5
Full power at spindle speed	rpm	700
Torque at 40/100 % ED	Nm	590/375
Max. torque at	Nm	590

FEED DRIVE

Rapid traverse feed, X+Y	m/min	45
Rapid traverse feed, Z	m/min	30
Feed force, X/Y/Z	kN	11
Ball screw diameter X/Y/Z	mm	50/40/40

MILLING SPINDLE

AC-motor	kW	15
Max. spindle speed	rpm	6.000

ELECTRICAL EQUIPMENT according to VDE 0113

Supply voltage	V	400
Control circuit voltage - DC	V	24
- AC	V	230
Frequency	Hz	50
Total connected load	kVA	120
Input fuse	A	250

DIMENSIONS AND WEIGHT

Length	mm	4400
Width	mm	3600
Height	mm	3500
Weight	kg approx.	20000

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

31/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

- 1.5.2 1 SIEMENS OPERATOR PANEL 15" MULTITOUCH MONITOR
consisting of OP015 Black + IPC 427E + Control panel (MCP483C)
- 1.5.3 1 CNC CONTROL SIEMENS
SINUMERIK 840 Dsl with integrated PLC S7-300
Operator software Sinumerik Operate with HMI-Pro (Windows 10)
Screen language and on-screen messages in German / English / in official EU
language, more languages available as an optional
CNC program and data memory 10 Mbyte
USB-interface (front) for memory-stick (USB 2.0)
Machine diagnostics via internet with VPN technology to verify EMAG's standard format
Software backup is to external media (USB stick integrated into IPC) to verify EMAG's
standard format
dataGrabber (Comara) – Capable of recording process data for diagnostics, optional
process optimization
No active evaluation possible on the control, storage of the data takes place in a ring
buffer

EMAG ADD-ON FUNCTIONS:

Machine-specific documentation of functions and parameters is available directly on the
control unit. (PDF display)

Automatic return to the home position upon machine error. Error recovery is a simple
one button process.

First run high speed traverse is at a reduced speed from home to the first cut. Reduced
speed allows you to avoid a collision and save damaged equipment and reprogramming
costs.

Internal measuring probe with collision monitoring on the traversing movements
(Option)

Automatic workpiece gaging when switching to a replacement tool or tool insert (Option)

Automatic filling and emptying of the entire machine.

"Optional Stop" (M01) allows you to make a programmed stop or interrupt production
after finishing a part at a desired point.

Single cycle: Allows one part to be transferred and machined for setup and tryout
purposes.

STRUCTURED WORKPIECE PROGRAMMING:

Division of individual programs into subprograms, e.g. the program for the machining
contains only the technology program and not the loading part.

The loading program has individual parameters. Division into machine and work piece
specific parameters.

Programmable chuck with length measuring system in the pull rod.

Different clamping situations (Unclamped, Clamped and Over stroke) can be changed
by parameter assignment. Displayed by diagnostics menu.

Recording and displaying of the most important production data: work piece counter,
shift counter, cycle time, work piece status, operating hours.

Production of definable batch sizes. The machine stops upon reaching the selected no.

Optimized programming for the turret keeps chips from collecting.

Rinsing of clamping devices after a programmable number of parts

Number and positions of the workpiece carriers can be defined for closed automation.

Lifecycle screen that displays tool wear and tool life.

Total:

906.800,00 €

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein

Commercial Register Ulm: HRB 533796

Tax No.: 63002/12866 FA Göppingen

VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473

Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641

Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX

Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

32/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

Commercial Conditions

CONFIDENTIALITY

Any commercial and operational written or oral information or data relating to this quotation / order, such as drawings, specifications, recommended machining data and clamping methods, etc., shall not be divulged to any third party (referring, in particular, but not exclusively, to competitors, for the purpose of bid comparisons) and are to be used solely within the meaning of this quotation / order.

The recipient of this quotation / order expressly accepts these obligations.

MACHINING

The determined cycle times result from values, which are based on data and experiences of acknowledged cutting material manufacturers. Changing rough part dimensions, tolerances, material as well as the material hardness are only possible during building and testing of the machine. Changes will only be accepted in written form and in mutual agreement.

PROVISION OF EQUIPMENT AND MATERIALS BY CUSTOMER

All tooling, work holding equipment, parts, etc. are to be supplied with DDP supplying plant EMAG Incoterms 2020. We wish to point out that we accept no responsibility for the functional capability and working order of any equipment provided.

The functional capability of the provided equipment is the responsibility of the buyer.

In the event of problems, we assure you of our constructive collaboration. Any additional costs arising from modification, optimization, etc. will be charged to the customer. Furthermore, we do not guarantee any quoted machining times in such cases.

When orders cannot be carried out on schedule, caused by material supplied by the customer or if technical problems should occur, the machine will be invoiced on the originally agreed delivery date, when the relevant payment will become due.

The agreed upon date of delivery date may be postponed to the time to achieve full operability, which shall not result in any event of default of the manufacturer.

DELIVERY PERIOD

Approx. 10 months FOB German Seaport. The delivery period is not binding and can change between the submission of quotation and placement of order.

Please discuss the subject of delivery with us at time of order placement and we will do everything possible to meet your requirements. Changes regarding the component/s or the machines or the order content after order placement may result in changes in price and delivery.

Compliance of delivery date requires timely down and / or partial payment by the customer within the prescribed payment terms. If receipt of down and or partial payment is delayed, the delivery shall be postponed accordingly, which shall not result in any event of default of the manufacturer.

CONFORMITY WITH CUSTOMERS` REGULATIONS

has not been taken into account. Where unavoidable deviations from such regulations prove necessary, specific authorization will be requested.

PRICES

FCA (Free Carrier, Incoterms 2020). Packing, insurance and transport not included.

The payments are to be made without deduction. With delayed payment the relevant laws apply.

VALIDITY OF PRICES

The prices quoted are valid for 90 days from the date of quotation. Orders placed after this period would be subject to a price increase of 0.5 % per month to cover increases in labour and material costs.

This quotation will replace all previous versions.

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein

Commercial Register Ulm: HRB 533796

Tax No.: 63002/12866 FA Göppingen

VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473

Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641

Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX

Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

33/35



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

TERMS OF PAYMENT

100 % of invoice value against irrevocable Letter of Credit payable as follows:
30 % of L/C-value after opening of the L/C as advance payment against simple receipt.
70 % of L/C-value at sight against shipping documents.
All L/C-charges are for buyer's account. L/C must be opened latest 30 days after order confirmation

RETENTION OF TITLE

The machine will remain the property of the builder until complete payment is received from the buyer. Upon placement of order the extended retention of title according to clause 48 of our General Conditions for Sales and Deliveries shall be deemed as agreed.

LIMITATION OF LIABILITY

The liability of the supplier is excluded for indirect damage, defects and consequential damage, or losses, e.g., loss of revenues, downtimes, production stoppages, capital costs, or costs incurred due to operational interruptions. This does not apply to damage willfully caused by the supplier, or in cases of statutory liability, in particular according to the Product Liability Act.

PERIOD OF LIABILITY

Any rights and claims of the buyer caused on defects shall be subject to a limitation period of twelve months. The limitation period starts with the final acceptance, but no later than 3 months from delivery, and does not apply to wear and tear parts.

WORK PIECES FOR MACHINE ACCEPTANCE

Both, pre-acceptance and final acceptance tests are carried out with either an EMAG test component to VDI standard, or the work piece specified by the customer's order.

The customer will supply an agreed number of work pieces for machining process optimisation and pre-acceptance tests. These work pieces must be from a single batch and of a quality that corresponds with the relevant manufacturing drawing. For preparatory work and preliminary machine acceptance the customer will, at the agreed time, supply EMAG free of charge with a sufficient number of sample work pieces of a quality that corresponds with the relevant manufacturing drawing. Any delay in the supply of these work pieces will result in the machine delivery being delayed and the starting date of a possible delayed machine delivery penalty being deferred accordingly.

FINAL ACCEPTANCE AND FINAL PAYMENT

Final acceptance tests are carried out as soon as the machine has been installed and commissioned. For this purpose, the buyer has to provide a sufficient number of work pieces, personnel and capacity to measure and evaluate the acceptance components. Once the machine is taken into production and the agreed component quality and cycle time have been achieved, final acceptance is considered to have taken place. Where final acceptance of the machine is not possible owing to reasons beyond EMAG's control (missing acceptance components, etc.), final contractual payment falls due immediately.

Price does not include options (*)

Offer : 194772 / 2

Hyundai WIA Corp

04/11/2021

34/35

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX



EMAG Maschinenfabrik GmbH

Austraße 24
73084 Salach - Germany
Phone: +49 7162 17-0
Fax: +49 7162 17-4270
E-Mail: info@emag.com
Internet: www.emag.com

EMAG Maschinenfabrik GmbH • P O Box 1152/ 1162 • 73080 Salach • Germany

TECHNICAL AVAILABILITY

Our confirmation of the technical availability according to VDI 3423 is based on following conditions:

Exclusively qualified operating personnel, monthly availability protocols addressed to our service manager, demonstrable preventive maintenance is carried out according to our machine documentation, connection to our tele service system if requested by our service department.

In case of non-compliance of these conditions, our commitment expires.

TECHNICAL DEVELOPMENT

In the interest of technical progress, we reserve ourselves the right to make design changes which are due to continuous product development.

RESERVATION CLAUSE

For offers within the European Union (without Germany):

„Notification of Intra-Community delivery according to Art. 22 (10) EC Dual-Use Regulation:

The following purchased goods are subject to export controls. For the export of these goods from the Community an export license is necessary.”

For offers outside the European Union:

It is agreed, that the legally binding conclusion of this offer is subject to the suspensive condition that the competent authority grant the necessary export license.

ADDITIONAL PROVISIONS

In addition and subordinated to this quotation our General Conditions for Sales and Deliveries for International Business shall apply (download under http://www.emag.com/Delivery_conditions_UN.pdf).

This document was created electronically and is valid without signature.

Sincerely,

EMAG Maschinenfabrik GmbH

Dr. Mathias Klein
Managing Director

Hartmut von Fugler
Managing Director

Enclosures

Machine catalogue

Training program

EMAG-General conditions for sales and deliveries (UN)

Layout

Outer Race BJ#22, Outer Race BJ#23

EMAG Statement_2021_Sept_10_ENG_ RFQ India Step 8_2021 Aug 27_01

Price does not include options (*)

Offer : 194772 / 2

Managing Directors:

Dr. Guido Hegener, Dr. Mathias Klein
Commercial Register Ulm: HRB 533796
Tax No.: 63002/12866 FA Göppingen
VAT No.: DE 813 898 840

Hyundai WIA Corp

Bank accounts:

UniCredit Bank AG / Hypovereinsbank Stuttgart 'IBAN DE02 6002 0290 0322 6388 17' BIC HYVEDEMM473
Commerzbank AG Tübingen 'IBAN DE09 6414 0036 0890 9103 00' BIC COBADEFF641
Kreissparkasse Göppingen 'IBAN DE96 6105 0000 0015 5885 93' BIC GOPSDE6GXXX
Bayerische Landesbank München 'IBAN DE59 7005 0000 0004 2569 67' BIC BYLADEMMXXX

04/11/2021

35/35