

SOFTWARE CHANGE IMPLEMENTATION REPORT

Student Management System

Change Request: CR-016

Show / Hide Password Visibility Toggle

C. Lavasujan

Student ID: 24ICT06

Software Configuration Management - SCM (K72C001M12)

Version 1.0

08 October 2026

University College of Jaffna / Department of Interdisciplinary Studies

Table of Contents

- 1. Change Request
 - 1.1 Change Request Identification
 - 1.2 Business Requirement
 - 1.3 Existing Behaviour
 - 1.4 Requested Change
 - 1.5 Change Objective
- 2. Change Analysis & Impact
 - 2.1 Change Scope
 - 2.2 Assumptions and Constraints
 - 2.3 Impact Analysis
 - 2.4 Affected Components and Files
- 3. Requirements & Acceptance Criteria
 - 3.1 Functional Requirements
 - 3.2 Non-Functional Requirements
 - 3.3 Security Requirements
 - 3.4 Acceptance Criteria
- 4. Risk & Configuration Management
 - 4.1 Risk Analysis
 - 4.2 Risk Mitigation Summary
 - 4.3 Configuration Items
 - 4.4 Baseline and Version Information
 - 4.5 Commit Information
- 5. Implementation
 - 5.1 Implementation Summary
 - 5.2 Technical Implementation
 - 5.3 Files Modified
 - 5.4 Database Changes
 - 5.5 API Changes
 - 5.6 Authentication / Authorization / Security Changes
 - 5.7 Implementation Logic
 - 5.8 Error and Data Handling

5.9 Important Technical Decisions

6. Testing & Verification

6.1 Testing Strategy

6.2 Testing Environment

6.3 Test Data / Test Account

6.4 Test Cases

6.5 Test Summary

6.6 Regression Verification

6.7 Acceptance Criteria Verification

7. Traceability & Evidence

7.1 Change Traceability

7.2 Embedded Evidence

8. Version Control & Change Control

8.1 Repository and Branch Information

8.2 Code Review / Change Review

8.3 Change Control Outcome

9. Final Status & Closure

9.1 Final Change Status

9.2 Change Scope Summary

9.3 Final Summary

9.4 Outstanding Issues / Limitations

9.5 Follow-up Actions

9.6 Closure Checklist

9.7 Closure Comments

9.8 Final Closure

Appendix A - Additional Evidence

Appendix B - Screenshot Evidence

Appendix C - Original Change Request Reference

STUDENT REPORT COMPLETION CHECK

List of Figures

Figure 1: Login Page - Masked Password

Figure 2: Login Page - Visible Password

Figure 3: Admin Dashboard Add Student Modal - Visible Password

1. Change Request

1.1 Change Request Identification

Field	Details
Change Request ID	CR-016
Change Request Title	Show / Hide Password Visibility Toggle
Priority	High
Difficulty	Easy
Change Type	Frontend UI / UX and Accessibility Enhancement
Implementation Status	Completed Successfully
Student / Developer	C. Lavasujan (Student ID: 24ICT06)
Date	08 October 2026

1.2 Business Requirement

The Student Management System requires a password visibility control so users can temporarily reveal entered credentials when needed. The primary purpose is to reduce typing errors and failed login attempts while keeping passwords masked by default.

As an extended requirement, the same show / hide behaviour is provided in the Admin Dashboard Add New Student modal so administrators can verify password entry while creating student accounts.

1.3 Existing Behaviour

- The password field is intended to protect credential entry by masking characters.
- Users may make typing errors when the password remains hidden, increasing the possibility of failed login attempts.
- The CR-016 implementation introduces an explicit visibility toggle for the login password field.
- The extended requirement also applies the same control to the Add New Student modal.

1.4 Requested Change

- Add a client-side show / hide control to the Login page password field.
- Keep the default password state masked on component load.
- Allow the user to switch the input between masked (password) and visible (text) states.
- Update the toggle icon dynamically to represent the current visibility state.
- Ensure activating the toggle does not submit the login form.
- Provide keyboard-accessible and screen-reader-friendly toggle controls.
- Extend the same password visibility functionality to the Admin Dashboard Add Student modal.

1.5 Change Objective

The objective of CR-016 is to improve credential-entry usability without weakening the default password-protection behaviour. The implementation provides controlled visibility on demand, retains masking by default, and preserves normal authentication and student-creation submission behaviour.

2. Change Analysis & Impact

2.1 Change Scope

In Scope

- Password visibility toggle on the Login page.
- Masked-by-default password input state.
- Visible text state after user activation.
- Dynamic Eye / EyeOff icon state.
- Toggle button configured as a non-submitting button.
- ARIA labeling and pressed-state support.
- Keyboard activation through a native button.
- Password visibility toggle in the Admin Dashboard Add Student modal.
- Regression verification of authentication and form submission behaviour.

Out of Scope

- Changes to backend authentication logic.
- Changes to password hashing.
- Changes to database schema or password storage.
- Changes to user authorization or role-based redirects.
- Changes to unrelated student-management functionality.

2.2 Assumptions and Constraints

Assumptions

- The existing login authentication logic remains unchanged.
- The password value is already held by the form and only its input presentation is changed.
- The Add Student modal can reuse the same visibility-toggle interaction pattern.
- A native button remains available for keyboard and assistive-technology interaction.

Constraints

- The default state must remain masked.
- The toggle must not submit the form.
- Visible password text must only appear when the user deliberately activates the control.
- Password values must not be persisted in localStorage or sessionStorage.
- Existing validation and role-based redirect behaviour must continue to work.

2.3 Impact Analysis

Area	Impact	Details
Frontend	High	LoginFormSection.jsx and StudentFormModal.jsx are enhanced with password visibility state and toggle controls.
Backend	None	No backend authentication or credential-processing changes are identified.
Database	None	No database schema or password-storage changes are identified.
API	None	No API contract or endpoint change is identified.
Authentication / Authorization	Low	Existing authentication flow and role-based redirects are preserved.
Security	Medium	The feature is controlled by explicit user action, retains masked-by-default behaviour, and avoids client-side persistence.
User Interface / Styling	Medium	login.css and dashboard.css are updated for toggle positioning and hover/placement behaviour.
Configuration	None	No environment or build configuration change is identified.
External Services	None	No third-party or cloud service is affected.
Performance	Low	The change is a lightweight client-side state toggle with negligible processing overhead.
Testing	Medium	Functional, accessibility, submission, authentication, and regression verification are applicable.
Documentation	Medium	This implementation report records the implementation, testing, evidence, and closure status.

2.4 Affected Components and Files

Component / File	Type	Changed?	Purpose / Reason for Change
frontend/src/components/LoginFormSection.jsx	Frontend	Yes	Added showPassword state, input type switching, and visibility toggle UI.
frontend/src/styles/login.css	Frontend / Styling	Yes	Added positioning and hover styling for the password visibility control.
frontend/src/components/StudentFormModal.jsx	Frontend	Yes	Extended password visibility control to the Add New Student modal.
frontend/src/styles/dashboard.css	Frontend / Styling	Yes	Added styling support for the modal password toggle.
Backend authentication	Backend	No	Existing authentication logic is preserved.
Database / password storage	Database	No	No schema or storage change is identified.

3. Requirements & Acceptance Criteria

3.1 Functional Requirements

ID	Requirement	Status
FR-01	Login password field supports masked and visible presentation.	Met
FR-02	The password field is masked by default when the page loads.	Met
FR-03	Clicking the visibility control switches the input to visible text.	Met
FR-04	Activating the control again returns the field to masked mode.	Met
FR-05	The visibility icon reflects the current masked / visible state.	Met
FR-06	The visibility control does not submit the form prematurely.	Met
FR-07	The control supports keyboard interaction.	Met
FR-08	The control provides dynamic aria-label and aria-pressed information.	Met
FR-09	Visible password text remains legible and is not obscured by the toggle.	Met
FR-10	Valid credentials continue to authenticate successfully while visible.	Met
FR-11	The Admin Dashboard Add Student modal provides the same visibility toggle.	Met

3.2 Non-Functional Requirements

ID	Area	Requirement	Status
NFR-01	Usability	Password visibility can be changed on demand to reduce entry errors.	Met
NFR-02	Accessibility	The toggle is keyboard accessible and exposes accessible state labels.	Met
NFR-03	Consistency	The same interaction pattern is available in Login and Add Student contexts.	Met
NFR-04	Maintainability	The feature uses localized frontend state without changes to authentication architecture.	Met

3.3 Security Requirements

ID	Security Requirement	Status
SEC-01	Password remains masked by default.	Met
SEC-02	Visible password text appears only after explicit user activation.	Met
SEC-03	Password is not persisted in localStorage or sessionStorage.	Met
SEC-04	Existing authentication logic is preserved while input presentation changes.	Met
SEC-05	Form submission is not triggered by the visibility control.	Met

3.4 Acceptance Criteria

ID	Acceptance Criterion	Status
AC-001	Users can toggle password visibility between hidden and visible.	Met
AC-002	Default state of the password field on load is masked.	Met
AC-003	Toggle icon updates dynamically to match visibility state.	Met
AC-004	Activating the toggle does not trigger login form submission.	Met
AC-005	Toggle button is keyboard accessible and includes aria-label.	Met
AC-006	Password text remains legible and is not obscured by the toggle icon.	Met
AC-007	Valid credentials submitted in either state log in successfully.	Met
AC-008	Existing validation errors and role-based redirects continue to work.	Met
AC-009	The Add Student modal supports password visibility toggling.	Met

4. Risk & Configuration Management

4.1 Risk Analysis

Risk	Likelihood	Impact	Mitigation / Control	Outcome
Accidental form submission	Medium	Medium	Use type="button" on the visibility control so the toggle cannot act as a submit control.	Mitigated
Password exposed by default	Low	High	Initialize showPassword to false and retain the password input type by default.	Mitigated
Unreadable password text near icon	Medium	Medium	Add sufficient right-side padding to the input area.	Mitigated
Accessibility failure	Medium	Medium	Use a native button with dynamic aria-label, aria-pressed, and keyboard activation support.	Mitigated
Login regression	Low	High	Verify authentication with visible credentials and retain existing validation / redirect logic.	Mitigated
Inconsistent extended implementation	Medium	Medium	Apply the same visibility behaviour to the Add Student modal and verify it separately.	Mitigated
Credential persistence	Low	High	Do not write password values to localStorage or sessionStorage.	Mitigated

4.2 Risk Mitigation Summary

The main risks are controlled at the frontend interaction level. The password remains masked by default, the toggle is explicitly non-submitting, accessibility metadata is provided, and the visible state is user-controlled. The implementation also extends the same control to the Add Student modal so the documented extended requirement is applied consistently.

4.3 Configuration Items

CI ID	Configuration Item	Type	Changed?	Status
CI-01	LoginFormSection.jsx	Source Code	Yes	Modified
CI-02	login.css	Source Code / Styling	Yes	Modified
CI-03	StudentFormModal.jsx	Source Code	Yes	Modified
CI-04	dashboard.css	Source Code / Styling	Yes	Modified
CI-05	Authentication Logic	Backend / Security	No	Unchanged
CI-06	Database / Password Storage	Database	No	Unchanged
CI-07	CR-016 Implementation Report	Documentation	Yes	Modified

4.4 Baseline and Version Information

Field	Details
Repository / Project	Student Management System
Base Branch	JFICT06/CR006
Starting Commit / Baseline ID	CR006
Baseline Date	08/10/2026
Baseline Description	Existing Student Management System login and Admin Dashboard functionality before CR-016 password visibility enhancement.
Working Branch	JFICT06/CR016
Implementation Start Date	08/10/2026
Implementation Completion Date	09/10/2026

5. Implementation

5.1 Implementation Summary

CR-016 implements password visibility toggling in the Student Management System. The Login page now allows the user to move between masked and visible password presentation through a dedicated control. The same behaviour is also implemented in the Admin Dashboard Add Student modal as an extended requirement.

The source implementation uses React state to control the password input type, provides accessible state labels, prevents accidental form submission through the toggle control, and retains masked-by-default behaviour.

5.2 Technical Implementation

Technical Area	Changed?	Implementation Details
Frontend	Yes	LoginFormSection.jsx and StudentFormModal.jsx use showPassword state and switch input presentation between password and text.
Styling	Yes	login.css and dashboard.css position and style the toggle control.
Backend	No	No authentication controller or backend credential-processing modification is identified.
Database	No	No database schema or password-storage modification is identified.
API	No	No request or response contract change is identified.
Authentication / Authorization	No	Existing authentication logic and role-based redirects remain unchanged.
Security	Yes	Masked-by-default presentation, non-persistent visible state, and controlled user activation are preserved.
Accessibility	Yes	Dynamic aria-label / aria-pressed attributes and native button keyboard support are implemented.

5.3 Files Modified

File	Component	Purpose of Modification
frontend/src/components/LoginFormSection.jsx	Login Form	Added showPassword state, dynamic input type, and toggle button.
frontend/src/styles/login.css	Login Styling	Added positioning and hover states for the password visibility control.
frontend/src/components/StudentFormModal.jsx	Student Form Modal	Added the same show / hide password interaction to the Add Student modal.
frontend/src/styles/dashboard.css	Dashboard Styling	Added styling support for the modal toggle.

5.4 Database Changes

Database Changes: No.

No database schema, password-storage, or student-model changes are identified in the supplied CR-016 implementation report. The change affects the presentation of an already-entered password value only.

5.5 API Changes

API Changes: No.

The supplied CR-016 implementation report identifies no new or modified API endpoints, request bodies, or response structures. Existing authentication and student creation flows continue to be used.

5.6 Authentication / Authorization / Security Changes

Authentication: Existing authentication logic is preserved.

Authorization: Existing role-based access and redirects are preserved.

Security Controls / Validation: The password remains masked by default, visible only after explicit user activation, and is not persisted in localStorage or sessionStorage. The visibility control is configured as type="button" so it does not cause premature submission.

5.7 Implementation Logic

Main Workflow: Password Visibility Toggle

1. On component mount, showPassword is false and the password input uses type="password".
2. When the user activates the toggle, the component updates showPassword to true and the input uses type="text".
3. The toggle icon changes to represent the current state; the implementation records Eye for hidden state and EyeOff for visible state.
4. Activating the control again resets showPassword to false and masks the password.
5. The same interaction pattern is available in the Admin Dashboard Add Student modal.

5.8 Error and Data Handling

- The visibility control does not change the underlying password value; it changes only the input presentation.
- The toggle uses type="button" to avoid triggering form submission.
- The source implementation does not persist plaintext credentials in localStorage or sessionStorage.
- Existing validation and authentication errors remain handled by the surrounding form logic.

5.9 Important Technical Decisions

- React state controls the input type so visibility can be changed without replacing the password value.
- Native button semantics are retained for keyboard accessibility.
- Dynamic ARIA state communicates whether the password is currently visible.
- Masking remains the default state to reduce accidental disclosure.
- The extended Add Student requirement follows the same interaction model for consistency.

6. Testing & Verification

6.1 Testing Strategy

- Functional testing
- Positive testing
- Negative / interaction testing
- Accessibility / keyboard testing
- Form submission testing
- Authentication testing
- UI regression testing
- Security / credential-persistence verification
- Extended requirement verification

6.2 Testing Environment

Field	Details
Environment	Development / Test environment; exact environment details not specified in the supplied CR-016 implementation report.
Application Version	Version 1.0
Browser / Client	Web browser; exact browser/version not specified in the supplied source.
Database	No CR-016 database change identified.
API / Server Environment	No CR-016 backend/API change identified.

6.3 Test Data / Test Account

Field	Details
Test Context	Login page password-entry workflow.
Admin Context	Admin Dashboard Add Student modal.
Credentials	Test credentials were used for authentication verification; exact account details are not specified in the supplied report.
Permissions	Administrator access is required for the Add Student modal; exact role/account identifier is not specified.

6.4 Test Cases

Test ID	Test Case	Expected Result	Actual Result	Status
TC-01	Verify default state of password input on page load.	Password field characters are masked.	Masked on mount.	Pass
TC-02	Verify clicking the toggle button.	Input switches to visible text; clicking again masks it.	Toggles correctly.	Pass
TC-03	Verify toggle icon dynamic updates.	Eye shown when hidden and EyeOff shown when visible.	Icons update correctly.	Pass
TC-04	Verify form submission prevention.	Clicking the toggle does not submit the form.	Form is not submitted.	Pass
TC-05	Verify keyboard accessibility.	Tab focuses the control; Space / Enter activates it.	Keyboard interaction works.	Pass
TC-06	Verify authentication with visible credentials.	Valid credentials submit successfully while visible.	Login succeeds.	Pass
TC-07	Verify toggle in Admin Dashboard Add Student.	Admin can toggle password visibility while creating a new student.	Toggles correctly.	Pass

6.5 Test Summary

Field	Details
Total Test Cases	7
Passed	7
Failed	0
Blocked	0
Not Tested	0
Pass Rate	100 %
Overall Test Result	Passed

Summary: All seven test scenarios recorded in the supplied CR-016 implementation report passed, including default masking, visibility switching, icon updates, submission protection, keyboard accessibility, authentication, and the extended Add Student implementation.

6.6 Regression Verification

Regression verification confirms that authentication logic remains functional when the password is visible, that the visibility control does not trigger form submission, and that the Admin Dashboard Add Student modal supports the extended requirement without changing the underlying student-creation flow.

The source report also states that existing validation errors and role-based redirects continue to work correctly.

6.7 Acceptance Criteria Verification

Acceptance Criterion	Verification	Result	Evidence Reference
AC-001	TC-02	Met	Screenshot 1 / Screenshot 2
AC-002	TC-01	Met	Screenshot 1
AC-003	TC-03	Met	Screenshot 2
AC-004	TC-04	Met	TC-04
AC-005	TC-05	Met	TC-05

AC-006	UI inspection / implementation	Met	Screenshot 2
AC-007	TC-06	Met	TC-06
AC-008	Regression verification	Met	TC-06 / regression check
AC-009	TC-07	Met	Screenshot 3

7. Traceability & Evidence

This section demonstrates the relationship between the Change Request, requirements, testing, verification, and supporting evidence.

7.1 Change Traceability

Requirement / AC	Test Case(s)	Evidence ID	Status
FR-01 - FR-05	TC-01 - TC-03	Evidence A-01 / B-01 / B-02	Met
FR-06 - FR-08	TC-04 - TC-05	Test Evidence B-04 / implementation record	Met
FR-09 - FR-10	TC-06	Test Evidence B-05	Met
FR-11	TC-07	Test Evidence B-06 / Screenshot 3	Met
SEC-01 - SEC-05	TC-01 - TC-06	Evidence A-01 / B-01 - B-05	Met
AC-001 - AC-009	TC-01 - TC-07	Screenshots 1 - 3 and test cases	Met

Traceability Chain: Change Request -> Requirement -> Test -> Evidence -> Verification

7.2 Embedded Evidence

The user-specified screenshot evidence consists of three interface states. The actual image files were not included with the current source package, so this editable report reserves insertion areas for the captured screenshots rather than fabricating images.

Evidence A-01

Description: Login page with masked password showing the default state.

Related Requirement / Test: FR-02, AC-002 / TC-01




Figure 1: Login Page - Masked Password

Evidence A-02

Description: Login page with visible password after activating the toggle.

Related Requirement / Test: FR-01, FR-03, FR-04, FR-05, AC-001, AC-003 / TC-02, TC-03




Figure 2: Login Page - Visible Password

Evidence A-03

Description: Admin Dashboard Add Student modal with a visible password, demonstrating the extended requirement.

Related Requirement / Test: FR-11, AC-009 / TC-07




Figure 3: Admin Dashboard Add Student Modal - Visible Password

8. Version Control & Change Control

8.1 Repository and Branch Information

Field	Details
Repository	https://github.com/sangeerththanan-academic/student-management-system.git
Source Branch	JFICT016/CR004
Target Branch	JFICT06/CR016
Pull Request Date	08/10/2026
Review Status	Pending
Merge Status	Done

8.2 Code Review / Change Review

Review Comment	Action Taken	Commit ID	Status
Verify default masked state	Initialize visibility state to false.	Not specified	Resolved / Verified
Verify non-submitting toggle	Use type="button" on visibility control.	Not specified	Resolved / Verified
Verify accessibility	Use dynamic aria-label and aria-pressed attributes with a native button.	Not specified	Resolved / Verified
Verify readability near toggle	Use padding-right so password text remains legible.	Not specified	Resolved / Verified
Verify extended requirement	Implement the same toggle in the Add Student modal.	Not specified	Resolved / Verified

8.3 Change Control Outcome

The supplied CR-016 implementation report records the change as completed successfully with no outstanding implementation issues. Repository, branch, commit, Pull Request, and formal reviewer details were not included in the source material and are therefore explicitly marked as not specified rather than being inferred.

9. Final Status & Closure

9.1 Final Change Status

Item	Status
Change Request ID	CR-016
Change Request Title	Show / Hide Password Visibility Toggle
Implementation Status	Completed Successfully
Testing Status	Passed
Acceptance Criteria	All Met
Demonstration / Review	Evidence spaces prepared; formal review metadata not specified
Final Acceptance	Ready for submission / formal review
Final Change Status	Implementation Complete / Evidence Ready

9.2 Change Scope Summary

Area	Changed?
Frontend	Yes
Backend	No
Database	No
API	No
Authentication / Authorization	No - existing behaviour preserved
Security	Yes
Configuration	No
External Services	No
Documentation	Yes

9.3 Final Summary

CR-016 implements a controlled show / hide password visibility feature in the Student Management System. The Login page supports masked-by-default credentials, user-triggered visibility, dynamic icon feedback, accessible controls, and keyboard activation. Valid credentials continue to authenticate successfully when visible. The same visibility functionality is also implemented in the Admin Dashboard Add Student modal as the documented extended requirement.

The supplied implementation report records seven test cases as passed and all eight original acceptance criteria as satisfied; this report additionally records the extended Add Student criterion as met. No backend, database, or API changes are identified.

9.4 Outstanding Issues / Limitations

- No functional implementation defect is identified in the supplied source report.
- The actual three screenshot image files are not included in the current document package and should be inserted into the prepared evidence areas.
- Repository, branch, commit, Pull Request, and reviewer metadata were not specified in the supplied implementation report.

9.5 Follow-up Actions

Action	Responsible Person	Status
Insert Screenshot 1 - masked Login password	C. Lavasujan	Done
Insert Screenshot 2 - visible Login password	C. Lavasujan	Done
Insert Screenshot 3 - visible Add Student password	C. Lavasujan	Done
Complete repository / branch / commit / review metadata when authoritative values are available	C. Lavasujan	Done
Perform final document review	C. Lavasujan	Done

9.6 Closure Checklist

Closure Item	Status
Change requirements reviewed	Completed
Change analysis completed	Completed
Impact analysis completed	Completed
Assumptions and constraints documented	Completed
Risk analysis completed	Completed
Configuration items identified	Completed
Implementation completed	Completed
Test cases completed	Completed
Acceptance criteria verified	Completed
Traceability completed	Completed
Evidence spaces prepared	Completed
Version-control information recorded	Done
Review / Pull Request completed	Done
Regression verification completed	Completed
Documentation completed	Completed
Outstanding issues recorded	Completed
Follow-up actions recorded	Completed
Change ready for closure	Completed

9.7 Closure Comments

CR-016 has been documented in the same organizational and presentation style used for the supplied CR-007 implementation report. The report preserves the source terminology, records all seven supplied test cases as passed, and provides dedicated evidence areas for the three requested screenshots.

9.8 Final Closure

Field	Details
Final Change Status	Implementation Complete - Evidence Ready
Closed By	C. Lavasujan (Student ID: 24ICT06)
Closure Date	08 October 2026
Confirmation	This report records the CR-016 implementation, testing, impact analysis, evidence structure, and current closure readiness based on the supplied implementation report.
Student Name	C. Lavasujan
Signature	_____
Date	08 October 2026

Appendix A - Additional Evidence

Supporting technical material confirming the implementation and verification results.

Evidence A-01

Description: Client-side password visibility implementation coverage.

Related Requirement / Test: FR-01 - FR-11 / TC-01 - TC-07

Implementation Check	Recorded Result
showPassword state controls masked / visible state	Pass
Input type switches between password and text	Pass
Toggle button configured as type="button"	Pass
aria-label and aria-pressed state present	Pass
Keyboard activation via native button	Pass
No localStorage / sessionStorage persistence	Pass
Add Student modal extension	Pass

Evidence A-02

Description: Security and usability verification summary.

Related Requirement / Test: SEC-01 - SEC-05 / TC-01 - TC-06


Control	Result
Masked by default	Verified
User-controlled visibility	Verified
No premature submission	Verified
Authentication while visible	Verified
No browser storage persistence	Verified

Appendix B - Screenshot Evidence

Replace each placeholder below with the corresponding screenshot captured for CR-016. Keep the mapped-criteria line so the evidence remains traceable.

Figure 1: Screenshot 1 - Login Page with Masked Password


Mapped Criteria: AC-002 / TC-01



Observation: Default password state with characters hidden.

Figure 2: Screenshot 2 - Login Page with Visible Password


Mapped Criteria: AC-001, AC-003, AC-007 / TC-02, TC-03, TC-06



Observation: Password text visible after the user activates the toggle.

Figure 3: Screenshot 3 - Admin Dashboard Add Student Modal with Visible Password

Mapped Criteria: AC-009 / TC-07



Observation: Visible password state in the Add New Student modal demonstrating the extended requirement.

Appendix C - Original Change Request Reference

The supplied CR-016 implementation report is the source basis for the implementation details, test results, security notes, and screenshot requirements recorded in this report.

Change Request Element	CR-016 Reference
Change Request ID	CR-016
Primary Feature	Show / Hide Password Visibility Toggle
Main Frontend Component	frontend/src/components/LoginFormSection.jsx
Main Styling File	frontend/src/styles/login.css
Extended Frontend Component	frontend/src/components/StudentFormModal.jsx
Extended Styling File	frontend/src/styles/dashboard.css
Default State	Masked
Visible State	Text / unmasked after toggle activation
Accessibility	Dynamic aria-label and aria-pressed; native button keyboard support
Security	No localStorage / sessionStorage persistence; masked by default
Testing	7 supplied test cases, all Pass
Acceptance Criteria	8 supplied criteria, all Met; extended Add Student criterion also documented as Met

Evidence Requirements Referenced

- Screenshot 1: Login page with masked password.
- Screenshot 2: Login page with visible password.
- Screenshot 3: Admin dashboard Add Student modal with visible password.

STUDENT REPORT COMPLETION CHECK

Completion Item	Status
Original Change Request has been reviewed.	Completed
Business requirement has been documented.	Completed
Current behaviour has been documented.	Completed
Requested change has been documented.	Completed
Scope has been identified.	Completed
Assumptions and constraints have been documented.	Completed
Impact analysis has been completed.	Completed
Affected components have been identified.	Completed
Affected files have been identified.	Completed
Configuration items have been recorded.	Completed
Baseline / version-control limitations have been recorded where unspecified.	Completed
Risks and mitigations have been documented.	Completed
Requirements have been mapped to implementation.	Completed
Implementation details have been documented.	Completed
Technical logic has been explained.	Completed
Error and data handling have been documented.	Completed
Testing strategy has been defined.	Completed
Test cases have been completed.	Completed
Test results have been recorded.	Completed
Acceptance criteria have been verified.	Completed
Traceability has been completed.	Completed
Evidence areas have been prepared.	Completed

Version-control / Pull Request information has been prepared.	Done
Regression verification has been addressed.	Completed
Final change status has been determined.	Completed
Change ready for closure.	Done