Cucumber Report

| Start : May 01, 9:42:17.786 PM	End : May 01, 9:44:26.905 PM	Duration : 2 m 9.119 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 2 SKIPPED - 0	PASSED - 5 FAILED - 21 SKIPPED - 0	PASSED - 15 FAILED - 21 SKIPPED - 77

Features: 3

Scenarios: 26

Steps: 113

Pass % — 33 %

Pass % — 19 %

Pass % — 13 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
user enter valid and invalid credentials for login	22.729 s	4	4	0	0	12	12	0	0
Evaluate arrays module	1 m 19.981 s	17	1	16	0	81	3	16	62
user navigate to stack module and able to try Python code both valid and invalid datas	26.171 s	5	0	5	0	20	0	5	15

#	Feature Name	Scenario Name
1	*Evaluate arrays module*	*User is able to navigate to tryeditor page and run valid python code*
2		*User is able to navigate to tryeditor page and run invalid python code*
3		*User is able to navigate to tryeditor page and run valid python code*
4		*User is able to navigate to tryeditor page and run invalid python code*
5		*User is able to navigate to tryeditor page and run valid python code*
6		*User is able to navigate to tryeditor page and run invalid python code*
7		*User is able to navigate to tryeditor page and run valid python code*
8		*User is able to navigate to tryeditor page and run invalid python code*
9		*User is able to navigate to tryeditor page and run valid python code*
10		*User is able to navigate to tryeditor page and run invalid python code*

| #	Feature Name	Scenario Name
11	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code
12		User is able to navigate to tryeditor page and run invalid python code
13		User is able to navigate to tryeditor page and run valid python code
14		User is able to navigate to tryeditor page and run invalid python code
15		User is able to navigate to tryeditor page and run valid python code
16		User is able to navigate to tryeditor page and run invalid python code
17	user navigate to stack module and able to try Python code both valid and invalid datas	User select Stack module from drop down
18		user try python code after clicked Try here button for validation
19		user try python code after clicked Try here button for invalidation
20		user try python code after clicked Try here button in implenation page

| #	Feature Name	Scenario Name
21	user navigate to stack module and able to try Python code both valid and invalid datas	user try python code after clicked Try here button in implenetation page

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag6	4	4	0	0	1	1	0	0
@Arrays	17	1	16	0	1	0	1	0
@tag7	2	1	1	0	2	0	2	0
@tag8	3	0	3	0	2	0	2	0
@tag9	3	0	3	0	2	0	2	0
@tag10	3	0	3	0	2	0	2	0
@tag11	3	0	3	0	2	0	2	0
@Question1	2	0	2	0	1	0	1	0
@Question2	2	0	2	0	1	0	1	0
@Question3	2	0	2	0	1	0	1	0
@Question4	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	user enter valid and invalid credentials for login	4	4	0	0	22.729 s
2	Evaluate arrays module	17	1	16	0	1 m 19.981 s
3	user navigate to stack module and able to try Python code both valid and invalid datas	5	0	5	0	26.171 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	user enter valid and invalid credentials for login	User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	8.105 s
2		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	4.717 s
3		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	4.717 s
4		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	5.044 s
5	Evaluate arrays module	The user is able to navigate to a page having Arrays in Python Topic	2	2	0	0	0.470 s
6		User is able to navigate to tryeditor page and run valid python code	4	1	1	2	0.756 s
7		User is able to navigate to tryeditor page and run invalid python code	4	0	1	3	5.268 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.197 s
9		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.189 s
10		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.298 s
11		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.240 s
12		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.213 s
13		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.237 s
14		User is able to navigate to tryeditor page and run valid python code	6	0	1	5	5.262 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
15	Evaluate arrays module	User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.241 s
16		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.229 s
17		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.217 s
18		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.247 s
19		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.225 s
20		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.221 s
21		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.224 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
22	user navigate to stack module and able to try Python code both valid and inva *	User select Stack module from drop down	3	0	1	2	5.239 s
23		user try python code after clicked Try here button for validation	4	0	1	3	5.207 s
24		user try python code after clicked Try here button for invalidation	4	0	1	3	5.207 s
25		user try python code after clicked Try here button in implenation page	5	0	1	4	5.216 s
26		user try python code after clicked Try here button in implenetation page	4	0	1	3	5.273 s

The feature name and/or scenario name has been cropped to fit in the available space.

## user enter valid and invalid credentials for login

PASSED	DURATION - 22.729 s	Scenarios Total - 4 Pass - 4 Fail - 0 Skip - 0	4	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 9:42:17.786 PM // 9:42:40.515 PM /					

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 8.105 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 9:42:17.790 PM // 9:42:25.895 PM /				
user enter valid and invalid credentials for login				
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.550 s
2	When The user enter sheet "Sheet1" and 0	PASSED	2.576 s
3	Then click login button	PASSED	2.195 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 4.717 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	3
/ 9:42:25.935 PM // 9:42:30.652 PM /				
user enter valid and invalid credentials for login				
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.218 s
2	When The user enter sheet "Sheet1" and 1	PASSED	2.288 s
3	Then click login button	PASSED	2.198 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 4.717 s		Steps	
/ 9:42:30.732 PM // 9:42:35.449 PM /			Total - 3	
			Pass - 3	
user enter valid and invalid credentials for login			Fail - 0	3
			Skip - 0	
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.226 s
2	When The user enter sheet "Sheet1" and 2	PASSED	2.183 s
3	Then click login button	PASSED	2.278 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 5.044 s		Steps	
/ 9:42:35.471 PM // 9:42:40.515 PM /			Total - 3	
			Pass - 3	
user enter valid and invalid credentials for login			Fail - 0	3
			Skip - 0	
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.381 s
2	When The user enter sheet "Sheet1" and 3	PASSED	2.313 s
3	Then click login button	PASSED	2.343 s

Evaluate arrays module

FAILED	DURATION - 1 m 19.981 s	Scenarios		Steps	
/ 9:42:40.726 PM // 9:44:00.707 PM /		Total - 17 Pass - 1 Fail - 16 Skip - 0	17	Total - 81 Pass - 3 Fail - 16 Skip - 62	81

The user is able to navigate to a page having Arrays in Python Topic

PASSED	DURATION - 0.470 s		Steps	
/ 9:42:40.727 PM // 9:42:41.197 PM /			Total - 2 Pass - 2 Fail - 0 Skip - 0	2
Evaluate arrays module				
@Arrays @tag7				

#	Step / Hook Details	Status	Duration
1	Given User click on get started button on array module and navigate to array page	PASSED	0.184 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	PASSED	0.281 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.756 s		Steps	
/ 9:42:41.233 PM // 9:42:41.989 PM /			Total - 4 Pass - 1 Fail - 1 Skip - 2	4
Evaluate arrays module				
@Arrays @tag8				

#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	PASSED	0.512 s
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	FAILED	0.075 s

#	Step / Hook Details	Status	Duration

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98)
	   at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:578)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy43.sendKeys(Unknown Source)
	   at PageObjects.Arrays.Txtarea(Arrays.java:64)
	   at stepdefinitions.arraySteps.the_user_enter_valid_python_code_in_try_editor_from_sheet_and(arraySteps.java:72)
	   at ?.The user enter valid python code in tryEditor from sheet "Sheet1" and 0(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:12)
	* Not displayable characters are replaced by '?'.		

3	And User click on run button	SKIPPED	0.001 s
4	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.156 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.268 s		Steps	
/ 9:42:42.054 PM // 9:42:47.322 PM /			Total - 4	
			Pass - 0	
Evaluate arrays module			Fail - 1	4
			Skip - 3	
@Arrays @tag8				

#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	FAILED	5.110 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement		

| #	Step / Hook Details	Status	Duration
	{using=xpath, value=//a[text()='Try here>>>']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) at PageObjects.Arrays.TryHere(Arrays.java:59) at stepdefinitions.arraySteps.user_click_on_try_here_button_on_arrays_in_python_page(arraySteps.java:59) at ?.User click on Try here button on Arrays in Python page and navigate to try edidor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:23) * Not displayable characters are replaced by '?'.		
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.126 s

User is able to navigate to tryeditor page and run valid python code

| FAILED	DURATION - 5.197 s
/ 9:42:47.358 PM // 9:42:52.555 PM /	
Evaluate arrays module	
@Arrays @tag9	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	5.063 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)		

| #	Step / Hook Details	Status	Duration
	at PageObjects.Arrays.arraysList(Arrays.java:88) at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) at ?.User click on Arrays Using List topic(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:32) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.124 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.189 s		Steps
/ 9:42:52.566 PM // 9:42:57.755 PM /			Total - 5
			Pass - 0
Evaluate arrays module			Fail - 1
			Skip - 4
@Arrays @tag9			

#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	5.032 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) 　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) 　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) 　　at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) 　　at PageObjects.Arrays.arraysList(Arrays.java:88) 　　at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) 　　at ?.User click on Arrays Using List topic(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:43) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.144 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.298 s
/ 9:42:57.765 PM // 9:43:03.063 PM /	
Evaluate arrays module	
@Arrays @tag10	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	FAILED	5.078 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
　　at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
　　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
　　at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
　　at PageObjects.Arrays.BasicOpInList(Arrays.java:91)
　　at stepdefinitions.arraySteps.user_click_on_basic_operations_in_lists(arraySteps.java:138)

| #	Step / Hook Details	Status	Duration
	at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:54) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.214 s

User is able to navigate to tryeditor page and run invalid python code

		Steps
FAILED	DURATION - 5.240 s	Total - 5
/ 9:43:03.074 PM // 9:43:08.314 PM /		Pass - 0
Evaluate arrays module		Fail - 1
@Arrays @tag10		Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	FAILED	5.027 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) at PageObjects.Arrays.BasicOpInList(Arrays.java:91) at stepdefinitions.arraySteps.user_click_on_basic_operations_in_lists(arraySteps.java:138) at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:65) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.002 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.199 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.213 s

/ 9:43:08.318 PM // 9:43:13.531 PM /

Evaluate arrays module

@Arrays @tag11

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	FAILED	5.028 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Array"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
   at PageObjects.Arrays.ApplOfArray(Arrays.java:94)
   at stepdefinitions.arraySteps.user_click_on_applications_of_array(arraySteps.java:143)

| #	Step / Hook Details	Status	Duration
	at ?.User click on Applications of Array(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:77) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.002 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code 	PASSED	0.178 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.237 s				Steps	
/ 9:43:13.540 PM // 9:43:18.777 PM /					Total - 5	
Evaluate arrays module					Pass - 0	
					Fail - 1	
@Arrays @tag11					Skip - 4	

#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	FAILED	5.031 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Array"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.Arrays.ApplOfArray(Arrays.java:94)
	  at stepdefinitions.arraySteps.user_click_on_applications_of_array(arraySteps.java:143)
	  at ?.User click on Applications of Array(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:87)
	* Not displayable characters are replaced by '?'.		

2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.190 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.262 s
/ 9:43:18.783 PM // 9:43:24.045 PM /	
Evaluate arrays module	
@Arrays @Question1	

Steps
Total - 6
Pass - 0
Fail - 1
Skip - 5

6

#	Step / Hook Details	Status	Duration
1	Given User click on Practies Questions	FAILED	5.066 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Practice Questions"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
   at PageObjects.Arrays.PraQues(Arrays.java:97)
   at stepdefinitions.arraySteps.user_click_on_practies_questions(arraySteps.java:148)

| #	Step / Hook Details	Status	Duration
	at ?.User click on Practies Questions(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:98) * Not displayable characters are replaced by '?'.		
2	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.003 s
3	And User clear the tryeditor textbox	SKIPPED	0.003 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.002 s
5	And User click on run button	SKIPPED	0.001 s
6	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.182 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.241 s		Steps
/ 9:43:24.053 PM // 9:43:29.294 PM /			Total - 5
Evaluate arrays module			Pass - 0
			Fail - 1
@Arrays @Question1			Skip - 4

Chart: bar at position 1 with value 5. Donut chart showing 5 (Skip - 4 yellow, Fail - 1 red).

#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page	FAILED	5.050 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Search the array"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Search the array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	    at PageObjects.Arrays.que1(Arrays.java:100)
	    at stepdefinitions.arraySteps.user_click_on_question1_its_navigate_to_tryeditor_page(arraySteps.java:153)
	    at ?.User click on Question1 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:111)
	* Not displayable characters are replaced by '?'.		

2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.003 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.179 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.229 s
/ 9:43:29.302 PM // 9:43:34.531 PM /	
Evaluate arrays module	
@Arrays @Question2	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	FAILED	5.030 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.Arrays.que2(Arrays.java:103)
	  at stepdefinitions.arraySteps.user_click_on_question2_its_navigate_to_tryeditor_page(arraySteps.java:163)		

| #	Step / Hook Details	Status	Duration
	at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:123) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.188 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.217 s
/ 9:43:34.536 PM // 9:43:39.753 PM /	
Evaluate arrays module	
@Arrays @Question2	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	FAILED	5.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

| #	Step / Hook Details	Status	Duration

	<span style="color:red">webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.Arrays.que2(Arrays.java:103)
	  at stepdefinitions.arraySteps.user_click_on_question2_its_navigate_to_tryeditor_page(arraySteps.java:163)
	  at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:135)
	* Not displayable characters are replaced by '?'.		

2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.175 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.247 s

/ 9:43:39.759 PM // 9:43:45.006 PM /

Evaluate arrays module

@Arrays @Question3

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	FAILED	5.049 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	    at PageObjects.Arrays.que3(Arrays.java:106)		

| #	Step / Hook Details	Status	Duration
	at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:148) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.184 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	DURATION - 5.225 s
/ 9:43:45.025 PM // 9:43:50.250 PM /	
Evaluate arrays module	
@Arrays @Question3	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	FAILED	5.015 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

| #	Step / Hook Details	Status	Duration

	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.Arrays.que3(Arrays.java:106)
	  at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168)
	  at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:161)
	* Not displayable characters are replaced by '?'.		

2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.002 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code	PASSED	0.202 s

User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 5.221 s
/ 9:43:50.255 PM // 9:43:55.476 PM /	
Evaluate arrays module	
@Arrays @Question4	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	FAILED	5.020 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"}   (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
  at PageObjects.Arrays.que4(Arrays.java:109)
  at stepdefinitions.arraySteps.user_click_on_question4_its_navigate_to_tryeditor_page(arraySteps.java:173)

#	Step / Hook Details	Status	Duration
	at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:173) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.187 s

User is able to navigate to tryeditor page and run invalid python code

FAILED	*DURATION - 5.224 s*	
/ 9:43:55.483 PM // 9:44:00.707 PM /		
Evaluate arrays module		
@Arrays @Question4		

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	FAILED	5.010 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

| #	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.Arrays.que4(Arrays.java:109)
	  at stepdefinitions.arraySteps.user_click_on_question4_its_navigate_to_tryeditor_page(arraySteps.java:173)
	  at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:186)
	* Not displayable characters are replaced by '?'.		

2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code 	PASSED	0.205 s

user navigate to stack module and able to try Python code both valid and invalid datas

FAILED	DURATION - 26.171 s		Scenarios		Steps	
/ 9:44:00.734 PM // 9:44:26.905 PM /			Total - 5 Pass - 0 Fail - 5 Skip - 0	5	Total - 20 Pass - 0 Fail - 5 Skip - 15	20

User select Stack module from drop down

FAILED	DURATION - 5.239 s		Steps	
/ 9:44:00.734 PM // 9:44:05.973 PM /			Total - 3 Pass - 0 Fail - 1 Skip - 2	3
user navigate to stack module and able to try Python code both valid and invalid datas				
@tag7				

#	Step / Hook Details	Status	Duration
1	Given user able to click on dropdown	FAILED	5.040 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='nav-item dropdown']/a"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:60) at stepdefinitions.Stacksteps.user_able_to_click_on_dropdown(Stacksteps.java:39) at ?.user able to click on dropdown(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:25) * Not displayable characters are replaced by '?'.		
2	When user select stack option	SKIPPED	0.000 s
3	And user select operations in stack	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User select Stack module from drop down 	PASSED	0.181 s

user try python code after clicked Try here button for validation

FAILED	DURATION - 5.207 s
/ 9:44:05.981 PM // 9:44:11.188 PM /	
user navigate to stack module and able to try Python code both valid and invalid datas	
@tag8	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.014 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2'		

#	Step / Hook Details	Status	Duration

	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	  at PageObjects.StackPage.trybtnclk(StackPage.java:52)
	  at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60)
	  at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:32)
	* Not displayable characters are replaced by '?'.		

2	When user enter valid python code from given "Sheet1" and 0	SKIPPED	0.001 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try python code after clicked Try here button for validation 	PASSED	0.189 s

user try python code after clicked Try here button for invalidation

FAILED	DURATION - 5.207 s
/ 9:44:11.195 PM // 9:44:16.402 PM /	
user navigate to stack module and able to try Python code both valid and invalid datas	
@tag9	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.025 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
  at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)

| #	Step / Hook Details	Status	Duration
	at PageObjects.StackPage.trybtnclk(StackPage.java:52) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60) at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:43) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.178 s
	user try python code after clicked Try here button for invalidation		

user try python code after clicked Try here button in implenation page

FAILED	DURATION - 5.216 s		Steps	
/ 9:44:16.407 PM // 9:44:21.623 PM /			Total - 5	
user navigate to stack module and able to try Python code both valid and invalid datas			Pass - 0 Fail - 1 Skip - 4	5
@tag10				

#	Step / Hook Details	Status	Duration
1	Given user select implementation	FAILED	5.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	   at PageObjects.StackPage.menuselection(StackPage.java:40)
	   at stepdefinitions.Stacksteps.user_select_implementation(Stacksteps.java:129)
	   at ?.user select implementation(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:58)
	* Not displayable characters are replaced by '?'.		

2	And user click on Try Here button	SKIPPED	0.004 s
3	When user enter valid python code for implenetation from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button	SKIPPED	0.000 s
5	Then user should see output	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try python code after clicked Try here button in implenation page 	PASSED	0.178 s

user try python code after clicked Try here button in implenetation page

FAILED	DURATION - 5.273 s

/ 9:44:21.632 PM // 9:44:26.905 PM /

user navigate to stack module and able to try Python code both valid and invalid datas

@tag11

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.025 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.121) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [64c7eca83fd19274733a7b6a25e0f9d7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.121, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:57720}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57720/devtoo..., se:cdpVersion: 112.0.5615.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 64c7eca83fd19274733a7b6a25e0f9d7
	    at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	    at jdk.proxy2/jdk.proxy2.$Proxy43.click(Unknown Source)
	    at PageObjects.StackPage.trybtnclk(StackPage.java:52)
	    at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60)		

#	Step / Hook Details	Status	Duration
	at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:71) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code for implenetation from given "Sheet1" and 1	SKIPPED	0.024 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try python code after clicked Try here button in implenetation page	PASSED	0.209 s