
Cucumber Report



Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
user enter valid and invalid credentials for login	22.160 s	4	4	0	0	12	12	0	0
Evaluate arrays module	1 m 19.067 s	17	1	16	0	81	3	16	62
user navigate to stack module and able to try Python code both valid and invalid datas	25.974 s	5	0	5	0	20	0	5	15

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code
2		User is able to navigate to tryeditor page and run invalid python code
3		User is able to navigate to tryeditor page and run valid python code
4		User is able to navigate to tryeditor page and run invalid python code
5		User is able to navigate to tryeditor page and run valid python code
6		User is able to navigate to tryeditor page and run invalid python code
7		User is able to navigate to tryeditor page and run valid python code
8		User is able to navigate to tryeditor page and run invalid python code
9		User is able to navigate to tryeditor page and run valid python code
10		User is able to navigate to tryeditor page and run invalid python code

FAIL & SKIP SCENARIOS -- 4 --


#	Feature Name	Scenario Name
11	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code
12		User is able to navigate to tryeditor page and run invalid python code
13		User is able to navigate to tryeditor page and run valid python code
14		User is able to navigate to tryeditor page and run invalid python code
15		User is able to navigate to tryeditor page and run valid python code
16		User is able to navigate to tryeditor page and run invalid python code
17	user navigate to stack module and able to try Python code both valid and invalid datas	User select Stack module from drop down
18		user try python code after clicked Try here button for validation
19		user try python code after clicked Try here button for invalidation
20		user try python code after clicked Try here button in implenation page

FAIL & SKIP SCENARIOS -- 5 --

	#	Feature Name	Scenario Name
2	21	user navigate to stack module and able to try Python code both valid and invalid datas	user try python code after clicked Try here button in implenetation page


TAG	Scenario			Feature				
Name	T P F S			T	P	F	S	
@tag6	4	4	0	0	1	1	0	0
@Arrays	17	1	16	0	1	0	1	0
@tag7	2	1	1	0	2	0	2	0
@tag8	3	0	3	0	2	0	2	0
@tag9	3	0	3	0	2	0	2	0
@tag10	3	0	3	0	2	0	2	0
@tag11	3	0	3	0	2	0	2	0
@Question1	2	0	2	0	1	0	1	0
@Question2	2	0	2	0	1	0	1	0
@Question3	2	0	2	0	1	0	1	0
@Question4	2	0	2	0	1	0	1	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	user enter valid and invalid credentials for login	4	4	0	0	22.160 s
2	Evaluate arrays module	17	1	16	0	1 m 19.067 s
3	user navigate to stack module and able to try Python code both valid and invalid datas	5	0	5	0	25.974 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user enter valid and invalid credentials for login	User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	8.309 s
2		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	4.435 s
3		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	4.693 s
4		User on login page and login with invalid and valid inputs from Excel "Sheet1" and	3	3	0	0	4.654 s
5	Evaluate arrays module	The user is able to navigate to a page having Arrays in Python Topic	2	2	0	0	0.397 s
6		User is able to navigate to tryeditor page and run valid python code	4	1	1	2	0.519 s
7		User is able to navigate to tryeditor page and run invalid python code	4	0	1	3	5.210 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	Evaluate arrays module	User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.170 s
9		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.151 s
10		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.173 s
11		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.254 s
12		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.208 s
13		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.183 s
14		User is able to navigate to tryeditor page and run valid python code	6	0	1	5	5.244 s

SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	Evaluate arrays module	User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.200 s
16		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.190 s
17		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.236 s
18		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.228 s
19		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.209 s
20		User is able to navigate to tryeditor page and run valid python code	5	0	1	4	5.184 s
21		User is able to navigate to tryeditor page and run invalid python code	5	0	1	4	5.195 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
22	user navigate to stack module and able to try Python code both valid and inva *	User select Stack module from drop down	3	0	1	2	5.215 s
23		user try python code after clicked Try here button for validation	4	0	1	3	5.188 s
24		user try python code after clicked Try here button for invalidation	4	0	1	3	5.202 s
25		user try python code after clicked Try here button in implenation page	5	0	1	4	5.192 s
26		user try python code after clicked Try here button in implenetation page	4	0	1	3	5.156 s

^{*} The feature name and/or scenario name has been cropped to fit in the available space.

user enter valid and invalid credentials for login


PASSED	DURATION - 22.160 s	Scenarios		Steps	
		Total - 4		Total - 12	
/ 9:53:45.161 AM // 9	9:54:07.321 AM /	Pass - 4	4	Pass - 12	12
		Fail - 0		Fail - 0	' <i>''</i>
		Skip - 0		Skip - 0	

User on login page and login with invalid and valid inputs from Excel "Sheet1" and




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.404 s
2	When The user enter sheet "Sheet1" and 0	PASSED	2.460 s
3	Then click login button	PASSED	2.142 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.143 s
2	When The user enter sheet "Sheet1" and 1	PASSED	2.139 s
3	Then click login button	PASSED	2.145 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.165 s
2	When The user enter sheet "Sheet1" and 2	PASSED	2.209 s
3	Then click login button	PASSED	2.314 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and




#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.201 s
2	When The user enter sheet "Sheet1" and 3	PASSED	2.136 s
3	Then click login button	PASSED	2.315 s

DETAILED SECTION -- 14 --

Evaluate arrays module


FAILED	DURATION - 1 m 19.067 s	Scenarios		Steps	
		Total - 17		Total - 81	
/ 9:54:07.406 AM	1 // 9:55:26.473 AM /	Pass - 1	17	Pass - 3	81
		Fall - 16	• " /	Fail - 16	
		Skip - 0		Skip - 62	

The user is able to navigate to a page having Arrays in Python Topic



#	Step / Hook Details	Status	Duration
1	Given User click on get started button on array module and navigate to array page	PASSED	0.146 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	PASSED	0.245 s


User is able to navigate to tryeditor page and run valid python code



#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try edidor page	PASSED	0.326 s
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	FAILED	0.053 s

#	Step / Hook Details	Status	Duration
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at PageObjects.Arrays.Txtarea(Arrays.java:65) at stepdefinitions.arraySteps.the_user_enter_valid_python_code_in_try_editor_from_sheet_and(arraySteps.java:72) at ?.The user enter valid python code in tryEditor from sheet "Sheet1" and 0(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:12) * Not displayable characters are replaced by '?'.		
3	And User click on run button	SKIPPED	0.001 s
4	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.126 s

User is able to navigate to tryeditor page and run invalid python code




7	#	Step / Hook Details	Status	Duration
1		Given User click on Try here button on Arrays in Python page and navigate to try edidor page	FAILED	5.071 s
		org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	{using=xpath, value=//a[text()=Try here>>]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppDataL\ca}) goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:mPlnLength: true, webauthn:extension:redBlob: true, webauthn:extension:mPlnLength: true, webauthn:extension:redBlob: true, webauthn:extension:mPlnLength: true, webauthn:extension:redBlob: true, webauthn:extension:mPlnLength: true, webauthn:extension:redBlob: true, webauthn:extension:mPlnLength: true, webauthn:extension:miPlnLength: true, webauthn:exten		
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.126 s
	User is able to navigate to tryeditor page and run invalid python code		

DETAILED SECTION -- 17 --

User is able to navigate to tryeditor page and run valid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	5.047 s
1	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Arrays Using List"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '48.83', revision: '68-76298c3' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome-ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement [using=link text, value=Arrays Using List] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppDatat\.ca), googchromeOptions: (debuggerAddress: localhost:50342), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:iminPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:158) at org.openqa.selenium.remote.ser	FAILED	5.047 \$

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	at PageObjects.Arrays.arraysList(Arrays.java:89) at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) at ?.User click on Arrays Using List topic(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays. feature:32) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.116 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic	FAILED	5.039 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true) Session ID: c091e3438b055a32b30c3367a78fdbbe at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.findElement(Element(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.arraysList(Arrays.java:89) at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) at ?.User click on Arrays Using List topic(file:///C/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Sarrays.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.101 s
	User is able to navigate to tryeditor page and run invalid python code		


User is able to navigate to tryeditor page and run valid python code

DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
	at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays. feature:54) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.111 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists	FAILED	5.073 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Basic Operations in Lists"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

DETAILED SECTION -- 22 --

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.BasicOpInList(Arrays.java:92) at stepdefinitions.arraySteps.user_click_on_basic_operations_in_lists(arraySteps.java:138) at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.features(55) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.178 s
	User is able to navigate to tryeditor page and run invalid python code		


User is able to navigate to tryeditor page and run valid python code

DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
	at ?.User click on Applications of Array(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays. feature:77) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array	FAILED	5.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Applications of Array"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

DETAILED SECTION -- 25 --

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ClementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.ApplOfArray(Arrays.java:95) at stepdefinitions.arraySteps.user_click_on_applications_of_array(arraySteps.java:143) at ?.User click on Applications of Array(file://C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.features/57) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.152 s
	User is able to navigate to tryeditor page and run invalid python code		

User is able to navigate to tryeditor page and run valid python code


DETAILED SECTION -- 26 --



#	Step / Hook Details	Status	Duration
1	Given User click on Practies Questions	FAILED	5.060 s
	·		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocatior.lindElement(DefaultElementLocator.java.70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)		
	at PageObjects.Arrays.PraQues(Arrays.java:98)		
	at stepdefinitions.arraySteps.user_click_on_practies_questions(arraySteps.java:148)		

#	Step / Hook Details	Status	Duration
	at ?.User click on Practies Questions(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:98) * Not displayable characters are replaced by '?'.		
2	When User click on Question1 its navigate to tryeditor page	SKIPPED	0.000 s
3	And User clear the tryeditor textbox	SKIPPED	0.000 s
4	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
5	And User click on run button	SKIPPED	0.000 s
6	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.177 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page	FAILED	5.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Search the array"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Search the array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
	true) Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que1(Arrays.java:101) at stepdefinitions.arraySteps.user_click_on_question1_its_navigate_to_tryeditor_page(arraySteps.java:153) at ?.User click on Question1 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Sarrays.feature:111) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code	PASSED	0.163 s
	The state of the s		


User is able to navigate to tryeditor page and run valid python code

DETAILED SECTION -- 29 --



#	Step / Hook Details	Status	Duration
	at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:123) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.168 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page	FAILED	5.052 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Max Consecutive Ones"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

DETAILED SECTION -- 31 --

#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.selementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que2(Arrays.java:104) at stepodefinitions.arraySteps.user_click_on_question2_its_navigate_to_tryeditor_page(arraySteps.java:163) at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Sarrays.feature:135)		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code	PASSED	0.178 s

User is able to navigate to tryeditor page and run valid python code


DETAILED SECTION -- 32 --



#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page	FAILED	5.057 s
_	When User click on Question3 its navigate to tryeditor page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text", "selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '14.8.3', revision: 'e5e76298c3' System info: osn.ame: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C'Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50342/devtoo, se.cdp/ersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:rerdBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:mlargeBlob: true, web		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at org.openqa.selenium.support.pageractory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)		
	at PageObjects.Arrays.que3(Arrays.java:107)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:148) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.165 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




	#	Step / Hook Details	Status	Duration
1		When User click on Question3 its navigate to tryeditor page	FAILED	5.033 s
		org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os. version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		

DETAILED SECTION -- 34 --

#	Step / Hook Details	Status	Duration
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:extension:minPinLength: true, webauthn:extension:pf: true, webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jaki.niternal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.ocdec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:193) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(Element(Cetion.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.internal.Location.glelement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2.jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que3(Arrays.java:107) at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168) at ?.User click on Question3 its navigate to tryeditor page(file://IC		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.174 s
	User is able to navigate to tryeditor page and run invalid python code		

User is able to navigate to tryeditor page and run valid python code


DETAILED SECTION -- 35 --



When User click on Question4 its navigate to tryeditor page org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of	FAILED	5.033 s
org openga selenjum NoSuchElementException: no such element: Unable to locate element: {"method":"xnath" "selector":"//aftext/\='Squares of		5.055 \$
a Sorted Array]*) (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: '56276298c3' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0, java.version: '19.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [c091e3438b055a3293c93678784bbe, findElement {using=xpath, value=//a{text()='Squares of a Sorted Array]}} (Dapabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: (chromedriverVersion: 112.0.5615.49 (bdca7otoba81c, userDatabi: C:UsserSange\AppData\Loca), googs:chromeOptions: (debuggerAddress: localhost:50342), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost:50342/devtoo, secdp/version: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension.credBlob: true, webauthn:extension.credBlob: true, webauthn:extension.miPinLength: true, webauthn:extension.credBlob: true, webauthn:extension:nerdBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:rerdBlob: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength: true, webauthn:extension:miPinLength:extension:miPinLength:extension:miPinLength:extension:miPinLength:extension:miPinLength:extension:miPinLength:extensio		3.033 \$

#	Step / Hook Details	Status	Duration
	at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:173) * Not displayable characters are replaced by '?'.		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.146 s
	User is able to navigate to tryeditor page and run valid python code		

User is able to navigate to tryeditor page and run invalid python code




#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page	FAILED	5.034 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:prf: true,		

DETAILED SECTION -- 37 --


#	Step / Hook Details	Status	Duration
	webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/java.lang.reflect.CDirectCOnstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.COnstructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(DirectConstructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.findElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:340) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:340) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:340) at org.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.DefaultElementLocation.findElement(DefaultElementHocator.java:70) at org.openqa.selenium.support.pagefactory.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.SelementHocator.Java:70) at stepdefinitions.arraySctps.user_click_on_question4_its_navigate_to_tryeditor_page(arraySteps.java:173)		
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run invalid python code	PASSED	0.157 s

user navigate to stack module and able to try Python code both valid and invalid datas

DETAILED SECTION -- 38 -




User select Stack module from drop down



#	Step / Hook Details	Status	Duration
1	Given user able to click on dropdown	FAILED	5.030 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/div[@class='navitem dropdown']/a"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:Users\sange\AppDataL\coc}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:60) at stepdefinitions.Stacksteps.user_able_to_click_on_dropdown(Stacksteps.java:39) at ?.user able to click on dropdown(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:25) * Not displayable characters are replaced by '?'.		
2	When user select stack option	SKIPPED	0.000 s
3	And user select operations in stack	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User select Stack module from drop down	PASSED	0.183 s

user try python code after clicked Try here button for validation




#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.014 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2'		

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
	Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Try here>>>}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.438, chrome: {chromedriverVersion: 112.0.5615.49 {bd2a7bcb88lb2, userDataDir: C-\u00e4UserSsangeVApDpatalLoca}; googs-chromeOptions: {debuggerAddress: localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300001, unhandledPromptBehavior: dsimsis and notify, webauthrextension:redBlob: true, webauthnextension.largeBlob: true, webauthnextension:minPinLength: true, webauthnextension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/java.lang.reflect.DriectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.eodec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.		
2	When user enter valid python code from given "Sheet1" and 0	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.172 s
	user try python code after clicked Try here button for validation		

DETAILED SECTION -- 41 --


user try python code after clicked Try here button for invalidation



#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text"; "selector":"Try here>>>"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chromec.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement (Lising=link text, value=Try here>>>] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: (chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca), goog:chromeOptions: (debuggerAddress: localhost:50342/), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverComm	FAILED	5.029 s

#	Step / Hook Details	Status	Duration
	at PageObjects.StackPage.trybtnclk(StackPage.java:52) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60) at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:43) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.169 s
	user try python code after clicked Try here button for invalidation		

user try python code after clicked Try here button in implenation page




#	Step / Hook Details	Status	Duration
1	Given user select implementation	FAILED	5.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\sange\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:50342}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50342/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

DETAILED SECTION -- 43 --

#	Step / Hook Details	Status	Duration
	true) Session ID: c091e3438b055a32b30c9367a78f4bbe at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Sevorice.DriverCommandExecutor.gava:193) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.ivokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation.findElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:40) at stepdefinitions.StackSteps.user_select_implementation(StackSteps.java:129) at ?user select implementation(file://IC/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:58) * Not displayable characters are replaced by '?'.		
2	And user click on Try Here button	SKIPPED	0.000 s
3	When user enter valid python code for implenetation from given "Sheet1" and 0	SKIPPED	0.001 s
4	And user click run button	SKIPPED	0.000 s
5	Then user should see output	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) user try python code after clicked Try here button in implenation page	PASSED	0.162 s

user try python code after clicked Try here button in implenetation page



#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.012 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method": "link text", "selector": "Try here>>>") (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3", revision: 'e5e76298c3' System info: os.name: Windows 11, os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c091e3438b055a32b30c9367a78f4bbe, findElement {using=link text, value=Try here>>>}} [Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 {bd2a7bcb881c, userDataDir: C:\Usersisange\ppDataLloca}, goog:chromeOptions: {chromedriverVersion: 112.0.5615.49 {bd2a7bcb881c, userDataDir: C:\Usersisange\ppDataLloca}, goog:chromeOptions: {chromedriverVersion: 112.0.5615.49 {bd2a7bcb881c, userDataDir: C:\Usersisange\ppDataLloca}, goog:chromeOptions: {chromedriverVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {lmplicit: 0, pageLoad: 300000, script: 300000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:argeBlob: true, webauthn:extension:argeBlob: true, webauthn:extension:argerBlob: tr	FAILED	5.012 S

DETAILED SECTION -- 45 --

#	Step / Hook Details	Status	Duration
	at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:71) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code for implenetation from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.140 s
	user try python code after clicked Try here button in implenetation page		