

Cucumber Report

May 2, 2023, 10:01:10 AM

Start : May 02, 9:59:03.864 AM

End : May 02, 10:01:09.359 AM

Duration : 2 m 5.495 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 2

SKIPPED - 0

PASSED - 5



FAILED - 21

SKIPPED - 0

PASSED - 15

FAILED - 21

SKIPPED - 77




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>user enter valid and invalid credentials for login</u>	20.790 s	4	4	0	0	12	12	0	0
<u>Evaluate arrays module</u>	1 m 18.692 s	17	1	16	0	81	3	16	62
<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	25.927 s	5	0	5	0	20	0	5	15

#	Feature Name	Scenario Name
1	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>
2		<u>User is able to navigate to tryeditor page and run invalid python code</u>
3		<u>User is able to navigate to tryeditor page and run valid python code</u>
4		<u>User is able to navigate to tryeditor page and run invalid python code</u>
5		<u>User is able to navigate to tryeditor page and run valid python code</u>
6		<u>User is able to navigate to tryeditor page and run invalid python code</u>
7		<u>User is able to navigate to tryeditor page and run valid python code</u>
8		<u>User is able to navigate to tryeditor page and run invalid python code</u>
9		<u>User is able to navigate to tryeditor page and run valid python code</u>
10		<u>User is able to navigate to tryeditor page and run invalid python code</u>


#	Feature Name	Scenario Name
11	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>
12		<u>User is able to navigate to tryeditor page and run invalid python code</u>
13		<u>User is able to navigate to tryeditor page and run valid python code</u>
14		<u>User is able to navigate to tryeditor page and run invalid python code</u>
15		<u>User is able to navigate to tryeditor page and run valid python code</u>
16		<u>User is able to navigate to tryeditor page and run invalid python code</u>
17	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	<u>User select Stack module from drop down</u>
18		<u>user try python code after clicked Try here button for validation</u>
19		<u>user try python code after clicked Try here button for invalidation</u>
20		<u>user try python code after clicked Try here button in impenation page</u>

#	Feature Name	Scenario Name
21	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	<u>user try python code after clicked Try here button in impenetation page</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag6	4	4	0	0	1	1	0	0
@Arrays	17	1	16	0	1	0	1	0
@tag7	2	1	1	0	2	0	2	0
@tag8	3	0	3	0	2	0	2	0
@tag9	3	0	3	0	2	0	2	0
@tag10	3	0	3	0	2	0	2	0
@tag11	3	0	3	0	2	0	2	0
@Question1	2	0	2	0	1	0	1	0
@Question2	2	0	2	0	1	0	1	0
@Question3	2	0	2	0	1	0	1	0
@Question4	2	0	2	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>user enter valid and invalid credentials for login</u>	4	4	0	0	20.790 s
2	<u>Evaluate arrays module</u>	17	1	16	0	1 m 18.692 s
3	<u>user navigate to stack module and able to try Python code both valid and invalid datas</u>	5	0	5	0	25.927 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>user enter valid and invalid credentials for login</u>	<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	7.062 s
2		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	4.414 s
3		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	4.528 s
4		<u>User on login page and login with invalid and valid inputs from Excel "Sheet1" and</u>	3	3	0	0	4.708 s
5	<u>Evaluate arrays module</u>	<u>The user is able to navigate to a page having Arrays in Python Topic</u>	2	2	0	0	0.473 s
6		<u>User is able to navigate to tryeditor page and run valid python code</u>	4	1	1	2	0.537 s
7		<u>User is able to navigate to tryeditor page and run invalid python code</u>	4	0	1	3	5.172 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.178 s
9		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.137 s
10		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.151 s
11		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.127 s
12		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.197 s
13		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.182 s
14		<u>User is able to navigate to tryeditor page and run valid python code</u>	6	0	1	5	5.201 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Evaluate arrays module</u>	<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.119 s
16		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.207 s
17		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.166 s
18		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.160 s
19		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.193 s
20		<u>User is able to navigate to tryeditor page and run valid python code</u>	5	0	1	4	5.158 s
21		<u>User is able to navigate to tryeditor page and run invalid python code</u>	5	0	1	4	5.145 s



* The feature name and/or scenario name has been cropped to fit in the available space.





#	Feature Name	Scenario Name	T	P	F	S	Duration
22	<u>user navigate to stack module and able to try Python code both valid and inva *</u>	<u>User select Stack module from drop down</u>	3	0	1	2	5.170 s
23		<u>user try python code after clicked Try here button for validation</u>	4	0	1	3	5.192 s
24		<u>user try python code after clicked Try here button for invalidation</u>	4	0	1	3	5.189 s
25		<u>user try python code after clicked Try here button in impenation page</u>	5	0	1	4	5.182 s
26		<u>user try python code after clicked Try here button in impenetation page</u>	4	0	1	3	5.166 s

* The feature name and/or scenario name has been cropped to fit in the available space.

user enter valid and invalid credentials for login



PASSED	DURATION - 20.790 s	Scenarios		Steps	
/ 9:59:03.864 AM // 9:59:24.654 AM /		Total - 4		Total - 12	
		Pass - 4		Pass - 12	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

<div>PASSED</div>	<div>DURATION - 7.062 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 9:59:03.869 AM // 9:59:10.931 AM /</div>			<div>Total - 3</div>	
<div>user enter valid and invalid credentials for login</div>			<div>Pass - 3</div>	
<div>@tag6</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.392 s
2	When The user enter sheet "Sheet1" and 0	PASSED	2.496 s
3	Then click login button	PASSED	2.162 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

<div>PASSED</div>	<div>DURATION - 4.414 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 9:59:10.958 AM // 9:59:15.372 AM /</div>			<div>Total - 3</div>	
<div>user enter valid and invalid credentials for login</div>			<div>Pass - 3</div>	
<div>@tag6</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.126 s
2	When The user enter sheet "Sheet1" and 1	PASSED	2.138 s
3	Then click login button	PASSED	2.143 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and

PASSED	DURATION - 4.528 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:59:15.392 AM // 9:59:19.920 AM /				
user enter valid and invalid credentials for login				
@tag6				



#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.142 s
2	When The user enter sheet "Sheet1" and 2	PASSED	2.163 s
3	Then click login button	PASSED	2.215 s

User on login page and login with invalid and valid inputs from Excel "Sheet1" and



PASSED	DURATION - 4.708 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:59:19.946 AM // 9:59:24.654 AM /				
user enter valid and invalid credentials for login				
@tag6				

#	Step / Hook Details	Status	Duration
1	Given The user is on signin page	PASSED	0.229 s
2	When The user enter sheet "Sheet1" and 3	PASSED	2.156 s
3	Then click login button	PASSED	2.315 s

Evaluate arrays module



FAILED	DURATION - 1 m 18.692 s	Scenarios Total - 17 Pass - 1 Fail - 16 Skip - 0		Steps Total - 81 Pass - 3 Fail - 16 Skip - 62	
/ 9:59:24.710 AM // 10:00:43.402 AM /					

The user is able to navigate to a page having Arrays in Python Topic


PASSED	DURATION - 0.473 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 9:59:24.710 AM // 9:59:25.183 AM /				
Evaluate arrays module				
@Arrays @tag7				

#	Step / Hook Details	Status	Duration
1	Given User click on get started button on array module and navigate to array page	PASSED	0.141 s
2	When User click on Arrays in Python Topic and navigate to arrays in python page	PASSED	0.325 s



User is able to navigate to tryeditor page and run valid python code

FAILED	DURATION - 0.537 s		Steps Total - 4 Pass - 1 Fail - 1 Skip - 2	
/ 9:59:25.201 AM // 9:59:25.738 AM /				
Evaluate arrays module				
@Arrays @tag8				


#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try editor page	PASSED	0.342 s
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	FAILED	0.070 s

#	Step / Hook Details	Status	Duration
	<pre>java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:98) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy43.sendKeys(Unknown Source) at PageObjects.Arrays.Txtarea(Arrays.java:65) at stepdefinitions.arraySteps.the_user_enter_valid_python_code_in_try_editor_from_sheet_and(arraySteps.java:72) at ?.The user enter valid python code in tryEditor from sheet "Sheet1" and 0(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:12) * Not displayable characters are replaced by '?'. </pre>		
3	And User click on run button	SKIPPED	0.001 s
4	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.118 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED DURATION - 5.172 s / 9:59:25.756 AM // 9:59:30.928 AM / Evaluate arrays module @Arrays @tag8		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	---	--	--


#	Step / Hook Details	Status	Duration
1	Given User click on Try here button on Arrays in Python page and navigate to try editor page <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Try here>>>']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement </pre>	FAILED	5.055 s

#	Step / Hook Details	Status	Duration
	<p>{using=xpath, value=//a[text()='Try here>>>']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.TryHere(Arrays.java:60) at stepdefinitions.arraySteps.user_click_on_try_here_button_on_arrays_in_python_page(arraySteps.java:59) at ?.User click on Try here button on Arrays in Python page and navigate to try editor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:23) * Not displayable characters are replaced by '?'. </p>		
2	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should get alert message	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.101 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.178 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 9:59:30.959 AM // 9:59:36.137 AM /				
Evaluate arrays module				
@Arrays @tag9				


#	Step / Hook Details	Status	Duration
1	<p>Given User click on Arrays Using List topic</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.051 s

#	Step / Hook Details	Status	Duration
	at PageObjects.Arrays.arrayList(Arrays.java:89) at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) at ?.User click on Arrays Using List topic(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:32) * Not displayable characters are replaced by '?'.		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.110 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

<div>FAILED</div> <div>DURATION - 5.137 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 9:59:36.159 AM // 9:59:41.296 AM /</div>				
<div>Evaluate arrays module</div>				
<div>@Arrays @tag9</div>				


#	Step / Hook Details	Status	Duration
1	Given User click on Arrays Using List topic org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Arrays Using List"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Arrays Using List}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,	FAILED	5.025 s

#	Step / Hook Details	Status	Duration
	<p>pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.arrayList(Arrays.java:89) at stepdefinitions.arraySteps.user_click_on_arrays_using_list_topic(arraySteps.java:126) at ?.User click on Arrays Using List topic(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:43)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And click Try here button and navigate to try edidor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.105 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.151 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 9:59:41.306 AM // 9:59:46.457 AM /				
Evaluate arrays module				
@Arrays @tag10				


#	Step / Hook Details	Status	Duration
1	<p>Given User click on basic Operations in Lists</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.BasicOpInList(Arrays.java:92) at stepdefinitions.arraySteps.user_click_on_basic_operations_in_lists(arraySteps.java:138)</pre>	FAILED	5.024 s

#	Step / Hook Details	Status	Duration
	at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:54) * Not displayable characters are replaced by '?'. And click Try here button and navigate to try editor page		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.005 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.117 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.127 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 9:59:46.462 AM // 9:59:51.589 AM /								
Evaluate arrays module								
@Arrays @tag10								


#	Step / Hook Details	Status	Duration
1	Given User click on basic Operations in Lists org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Basic Operations in Lists"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Basic Operations in Lists}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	5.028 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> <p>at PageObjects.Arrays.BasicOpInList(Arrays.java:92)</p> <p>at stepdefinitions.arraySteps.user_click_on_basic_operations_in_lists(arraySteps.java:138)</p> <p>at ?.User click on basic Operations in Lists(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:65)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.094 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.197 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 9:59:51.596 AM // 9:59:56.793 AM /				
Evaluate arrays module				
@Arrays @tag11				


#	Step / Hook Details	Status	Duration
1	<p>Given User click on Applications of Array</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Array"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.ApplOfArray(Arrays.java:95) at stepdefinitions.arraySteps.user_click_on_applications_of_array(arraySteps.java:143)</pre>	FAILED	5.075 s

#	Step / Hook Details	Status	Duration
	at ?.User click on Applications of Array(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:77) * Not displayable characters are replaced by '?'. And click Try here button and navigate to try editor page		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should be presented with run result	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.117 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.182 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 9:59:56.804 AM // 10:00:01.986 AM /								
Evaluate arrays module								
@Arrays @tag11								


#	Step / Hook Details	Status	Duration
1	Given User click on Applications of Array org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Applications of Array"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Applications of Array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	5.042 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> <p>at PageObjects.Arrays.AppOfArray(Arrays.java:95)</p> <p>at stepdefinitions.arraySteps.user_click_on_applications_of_array(arraySteps.java:143)</p> <p>at ?.User click on Applications of Array(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:87)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And click Try here button and navigate to try editor page	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.001 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.136 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.201 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
/ 10:00:01.994 AM // 10:00:07.195 AM /				
Evaluate arrays module				
@Arrays @Question1				


#	Step / Hook Details	Status	Duration
1	<p>Given User click on Practies Questions</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Practice Questions"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Practice Questions}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog.chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.PraQues(Arrays.java:98) at stepdefinitions.arraySteps.user_click_on_practies_questions(arraySteps.java:148)</pre>	FAILED	5.084 s

#	Step / Hook Details	Status	Duration
	at ?.User click on Practies Questions(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:98) * Not displayable characters are replaced by '?'. 2 When User click on Question1 its navigate to tryeditor page 3 And User clear the tryeditor textbox 4 When The user enter valid python code in tryEditor from sheet "Sheet1" and 0 5 And User click on run button 6 Then User should be presented with run result		
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario) User is able to navigate to tryeditor page and run valid python code	PASSED	0.108 s
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.119 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4		
/ 10:00:07.210 AM // 10:00:12.329 AM /							
Evaluate arrays module							
@Arrays @Question1							


#	Step / Hook Details	Status	Duration
1	When User click on Question1 its navigate to tryeditor page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Search the array"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643def8198797dcfaa7, findElement {using=link text, value=Search the array}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	5.012 s

#	Step / Hook Details	Status	Duration
	<pre>true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que1(Arrays.java:101) at stepdefinitions.arraySteps.user_click_on_question1_its_navigate_to_tryeditor_page(arraySteps.java:153) at ?.User click on Question1 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:111) * Not displayable characters are replaced by '?'. </pre>		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.102 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.207 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 10:00:12.340 AM // 10:00:17.547 AM /				
Evaluate arrays module				
@Arrays @Question2				


#	Step / Hook Details	Status	Duration
1	<p>When User click on Question2 its navigate to tryeditor page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que2(Arrays.java:104) at stepdefinitions.arraySteps.user_click_on_question2_its_navigate_to_tryeditor_page(arraySteps.java:163)</pre>	FAILED	5.076 s

#	Step / Hook Details	Status	Duration
	at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:123) * Not displayable characters are replaced by '?'. And User clear the tryeditor textbox		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should be presented with run result	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.125 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.166 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 10:00:17.552 AM // 10:00:22.718 AM /								
Evaluate arrays module								
@Arrays @Question2								


#	Step / Hook Details	Status	Duration
1	When User click on Question2 its navigate to tryeditor page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Max Consecutive Ones"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Max Consecutive Ones}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	5.042 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> <p>at PageObjects.Arrays.que2(Arrays.java:104)</p> <p>at stepdefinitions.arraySteps.user_click_on_question2_its_navigate_to_tryeditor_page(arraySteps.java:163)</p> <p>at ?.User click on Question2 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:135)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.119 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.160 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 10:00:22.729 AM // 10:00:27.889 AM /				
Evaluate arrays module				
@Arrays @Question3				


#	Step / Hook Details	Status	Duration
1	<p>When User click on Question3 its navigate to tryeditor page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que3(Arrays.java:107) at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168)</pre>	FAILED	5.035 s

#	Step / Hook Details	Status	Duration
	at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:148) * Not displayable characters are replaced by '?'. And User clear the tryeditor textbox		
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.003 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should be presented with run result	SKIPPED	0.000 s
5	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.114 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.193 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 10:00:27.895 AM // 10:00:33.088 AM /								
Evaluate arrays module								
@Arrays @Question3								


#	Step / Hook Details	Status	Duration
1	When User click on Question3 its navigate to tryeditor page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Find Numbers with Even Number of Digits"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Find Numbers with Even Number of Digits}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,	FAILED	5.076 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que3(Arrays.java:107) at stepdefinitions.arraySteps.user_click_on_question3_its_navigate_to_tryeditor_page(arraySteps.java:168) at ?.User click on Question3 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:161) * Not displayable characters are replaced by '?'. </p>		
2	And User clear the tryeditor textbox	SKIPPED	0.001 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.001 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.113 s
	User is able to navigate to tryeditor page and run invalid python code		
			



User is able to navigate to tryeditor page and run valid python code

<div>FAILED</div> <div>DURATION - 5.158 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 10:00:33.094 AM // 10:00:38.252 AM /				
Evaluate arrays module				
@Arrays @Question4				


#	Step / Hook Details	Status	Duration
1	<p>When User click on Question4 its navigate to tryeditor page</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.Arrays.que4(Arrays.java:110) at stepdefinitions.arraySteps.user_click_on_question4_its_navigate_to_tryeditor_page(arraySteps.java:173)</pre>	FAILED	5.030 s

#	Step / Hook Details	Status	Duration
	at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:173) * Not displayable characters are replaced by '?'. And User clear the tryeditor textbox		
2	When The user enter valid python code in tryEditor from sheet "Sheet1" and 0	SKIPPED	0.001 s
3	And User click on run button	SKIPPED	0.000 s
4	Then User should be presented with run result	SKIPPED	0.000 s
5	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.121 s
	User is able to navigate to tryeditor page and run valid python code		
			



User is able to navigate to tryeditor page and run invalid python code

FAILED		DURATION - 5.145 s			Steps Total - 5 Pass - 0 Fail - 1 Skip - 4			
/ 10:00:38.257 AM // 10:00:43.402 AM /								
Evaluate arrays module								
@Arrays @Question4								



#	Step / Hook Details	Status	Duration
1	When User click on Question4 its navigate to tryeditor page org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Squares of a Sorted Array']"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=xpath, value=//a[text()='Squares of a Sorted Array']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,	FAILED	5.033 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</p> <p>at PageObjects.Arrays.que4(Arrays.java:110)</p> <p>at stepdefinitions.arraySteps.user_click_on_question4_its_navigate_to_tryeditor_page(arraySteps.java:173)</p> <p>at ?.User click on Question4 its navigate to tryeditor page(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/5arrays.feature:186)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	And User clear the tryeditor textbox	SKIPPED	0.000 s
3	When The user enter invalid python code in tryEditor from sheet "Sheet1" and 1	SKIPPED	0.000 s
4	And User click on run button	SKIPPED	0.000 s
5	Then User should get alert message	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.109 s
	User is able to navigate to tryeditor page and run invalid python code		
			


user navigate to stack module and able to try Python code both valid and invalid datas

FAILED	DURATION - 25.927 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 20 Pass - 0 Fail - 5 Skip - 15	
/ 10:00:43.432 AM // 10:01:09.359 AM /					



User select Stack module from drop down

<div>FAILED</div>	<div>DURATION - 5.170 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:00:43.432 AM // 10:00:48.602 AM /				
user navigate to stack module and able to try Python code both valid and invalid datas				
@tag7				


#	Step / Hook Details	Status	Duration
1	<p>Given user able to click on dropdown</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@class='nav-item dropdown']/a"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=xpath, value=//div[@class='nav-item dropdown']/a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50625/devtoo..., se.cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)</pre>	FAILED	5.070 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.HomePage.dropDownclk(HomePage.java:60) at stepdefinitions.Stacksteps.user_able_to_click_on_dropdown(Stacksteps.java:39) at ?.user able to click on dropdown(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:25) * Not displayable characters are replaced by '?'. </pre>		
2	When user select stack option	SKIPPED	0.000 s
3	And user select operations in stack	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.097 s
	User select Stack module from drop down		
			



user try python code after clicked Try here button for validation

FAILED	DURATION - 5.192 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:00:48.607 AM // 10:00:53.799 AM /				
user navigate to stack module and able to try Python code both valid and invalid datas				
@tag8				


#	Step / Hook Details	Status	Duration
1	Given user click on Try Here button	FAILED	5.071 s
	<pre> org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' </pre>		

#	Step / Hook Details	Status	Duration
	<p>Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca...}, goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:52) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60) at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:32)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When user enter valid python code from given "Sheet1" and 0	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.001 s
4	Then user should see output	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.117 s
	user try python code after clicked Try here button for validation		
			



user try python code after clicked Try here button for invalidation

<div>FAILED</div> <div>DURATION - 5.189 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:00:53.805 AM // 10:00:58.994 AM /				
user navigate to stack module and able to try Python code both valid and invalid datas				
@tag9				


#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source)</pre>	FAILED	5.070 s

#	Step / Hook Details	Status	Duration
	at PageObjects.StackPage.trybtnclk(StackPage.java:52) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60) at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:43) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code from given "Sheet1" and 1	SKIPPED	0.000 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.115 s
	user try python code after clicked Try here button for invalidation		
			



user try python code after clicked Try here button in implenation page

FAILED	DURATION - 5.182 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 10:00:59.000 AM // 10:01:04.182 AM /				
user navigate to stack module and able to try Python code both valid and invalid datas				
@tag10				

#	Step / Hook Details	Status	Duration
1	Given user select implementation org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Implementation"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Implementation}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	5.054 s

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.StackPage.menuselection(StackPage.java:40) at stepdefinitions.Stacksteps.user_select_implementation(Stacksteps.java:129) at ?.user select implementation(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:58) * Not displayable characters are replaced by '?'. </pre>		
2	And user click on Try Here button	SKIPPED	0.000 s
3	When user enter valid python code for impenetation from given "Sheet1" and 0	SKIPPED	0.000 s
4	And user click run button	SKIPPED	0.000 s
5	Then user should see output	SKIPPED	0.001 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.123 s
	user try python code after clicked Try here button in impenation page		
			

user try python code after clicked Try here button in impenetation page

<div>FAILED</div> <div>DURATION - 5.166 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:01:04.193 AM // 10:01:09.359 AM /</div>				
<div>user navigate to stack module and able to try Python code both valid and invalid datas</div>				
<div>@tag11</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given user click on Try Here button</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"link text","selector":"Try here>>>"} (Session info: chrome=112.0.5615.138) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e0198e25bf3643defef8198797dcfaa7, findElement {using=link text, value=Try here>>>}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\sange\AppData\Loca..., goog:chromeOptions: {debuggerAddress: localhost:50625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50625/devtoo..., se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: e0198e25bf3643defef8198797dcfaa7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy43.click(Unknown Source) at PageObjects.StackPage.trybtnclk(StackPage.java:52) at stepdefinitions.Stacksteps.user_click_on_try_here_button(Stacksteps.java:60)</pre>	FAILED	5.020 s

#	Step / Hook Details	Status	Duration
	at ?.user click on Try Here button(file:///C:/Users/sange/eclipse-workspace/DS-ALGO109/src/test/resources/Features/Stack.feature:71) * Not displayable characters are replaced by '?'.		
2	When user enter invalid python code for impenetation from given "Sheet1" and 1	SKIPPED	0.001 s
3	And user click run button	SKIPPED	0.000 s
4	Then user should get alert	SKIPPED	0.000 s
	AFTER - Allhooks.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.138 s
	user try python code after clicked Try here button in impenetation page		
	