




Session 08 / Keeping the repo healthy

Maintainer Workflow, CI, Releases, And Change Ownership

One hour handover deck

40-45 min narrative / 10-15 min checkpoint / 5 min Q&A

The maintainer habit is ownership first, local parity second, CI third.



Session path


- 1 **Change ownership**
- 2 **Local validation**
- 3 **CI parity**
- 4 **Dependency and release flow**

Session rhythm

40-45 min narrative
10-15 min checkpoint
5 min Q&A


Presenter notes carry the script and demo prompts.

Validation automation




- Dependency refresh, docs checks, lint, render-contract, template, package, and smoke paths cover different risks.
- Render-contract checks prove both allowed and disallowed settings.
- Smoke install is separate because it needs a disposable cluster.

Local validation and CI flow



- Local scripts are the source of CI parity.
- helm-lint workflow refreshes deps, lints, renders, and packages.
- Smoke workflow validates the auth-heavy cluster path.
- Publish workflow packages and pushes release artifacts.

Maintainer script flow




- `hack/lint.sh` is the main local validation entrypoint.
- `docs-check` enforces guide coverage, links, and Mermaid validity.
- `render-contract` catches both positive renders and expected failures.
- `package` and `smoke-install` cover release and cluster integration concerns.

Main local commands


Command	What it proves
<code>./hack/helm-dependency-update.sh</code>	Chart.lock and packaged archives match Chart.yaml
<code>./hack/docs-check.sh</code>	Guide coverage, local links, and Mermaid diagrams validate
<code>./hack/render-contract.sh</code>	Supported renders succeed and unsafe values fail
<code>./hack/lint.sh</code>	Main local validation path passes
<code>./hack/template.sh</code>	Maintained example overlays render
<code>./hack/package.sh</code>	The chart can be packaged
<code>./hack/smoke-install.sh</code>	Auth-heavy local path installs and becomes ready

GitHub workflow inventory

- PRs and main pushes run the lint workflow.
- Smoke install is manual workflow_dispatch.
- Main and version tags can publish packages.
- Workflows intentionally call local scripts.



Publish automation



- Package step builds versioned chart archives.
- OCI push publishes to GHCR.
- Main pushes produce prerelease-style versions.
- vX.Y.Z tags publish stable versions only when Chart.yaml matches.

Dependency changes move together

When this changes	Move these together
Chart.yaml dependency version	Chart.lock and packaged archives
Bundled third-party material	THIRD_PARTY_NOTICES.md and third_party provenance
Vendored Trino source	Patch-point docs and validation fixtures as needed
Validation rule	Examples and render-contract fixtures

Guided checkpoint: prepare a safe change

Identify the ownership boundary first

Choose the narrowest validation command

Run `./hack/lint.sh` before opening or updating a PR

Use `smoke-install` only for auth-heavy integrated runtime changes

Checkpoint questions

- Can the developer pick a check for a docs-only change?
- Can they pick a check for a values validation change?
- Can they describe when a dependency update is incomplete?

Session 08 landing

What the inheriting team should now be able to do

- They can make an ownership decision before editing.
- They can choose local checks with CI parity.
- They know which files move together for dependency and release changes.
- They have a complete map for maintaining the repository after handover.

Leave-behind

Use the PPTX notes as a presenter script and source-map.md as the reference trail.