

Table S10. Mean toxicokinetic parameters at day 1 and day 22 for CRB-701 and EV analytes (ADC, tAb, and MMAE) following four weekly doses of 6 mg/kg CRB-701 or EV in cynomolgus monkeys

	CRB-701		EV	
Parameter	Day 1	Day 22	Day 1	Day 22
Serum ADC				
C _{max} (µg/mL)	242.66	174.99	161.34	137.51
AUC _{last} (h*µg/mL)	9894.23	12,755.92	8139.21	7114.77
AUC _{inf} (h*µg/mL)	15524.44	19,459.54	9341.03	7982.08
T _{1/2} (hours)	118.98	114.69	57.35	51.31
R _{acc}	-	1.29	-	0.87
Serum tAb				
C _{max} (µg/mL)	221.87	177.93	149.80	162.27
AUC _{last} (h*µg/mL)	9760.18	13,024.27	8598.93	9512.88
AUC _{inf} (h*µg/mL)	14,258.31	20,049.66	10,955.19	11,820.36
T _{1/2} (hours)	101.20	116.18	77.79	72.66
R _{acc}	-	1.33	-	1.11
Plasma MMAE				
C _{max} (pg/mL)	92.34	237.61	199.45	441.26
AUC _{last} (h*pg/mL)	10,358.36	28,531.20	25,459.89	49,262.37
T _{max} (hours) ^a	72 (48–96)	36 (24–48)	72 (48–96)	36 (24–48)
R _{acc}	-	2.75	-	1.93

^aMedian (range).

Data shown are mean values from one female and one male cynomolgus monkey; T_{last} was 168 hours.

ADC, antibody–drug conjugate; AUC_{inf}, area under the time–concentration curve from time 0 to infinity; AUC_{last}, area under the time–concentration curve from dosing to the time of the last measured concentration; maximum concentration; C_{max}, maximum concentration; EV, enfortumab vedotin; MMAE, monomethyl auristatin E; R_{acc},

accumulation ratio; $T_{1/2}$, half-life; t_{Ab} , total antibody; T_{last} , time of last measurable concentration; T_{max} , time to reach C_{max} .

