

## CORRIGENDUM TO: “RANK-WIDTH AND VERTEX-MINORS”

SANG-IL OUM

**ABSTRACT.** We correct a slight minor mistake in the proof of Lemma 5.3 in the article “Sang-il Oum. Rank-width and vertex-minors. *J. Combin. Theory Ser. B*, 95(1):79–100, 2005.”

In the last paragraph of the proof of Lemma 5.3 on page 95 in [1], I wrote that

*Let  $M$  be the adjacency matrix of  $G$ . By submodular inequality (Proposition 4.1), we obtain*

$$\begin{aligned} \text{cutrk}_{G \setminus v}(B) + \text{cutrk}_G(X) &\geq \text{omitted} \\ &= \text{cutrk}_G(B) + \text{cutrk}_G(X) - 1 \end{aligned}$$

*and therefore  $\text{cutrk}_{G \setminus v}(B) = \text{cutrk}_G(B) - 1 = m - 1$ .*

However, the above inequality does not imply the desired outcome

$$(1) \quad \text{cutrk}_{G \setminus v}(B) = \text{cutrk}_G(B) - 1.$$

Instead we need the following inequality.

$$\begin{aligned} \text{cutrk}_{G \setminus v}(X) + \text{cutrk}_G(B) &= \text{rk}(M[X, V(G) \setminus X \setminus \{v\}]) + \text{rk}(M[B, V(G) \setminus B]) \\ &\geq \text{rk}(M[X, V(G) \setminus X]) + \text{rk}(M[B, V(G) \setminus B \setminus \{v\}]) \\ &= \text{cutrk}_G(X) + \text{cutrk}_{G \setminus v}(B) \\ &= \text{cutrk}_{G \setminus v}(X) + 1 + \text{cutrk}_{G \setminus v}(B). \end{aligned}$$

It is now obvious that (1) follows.

## REFERENCES

- [1] S. Oum. Rank-width and vertex-minors. *J. Combin. Theory Ser. B*, 95(1):79–100, 2005.

DEPARTMENT OF MATHEMATICAL SCIENCES, KAIST, 335 GWAHANGNO DAEJEON, 305-701  
SOUTH KOREA

*E-mail address:* sangil@kaist.edu

---

*Date:* March 24, 2009.

Supported by the SRC Program of Korea Science and Engineering Foundation (KOSEF) grant funded by the Korea government (MEST) (No. R11-2007-035-01002-0).