TM Forum Specification

Service Test Management User Guide

TMF653

Maturity Level: General Availability (GA)	Team Approved Date: 04-Sept-2026
Release Status: Production	Approval status: Team Approved
Version: 5.0.0	IPR Mode: RAND

Notice

Copyright © TM Forum 2026. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

TM FORUM invites any TM FORUM Member or any other party that believes it has patent claims that would necessarily be infringed by implementations of this TM Forum Standards Final Deliverable, to notify the TM FORUM Team Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this deliverable.

TM FORUM invites any party to contact the TM FORUM Team Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this TM FORUM Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the TM FORUM Collaboration Project Team that produced this TM FORUM Standards Final Deliverable. TM FORUM may include such claims on its website but disclaims any obligation to do so.

TM FORUM takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this TM FORUM Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on TM FORUM's procedures

with respect to rights in any document or deliverable produced by a TM FORUM Collaboration Project Team can be found on the TM FORUM website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this TM FORUM Standards Final Deliverable, can be obtained from the TM FORUM Team Administrator. TM FORUM makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

Direct inquiries to the TM Forum office:

100 Enterprise Drive
Suite 301 #1649
Rockaway, NJ 070866, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

© TM Forum 2026. All Rights Reserved.

Table of Contents

Notice . . . i
Introduction . . . 1
State Machine . . . 2
Sample Use Cases . . . 4
Service Test for Customer Experience Assurance . . . 4
Planned Service Test for Important Services . . . 4
Support Of Polymorphism And Extension Patterns . . . 5
Resource Model . . . 6
Managed Entity and Task Resource Models . . . 6
ServiceTest resource . . . 6
ServiceTestSpecification resource . . . 25
CancelServiceTest resource . . . 52
Notification Resource Models . . . 55
ServiceTest . . . 57
ServiceTestSpecification . . . 61
CancelServiceTest . . . 65
API Operations . . . 69
Operations on ServiceTest . . . 69
Retrieves a serviceTest by ID . . . 69
List or find serviceTest objects . . . 72
Creates a serviceTest . . . 73
Updates partially a serviceTest . . . 75
Deletes a serviceTest . . . 81
Operations on ServiceTestSpecification . . . 81
Retrieves a serviceTestSpecification by ID . . . 81
List or find serviceTestSpecification objects . . . 84
Creates a serviceTestSpecification . . . 88
Updates partially a serviceTestSpecification . . . 94
Deletes a serviceTestSpecification . . . 108
Operations on CancelServiceTest . . . 108
Retrieves a cancelServiceTest by ID . . . 108
List or find cancelServiceTest objects . . . 109
Creates a cancelServiceTest . . . 111

© TM Forum 2026. All Rights Reserved.

API NOTIFICATIONS . . . 113
Register listener . . . 113
Unregister listener . . . 114
Publish Event to listener . . . 114
Acknowledgements . . . 116
Release History . . . 116
Contributors to Document . . . 116

© TM Forum 2026. All Rights Reserved.

Introduction

The following document is the specification of the REST API for Service Test Management. It includes the model definition as well as all available operations. Possible actions are creating, updating, retrieving and cancelling a Service Test.

The Service Test API provides a standardized mechanism for placing a service test with all the necessary test parameters. The API consists of a simple set of operations that interact with CRM/Service Management systems in a consistent manner. A service test is a procedure intended to check the quality, performance, or reliability of a service.


Service Test Management API manages serviceTest resource, serviceTestSpecification resource and cancelServiceTest task resource:

- A service test specification describes the service test in terms of parameters to be configured and measures to be taken.
- A service exists for a controlled test invocation on a service. The service test is executed according to a schedule. and contains service test configuration parameters that are to be applied at execution time, and service test measures that result.
- A task resource invocation occurs when a service test is put into a cancelled state.

© TM Forum 2026. All Rights Reserved.

State Machine

The state machine for a Service Test resource is shown below with a description of each state in the table.




State	Description
acknowledged	Service Test execution request received and acknowledged
rejected	Service Test execution rejected either due to bad input or rules validation failure
inProgress	Service Test execution accepted and commenced
pending	Service Test execution put into pending awaiting further information such as testMeasure details.
cancelled	Service Test execution cancelled or aborted either by the client using the task pattern
failed	Service Test execution failed to complete

© TM Forum 2026. All Rights Reserved.

State	Description
completed	Service Test execution completed successfully with a result (either passed or failed).

The state machine for a Cancel Service Test resource aligns with that of a Task Resource and is shown below with a description of each state in the table.



State	Description
acknowledged	Cancel Service Test execution request received and acknowledged
rejected	Cancel Service Test execution rejected
inProgress	Cancel Service Test execution accepted and commenced or waiting for further information such as requested cancellation date.
terminated with Error	Cancel Service Test execution failed to execute due to errors.
cancelled	Cancel Service Test execution cancelled
done	Cancel Service Test execution completed successfully.


© TM Forum 2026. All Rights Reserved.

Sample Use Cases

Service Test for Customer Experience Assurance

The Service Test can be used for customer experience assurance while:

- The subscriber can launch service test from Self Service Portal to make sure the service quality while his/her experience is not good. For example testing the flow speed of a fixed broadband service.
- The Call Center operator can execute service test to check the quality and analyze root cause for response while one customer has complaint



It could improve customer experience and increase FCR (First Call Resolution).

Planned Service Test for Important Services

The test job can be defined for some important services where the tests can be executed periodically to assure the service quality and find potential service downgrade in advance to avoid impact to customers.

© TM Forum 2026. All Rights Reserved.

Support Of Polymorphism And Extension Patterns

Support of polymorphic collections and types and schema based extension is provided by means of a list of generic meta-attributes that we describe below.

Generic support of polymorphism and pattern extensions is described in the TMF API Guidelines v3.0 Part 2 document.

The @type attribute provides a way to represent the actual class type of an entity. All resources and sub-resources of this API have a @type attributes that can be provided when this is useful. Such as ServiceTest, ServiceTestSpecification Entity. All resources and sub-resources of this API have a @type attributes that can be provided when this is useful.

The @referredType can be used within reference entities (like for instance ServiceRef) to explicitly denote the actual entity type of the referred class. Notice that in reference entities the @type, when used, denotes the class types of the reference itself, such as ServiceRef, and not the class type of the referred object. However, since reference classes are rarely sub-classed, @type is generally not useful in reference objects.

The @schemaLocation property can be used in resources to allow specifying user-defined properties of an Entity or to specify the expected characteristics of an entity.

The @baseType attribute gives a way to provide explicitly the base of class of a given resource that has been extended.

Notice that because these meta-attributes have a generic meaning, we will not repeat their definition in the resource description tables of each resource and each sub-resource.

© TM Forum 2026. All Rights Reserved.

Resource Model

Managed Entity and Task Resource Models

ServiceTest resource

A service test is an entity that exists for a controlled test invocation on a service. The service test is executed according to a schedule and contains service test configuration parameters that are to be applied at execution time, and service test measures that result.

Resource model




Figure 1 - ServiceTest

© TM Forum 2026. All Rights Reserved.




Figure 2 - Characteristic

Field descriptions

ServiceTest fields

characteristic	A Characteristic [0..*]. List of characteristics with values that define the test run. Characteristic can be instantiated as * BooleanArrayCharacteristic * BooleanCharacteristic * IntegerArrayCharacteristic * IntegerCharacteristic * NumberArrayCharacteristic * NumberCharacteristic * ObjectArrayCharacteristic * ObjectCharacteristic * StringArrayCharacteristic * StringCharacteristic
description	A String. Description of the service test.
endDateTime	A DateTime. The end date and time of the service test.

© TM Forum 2026. All Rights Reserved.

externalIdentifier	An ExternalIdentifier [0..*]. A list of external identifiers assoicated with this service.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
mode	A String. An indication of whether the service test is running in 'PROACTIVE' or 'ONDEMAND' mode.
name	A String [1]. The name of the service test.
relatedParty	A RelatedPartyRefOrPartyRoleRef [0..**]. A list of related party references (RelatedParty []**). A related party defines party or party role linked to a specific entity.
relatedService	A ServiceRef [1]. Service reference, for when Service is used by other entities.
serviceTestRelationship	A ServiceTestRelationship [0..*]. A relationship to an array of service test references eg. service tests executed on related composite or atomic services.
startDateTime	A DateTime. The start date and time of the service test.
state	An ExecutionStateType. Possible values for the state of the execution. ENUMERATED with values: * acknowledged * rejected * pending * inProgress * cancelled * completed * failed
testMeasure	A TestMeasure [0..*]. The results of the test in terms of the measured metrics.
testSpecification	A ServiceTestSpecificationRef [1]. Service Test specification reference: ServiceTestSpecification(s) required to realize a Test Specification.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2026. All Rights Reserved.

@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

Characteristic sub-resource fields

Describes a given characteristic of an object or entity through a name/value pair. This is an abstract base class, the actual value is in one of the strongly-typed subclasses : String Characteristic, ObjectCharacteristic, FloatCharacteristic, BooleanCharacteristic, Number Characteristic, IntegerCharacteristic, StringArrayCharacteristic, ObjectArrayCharacteristic, BooleanArrayCharacteristic, NumberArrayCharacteristic, IntegerArrayCharacteristic...

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.
	Characteristic can be instantiated as * BooleanArrayCharacteristic * BooleanCharacteristic * IntegerArrayCharacteristic * IntegerCharacteristic * NumberArrayCharacteristic * NumberCharacteristic * ObjectArrayCharacteristic * ObjectCharacteristic * StringArrayCharacteristic * StringCharacteristic
value	This property is present in subclasses

CharacteristicRelationship sub-resource fields

Another Characteristic that is related to the current Characteristic;.

id	A String [1]. Unique identifier of the characteristic.

© TM Forum 2026. All Rights Reserved.

relationshipType	A String [1]. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

BooleanArrayCharacteristic sub-resource fields

A characteristic which value is an array of Boolean(s).

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A Boolean [1..*]. A characteristic which value is an array of Boolean(s).
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

BooleanCharacteristic sub-resource fields

A characteristic which value is a Boolean.

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A Boolean [1]. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2026. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristic sub-resource fields

A characteristic which value is an array of Integer(s).

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	An Integer [1..*]. A characteristic which value is an array of Integer(s).
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristic sub-resource fields

A characteristic which value is a Integer.

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	An Integer [1]. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2026. All Rights Reserved.

@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristic sub-resource fields

A characteristic which value is an array of Number(s).

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A Number [1..*]. A characteristic which value is an array of Number(s).
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristic sub-resource fields

A characteristic which value is a Number.

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A Number [1]. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristic sub-resource fields

© TM Forum 2026. All Rights Reserved.

A characteristic which value is an array of Object(s).

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A valueType [1..*]. Collection of characteristic values.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ObjectCharacteristic sub-resource fields

A characteristic which value is a Object.

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A valueType_2 [1]. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

StringArrayCharacteristic sub-resource fields

A characteristic which value is an array of String(s).

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.

© TM Forum 2026. All Rights Reserved.

id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A String [1..*]. Collection of string characteristics.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristic sub-resource fields

A characteristic which value is a String.

characteristicRelationship	A CharacteristicRelationship [0..*]. Collection of characteristic relationships.
id	A String. Unique identifier of the characteristic.
name	A String [1]. Name of the characteristic.
value	A String [1]. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ExternalIdentifier sub-resource fields

An identification of an entity that is owned by or originates in a software system different from the current system, for example a ProductOrder handed off from a commerce platform into an order handling system. The structure identifies the system itself, the nature of the entity within the system (e.g. class name) and the unique ID of the entity within the system. It is anticipated that multiple external IDs can be held for a single entity, e.g. if the entity passed through multiple systems on the way to the current system. In this case the consumer is expected to sequence the IDs in the array in reverse order of provenance, i.e. most recent system first in the list.

© TM Forum 2026. All Rights Reserved.

externalIdentifierType	A String. Type of the identification, typically would be the type of the entity within the external system.
id	A String [1]. Identification of the entity within the external system.
owner	A String. Name of the external system that owns the entity.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.

partyOrPartyRole	A PartyRefOrPartyRoleRef.
role	A String [1]. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

A Party reference.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.

© TM Forum 2026. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. ENUMERATED with values: * PartyRef

PartyRoleRef sub-resource fields

Party role reference. A party role represents the part played by a party in a given context.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. ENUMERATED with values: * PartyRoleRef

ServiceRef sub-resource fields

Service reference, for when Service is used by other entities.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2026. All Rights Reserved.

@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ServiceTestRelationship sub-resource fields

Linked service order item to the one containing this attribute.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
relationshipType	A String [1]. Type of relationship such as substitution, dependency, exclusivity.
role	A String. The association role for this service test.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

TestMeasure sub-resource fields

A TestMeasure specifies a measure of a specific aspect of a product, service, or resource test, such as lost packets or connectivity status.

accuracy	A Float. The percentage accuracy expressed in float notation, specifying the degree closeness between the measured value and the actual value. eg. if scale range is up to 500, accuracy could be defined as +-0.5%, expressed as 0.005 in float notation.
captureDateTime	A DateTime. The date and time that the metric was captured.

© TM Forum 2026. All Rights Reserved.

captureMethod	A String. The method used to capture the Metrics, examples: probes, automated data capture, optical mark recognition, barcode recognition, voice recognition(This may be replaced by a set of entities similar to the Performance Monitoring Ref).
metricDescription	A String. Brief description of the metric.
~~metricHref~~	DEPRECATED A String. Obsolete to be removed in v6. Replaced by metricUri.
metricName	A String. The name of the metric.
metricUri	A String. Hyperlink to access a metric for detail information.
ruleViolation	A MeasureThresholdRuleViolation [0..*]. A list of rules that were violated in this test measure.
testMeasureCharacteristic	A Characteristic [0..**]. A list of additional characteristics that characterize this test measurement (usage Characteristic []**). Characteristic can be instantiated as * BooleanArrayCharacteristic * BooleanCharacteristic * IntegerArrayCharacteristic * IntegerCharacteristic * NumberArrayCharacteristic * NumberCharacteristic * ObjectArrayCharacteristic * ObjectCharacteristic * StringArrayCharacteristic * StringCharacteristic
testMeasureDefinitionId	A String. Reference to the associated testMeasure Definition in serviceTestSpecification. This property is unique among a list of testMeasures. Each testMeasure Definition is referenced at most once within a run time ServiceTest instance.
unitOfMeasure	A String. The unit of measure for the metric values, such as bit, byte, erlang [ISO 80000].

© TM Forum 2026. All Rights Reserved.

value	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair. This is an abstract base class, the actual value is in one of the strongly-typed subclasses : StringCharacteristic, ObjectCharacteristic, FloatCharacteristic, BooleanCharacteristic, NumberCharacteristic, IntegerCharacteristic, StringArrayCharacteristic, ObjectArrayCharacteristic, BooleanArrayCharacteristic, NumberArrayCharacteristic, IntegerArrayCharacteristic... Characteristic can be instantiated as * BooleanArrayCharacteristic * BooleanCharacteristic * IntegerArrayCharacteristic * IntegerCharacteristic * NumberArrayCharacteristic * NumberCharacteristic * ObjectArrayCharacteristic * ObjectCharacteristic * StringArrayCharacteristic * StringCharacteristic
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

MeasureThresholdRuleViolation sub-resource fields

A measureThresholdRuleViolation is a violation of a rule that defines the in the MericDef MeasureThresholdRule.

appliedConsequence	An AppliedConsequence [0..*]. An Applied Consequence defines the action (prescribed action or notification) to take when a MeasureThresholdRuleViolation occurs.
conformanceComparatorExact	A Boolean. An operator that when applied on a value specifies whether it is the same target value or not. This operator is used to compare with the conformanceTarget Exact if used.

© TM Forum 2026. All Rights Reserved.

conformanceComparatorLower	A String. An operator that when applied on a value specifies whether a threshold is crossed or ceased to be crossed. This operator is used to compare with the conformanceTargetLower if used.
conformanceComparatorUpper	A String. An operator that when applied on a value specifies whether a threshold is crossed or ceased to be crossed. This operator is used to compare with the conformanceTargetUpper if used.
conformanceTargetExact	A String. To cater for values that are not numerical test metrics (e.g. a DSL line can be Synchronised or Unsynchronised. If the latter, the test should result in a rule violation).The allowed value can contain a REGEX expression.
conformanceTargetLower	A String. To cater for values that are not numerical test metrics. A value used to determine if the threshold is crossed or ceases to be crossed. It represents the lower limit. The value should be less than the conformance TargetUpper if used. The conformance comparators should also be logically defined so as to not lead to a logically impossible condition.
conformanceTargetUpper	A String. To cater for values that are not numerical test metrics. A value used to determine if the threshold is crossed or ceases to be crossed. It represents the Upper limit. The value should be greater than the conformance TargetLower if used. The conformance comparators should also be logically defined so as to not lead to a logically impossible condition.
description	A String. Description that helps reference the MetricDef MeasureThresholdRule that this rule violation refers to.
name	A String. Name that helps reference the MetricDefMeasure ThresholdRule that this rule violation refers to.
numberOfAllowedCrossing	An Integer. The number of allowed crossing occurrences in reference to the tolerancePeriod without a consequence being initiated.
thresholdRuleSeverity	A String. A severity level that defines the severity of threshold rule violation eg. Critical, Warning, Informational. A crossing for each level may require a different condition and possibly trigger a different consequence.

© TM Forum 2026. All Rights Reserved.

tolerancePeriod	A Duration. A time interval in a given unit of time.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

AppliedConsequence sub-resource fields

An Applied Consequence defines the action (prescribed action or notification) to take when a MeasureThresholdRuleViolation occurs.

appliedAction	A String. The action for a violated threshold. This could be a hyperlink to the action.
description	A String. A narrative that explains in detail what the consequence is.
name	A String. A word, term, or phrase by which Consequence is known and distinguished from other MetricDefMeasure Consequences.
repeatAction	A Boolean. An indicator used to specify that a consequence should cease being applied if a value is in the same range as the previous value or continue being applied if a value is in the same range as the previous value. If the repeatAction is True, if the consequence is always applied as soon as the MetricMeasure value is in the range of values and if the repeatAction is False, the consequence is applied only if the previous Metric Measure value was not in the same range.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ServiceTestSpecificationRef sub-resource fields

Service Test specification reference: ServiceTestSpecification(s) required to realize a Test Specification.

© TM Forum 2026. All Rights Reserved.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
version	A String. EntitySpecification version.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

EntitySpecificationRef sub-resource fields

Reference to an EntitySpecification object.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
version	A String. EntitySpecification version.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.
	EntitySpecificationRef can be instantiated as * ServiceTestSpecificationRef * ServiceTestSpecificationRelationship
value	This property is present in subclasses

ServiceTestSpecificationRelationship sub-resource fields

A substitution, dependency or exclusivity relationship between or among service specifications.

© TM Forum 2026. All Rights Reserved.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
relationshipType	A String [1]. Type of relationship such as substitution, dependency, exclusivity.
role	A String. The association role for this service test specification.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
version	A String. EntitySpecification version.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'ServiceTest' resource object.


```
{
  "href": "https://mycsp.com:8080/tmf-api/serviceTestManagement/v5/serviceTest/3112",
  "id": "3112",
  "name": "fixed broadband service test",
  "description": "Speed Test for FixedBroadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2017-03-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
```


© TM Forum 2026. All Rights Reserved.

```
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  },
  "characteristic": [
    {
      "id": "1",
      "@type": "BooleanCharacteristic",
      "name": "restart",
      "valueType": "boolean",
      "value": true
    }
  ],
  "testMeasure": [
    {
      "@type": "TestMeasure",
      "accuracy": 0.001,
      "captureDateTime": "2016-03-02T11:12:00.00Z",
      "testMeasureDefinitionId": "10",
      "captureMethod": "automatic capture by instrument",
      "metricDescription": "This is the flow speed in a service",
      "metricName": "Flow speed",
      "unitOfMeasure": "bits per second",
      "value": {
        "id": "3",
        "name": "Flow speed",
        "valueType": "number",
        "value": 3000,
        "@type": "NumberCharacteristic"
      },
      "ruleViolation": [
        {
          "@type": "MeasureThresholdRuleViolation",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "appliedConsequence": [
            {
              "@type": "AppliedConsequence",
              "appliedAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false
            },
```


© TM Forum 2026. All Rights Reserved.

```
            {
              "@type": "AppliedConsequence",
              "appliedAction": "generateReport",
              "description": "generate a warning report",
              "name": "generateReport",
              "repeatAction": false
            }
          ]
        }
      ]
    }
  ],
  "@type": "ServiceTest",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/ServiceTest.schema.json",
  "@baseType": "ServiceTest"
}
```


ServiceTestSpecification resource

The service test specification describes the service test in terms of parameters to be configured and measures to be taken.

Resource model

© TM Forum 2026. All Rights Reserved.




Figure 3 - ServiceTestSpecification

© TM Forum 2026. All Rights Reserved.




Figure 4 - CharacteristicValueSpecification

Field descriptions

ServiceTestSpecification fields

attachment	An AttachmentRefOrValue [0..*]. Attachments that may be of relevance to this specification, such as picture, document, media.
constraint	A ConstraintRef [0..*]. This is a list of constraint references applied to this specification.
description	A String. Description of a service test specification.
entitySpecRelationship	An EntitySpecificationRelationship [0..*]. Relationship to another specification.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
isBundle	A Boolean. IsBundle determines whether specification represents a single specification (false), or a bundle of specifications (true).
lastUpdate	A DateTime. Date and time of the last update of the specification.
lifecycleStatus	A String. Used to indicate the current lifecycle status of this catalog item.
name	A String [1]. Name given to the specification.

© TM Forum 2026. All Rights Reserved.

relatedParty	A RelatedPartyRefOrPartyRoleRef [0..*]. Parties who manage or otherwise have an interest in this specification.
relatedServiceSpecification	A ServiceSpecificationRef [1..*]. The related service specification may relate to more than one service specification.
serviceTestSpecificationRelationship	A ServiceTestSpecificationRelationship [0..*]. A list of service test specifications related to this specification e.g. dependency, substitution.
specCharacteristic	A CharacteristicSpecification [0..*]. List of characteristics that the entity can take.
targetEntitySchema	A TargetEntitySchema. The reference object to the schema and type of target entity which is described by a specification.
testMeasureDefinition	A TestMeasureDefinition [0..*]. A list of definitions for the measurements for the test defined by this specification.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
version	A String. Specification version.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

Attachment sub-resource fields

Complements the description of an element (for instance a product) through video, pictures...

attachmentType	A String [1]. A business characterization of the purpose of the attachment, for example logo, instructionManual, contractCopy.
content	A Base64. The actual contents of the attachment object, embedded inline and encoded as base64. Mutually exclusive with url.
description	A String. A narrative text describing the content of the attachment.

© TM Forum 2026. All Rights Reserved.

href	A String. Hyperlink reference.
id	A String. Unique identifier.
mimeType	A String [1]. A technical characterization of the attachment content format using an IETF Media Type, for example application/pdf or image/png. Note: this property is named mimeType for historical reasons.
name	A String. The name of the attachment.
size	A Quantity. An amount in a given unit.
url	A String. The URL pointing to the attachment content held in an external system, such as a content management system or document repository. Mutually exclusive with content.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

AttachmentRef sub-resource fields

Attachment reference. An attachment complements the description of an element (for instance a product) through video, pictures.

~~description~~	DEPRECATED A String. A narrative text describing the content of the attachment. DEPRECATED: will be removed in v6.
href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
~~url~~	DEPRECATED A String. Link to the attachment media/content. DEPRECATED: will be removed in v6.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2026. All Rights Reserved.

@referredType	A String [1]. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ConstraintRef sub-resource fields

Constraint reference. The Constraint resource represents a policy/rule applied to an entity or entity spec.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
version	A String. Constraint version.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

EntitySpecificationRelationship sub-resource fields

A migration, substitution, dependency or exclusivity relationship between/among entity specifications.

associationSpec	An AssociationSpecificationRef [1]. Reference to an AssociationSpecification object.
href	A String.
name	A String.
relationshipType	A String [1]. Type of relationship such as migration, substitution, dependency, exclusivity.
role	A String [1]. The association role for this entity specification.

© TM Forum 2026. All Rights Reserved.

validFor	A TimePeriod [1]. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String.
@schemaLocation	A String.

AssociationSpecificationRef sub-resource fields

Reference to an AssociationSpecification object.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.

See [RelatedPartyRefOrPartyRoleRef] for details.

PartyRef sub-resource fields

A Party reference.

See [PartyRef] for details.

PartyRoleRef sub-resource fields

Party role reference. A party role represents the part played by a party in a given context.

See [PartyRoleRef] for details.

ServiceSpecificationRef sub-resource fields

© TM Forum 2026. All Rights Reserved.

Service specification reference: ServiceSpecification(s) required to realize a ProductSpecification.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.
name	A String. Name of the referred entity.
version	A String. Service specification version.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ServiceTestSpecificationRelationship sub-resource fields

A substitution, dependency or exclusivity relationship between or among service specifications.

See [ServiceTestSpecificationRelationship] for details.

EntitySpecificationRef sub-resource fields

Reference to an EntitySpecification object.

See [EntitySpecificationRef] for details.

ServiceTestSpecificationRef sub-resource fields

Service Test specification reference: ServiceTestSpecification(s) required to realize a Test Specification.

See [ServiceTestSpecificationRef] for details.

CharacteristicSpecification sub-resource fields

This class defines a characteristic specification.

© TM Forum 2026. All Rights Reserved.

characteristicValueSpecification	A CharacteristicValueSpecification [0..*]. A CharacteristicValueSpecification object is used to define a set of attributes, each of which can be assigned to a corresponding set of attributes in a Characteristic Specification object. The values of the attributes in the CharacteristicValueSpecification object describe the values of the attributes that a corresponding Characteristic object can take on. CharacteristicValueSpecification can be instantiated as * BooleanArrayCharacteristicValueSpecification * BooleanCharacteristicValueSpecification * IntegerArrayCharacteristicValueSpecification * IntegerCharacteristicValueSpecification * NumberArrayCharacteristicValueSpecification * NumberCharacteristicValueSpecification * ObjectArrayCharacteristicValueSpecification * ObjectCharacteristicValueSpecification * StringArrayCharacteristicValueSpecification * StringCharacteristicValueSpecification
charSpecRelationship	A CharacteristicSpecificationRelationship [0..*]. An aggregation, migration, substitution, dependency or exclusivity relationship between/among Specification Characteristics.
configurable	A Boolean. If true, the Boolean indicates that the target Characteristic is configurable.
description	A String. A narrative that explains the Characteristic Specification.
extensible	A Boolean. An indicator that specifies that the values for the characteristic can be extended by adding new values when instantiating a characteristic for a resource.
id	A String. Unique ID for the characteristic.
isUnique	A Boolean. Specifies if the value of this characteristic is unique across all entities instantiated from the specification that uses this characteristic. For example, consider a ProductSpecification for a set-top box, with a CharacteristicSpecification cardID. Each set-top box must have a different value for cardID, so this isUnique attribute would be set to true for the characteristic.

© TM Forum 2026. All Rights Reserved.

maxCardinality	An Integer. The maximum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where five is the value for the maxCardinality.
minCardinality	An Integer. The minimum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where zero is the value for the minCardinality.
name	A String [1]. A word, term, or phrase by which this characteristic specification is known and distinguished from other characteristic specifications.
regex	A String. A rule or principle represented in regular expression used to derive the value of a characteristic value.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
valueType	A String [1]. A kind of value that the characteristic can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.
@valueSchemaLocation	A String. This (optional) field provides a link to the schema describing the value type.

CharacteristicValueSpecification sub-resource fields

Specification of a value (number or text or an object) that can be assigned to a Characteristic. This is an abstract base class, the actual value is in one of the strongly-typed subclasses : BooleanArrayCharacteristicValueSpecification, BooleanCharacteristic ValueSpecification, FloatArrayCharacteristicValueSpecification, FloatCharacteristicValue Specification, IntegerArrayCharacteristicValueSpecification, IntegerCharacteristicValue Specification, MapArrayCharacteristicValueSpecification, MapCharacteristicValue Specification, NumberArrayCharacteristicValueSpecification, NumberCharacteristicValue Specification, ObjectArrayCharacteristicValueSpecification, ObjectCharacteristicValue Specification, StringArrayCharacteristicValueSpecification, StringCharacteristicValue Specification...

© TM Forum 2026. All Rights Reserved.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.
	CharacteristicValueSpecification can be instantiated as * BooleanArrayCharacteristicValueSpecification * BooleanCharacteristicValueSpecification * IntegerArrayCharacteristicValueSpecification * IntegerCharacteristicValueSpecification * NumberArrayCharacteristicValueSpecification * NumberCharacteristicValueSpecification * ObjectArrayCharacteristicValueSpecification * ObjectCharacteristicValueSpecification * StringArrayCharacteristicValueSpecification * StringCharacteristicValueSpecification

© TM Forum 2026. All Rights Reserved.

value	This property is present in subclasses

BooleanArrayCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is an array booleans.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A Boolean [0..*]. Characteristic specification item boolean value.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

BooleanCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is a boolean.

© TM Forum 2026. All Rights Reserved.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A Boolean. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is a number array of format integer.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.

© TM Forum 2026. All Rights Reserved.

rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An Integer [0..*]. Characteristic value.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is an integer number.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An Integer. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is a number array with no specific format.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A Number [0..*]. Characteristic value.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is a number of no specific format.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A Number. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is an array of objects.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A valueType [0..*]. Collection of characteristic values.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

valueType sub-resource fields

Characteristic value.

See [valueType] for details.

ObjectCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is any object.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A valueType_2. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

valueType_2 sub-resource fields

Value of the characteristic.

See [valueType_2] for details.

StringArrayCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is an array of strings.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A String [0..*]. Characteristic value.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristicValueSpecification sub-resource fields

A specification for a characteristic for which the value is a string.

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closed Bottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2026. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A String. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

CharacteristicSpecificationRelationship sub-resource fields

An aggregation, migration, substitution, dependency or exclusivity relationship between/ among Characteristic specifications. The specification characteristic is embedded within the specification whose ID and href are in this entity, and identified by its ID.

characteristicSpecificationId	A String. Unique identifier of the characteristic within the specification.
name	A String [1]. Name of the target characteristic within the specification.
parentSpecificationHref	A Uri. Hyperlink reference to the parent specification containing the target characteristic.
parentSpecificationId	A String [1]. Unique identifier of the parent specification containing the target characteristic.
relationshipType	A String [1]. Type of relationship such as aggregation, migration, substitution, dependency, exclusivity.

© TM Forum 2026. All Rights Reserved.

validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

TargetEntitySchema sub-resource fields

The reference object to the schema and type of target entity which is described by a specification.

@schemaLocation	A String [1]. This field provides a link to the schema describing the target entity.
@type	A String [1]. Class type of the target entity.

TestMeasureDefinition sub-resource fields

A TestMeasureDefinition specifies a measure of a specific aspect of a product, service, or resource test, such as lost packets or connectivity status.

captureFrequency	A String. The frequency of capture for the metric. Note: This may be replaced by a set of entities similar to the Performance Monitoring.
captureMethod	A String. The method used to capture the Metric. Note: This may be replaced by a set of entities similar to the Performance Monitoring.
capturePeriod	A Duration. A time interval in a given unit of time.
id	A String. A local unique identifier within an array of test measure definitions, referenced once from a testMeasure instance per serviceTest in run time.
metricDescription	A String. Brief description of the metric.
~~metricHref~~	DEPRECATED A String. Obsolete to be removed in v6. Replaced by metricUri.
metricName	A String. The name of a metric that in the test measure.

© TM Forum 2026. All Rights Reserved.

metricUri	A String. Hyperlink to access a metric for detail information.
name	A String. The name of the TestMeasureDefinition.
specCharacteristic	A CharacteristicSpecification [0..*]. List of characteristics that the testMeasureDefinition can take.
thresholdRule	A MetricDefMeasureThresholdRule [0..*]. The rule(s) associated with the measure threshold.
unitOfMeasure	A String. A unit of measurement supported by standards organisations like ISO.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
~~valueType~~	DEPRECATED A String. Obsolete to be removed in v6. Replaced by spec Characteristic which contains valueType property.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

MetricDefMeasureThresholdRule sub-resource fields

A MetricDefMeasureThresholdRule is a rule that defines the condition (raise or clear) to achieve to apply consequences when a threshold is crossed or ceased to be crossed. It also defines the severity of the raise or clear of the threshold.

conformanceComparatorExact	A Boolean. An operator that when applied on a value specifies whether the value is the same or not. This operator is used to compare with the conformanceTarget Exact if used.
conformanceComparatorLower	A String. An operator that when applied on a value specifies whether a threshold is crossed or ceased to be crossed. This operator is used to Service Test Management API REST Specification compare with the conformanceTargetLower if used.

© TM Forum 2026. All Rights Reserved.

conformanceComparatorUpper	A String. An operator that when applied on a value specifies whether a threshold is crossed or ceased to be crossed. This operator is used to compare with the conformanceTargetUpper if used.
conformanceTargetExact	A String. To cater for values that are not numerical test metrics (e.g. a DSL line can be Synchronised or Unsynchronised. If the latter, the test should result in a rule violation). The allowed value can contain a REGEX expression.
conformanceTargetLower	A String. Caters for non numerical test metrics. A value used to determine if the threshold is crossed or ceases to be crossed. It represents the lower limit. The value should be less than the conformanceTargetUpper if used. The conformance comparators should also be logically defined so as to not lead to a logically impossible condition.
conformanceTargetUpper	A String. Caters for non numerical test metrics. A value used to determine if the threshold is crossed or ceases to be crossed. It represents the Upper limit. The value should be greater than the conformanceTargetLower if used. The conformance comparators should also be logically defined so as to not lead to a logically impossible condition.
consequence	A MetricDefMeasureConsequence [0..*]. A list of consequences (actions, notifications) that will arise if the threshold is crossed.
description	A String. Description for the MetricDefMeasureThreshold Rule .
name	A String. Name for the MetricDefMeasureThresholdRule .
numberOfAllowedCrossing	An Integer. The number of allowed crossing occurrences in reference to the tolerancePeriod without a consequence being initiated.
thresholdRuleSeverity	A String. A threshold can be generated in different severity levels. A crossing for each level may require a different condition and possibly trigger a different consequence.
tolerancePeriod	A Duration. A time interval in a given unit of time.

© TM Forum 2026. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

MetricDefMeasureConsequence sub-resource fields

A MetricDefMeasureConsequence defines the action (prescribed action or notification) to take when a MetricDefMeasureThresholdRule is crossed.

description	A String. A narrative that explains in detail what the consequence is.
name	A String. A word, term, or phrase by which a MetricDef MeasureConsequence is known and distinguished from other MetricDefMeasureConsequences.
prescribeAction	A String. Recommended remedy for a violated threshold. This could be the hyperlink to the action.
repeatAction	A Boolean. An indicator used to specify that a consequence should cease being applied if a value is in the same range as the previous value or continue being applied if a value is in the same range as the previous value. If the repeatAction is True, if the consequence is always applied as soon as the MetricMeasure value is in the range of values and if the repeatAction is False, the consequence is applied only if the previous Metric Measure value was not in the same range.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'ServiceTestSpecification' resource object.

© TM Forum 2026. All Rights Reserved.

```
{
  "description": "Service Test Specification for FixedBroadband service",
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.0",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
```


© TM Forum 2026. All Rights Reserved.

```
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
```


© TM Forum 2026. All Rights Reserved.

```
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


CancelServiceTest resource

Request for cancellation an existing Service Test.

Resource model

© TM Forum 2026. All Rights Reserved.




Figure 5 - CancelServiceTest

Field descriptions

CancelServiceTest fields

cancellationReason	A String. Reason why the serviceTest is cancelled.
errorMessage	An ErrorMessage [0..*]. A list of error message contains the error that caused the termination of the task.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
serviceTest	A ServiceTestRef [1]. Service Test reference. Useful to understand the which was the Service test was instantiated.

© TM Forum 2026. All Rights Reserved.

state	A TaskStateType. Possible values for the state of a task. ENUMERATED with values: * acknowledged * rejected * inProgress * cancelled * done * terminatedWithError
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ErrorMessage sub-resource fields

Represents an Error.

code	A String. Error code.
message	A String. More details and corrective actions related to the error.
reason	A String. Explanation of the reason for the error.
referenceError	A String. URI of documentation describing the error.
status	A String. Error code extension like sys-ABC-2001.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

ServiceTestRef sub-resource fields

Service Test reference. Useful to understand the which was the Service test was instantiated.

href	A String. The URI of the referred entity.
id	A String [1]. The identifier of the referred entity.

© TM Forum 2026. All Rights Reserved.

name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String [1]. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'CancelServiceTest' resource object.

```
{
  "id": "790-fsds5-kjp",
  "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-kjp",
  "cancellationReason": "Unfixable Errors",
  "serviceTest": {
    "id": "89757",
    "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
    "@referredType": "ServiceTest",
    "@type": "ServiceTestRef"
  },
  "state": "done",
  "@type": "CancelServiceTest"
}
```

Notification Resource Models

Note: the only non-standard event for TMF653 is the Service Test Information Required Event. This is sent when a Service Test is in Pending state and requires information from the user in order to progress.

11 notifications are defined for this API.

Notifications related to ServiceTest:

- Create Event
- Delete Event
- Attribute Value Change Event
- Information Required Event

© TM Forum 2026. All Rights Reserved.

- State Change Event

Notifications related to ServiceTestSpecification:

- Create Event
- Delete Event
- Attribute Value Change Event

Notifications related to CancelServiceTest:

- Create Event
- Information Required Event
- State Change Event

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).

© TM Forum 2026. All Rights Reserved.




Figure 6 Notification Pattern

ServiceTest

Create Event

Message example for ServiceTestCreateEvent

```
Content-Type: application/json
{
  "correlationId": "ebd4d46a-e5a8",
  "description": "ServiceTestCreateEvent illustration",
  "domain": "Commercial",
  "eventId": "4e82-a3cb-de394266dbe5",
  "eventTime": "2022-08-25T12:21:36.704Z",
  "eventType": "ServiceTestCreateEvent",
  "priority": "1",
  "timeOccurred": "2022-08-25T12:21:32.568Z",
  "title": "ServiceTestCreateEvent",
  "event": {
    "serviceTest": {
      "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
      "id": "89757",
```

© TM Forum 2026. All Rights Reserved.

```
      "@type": "ServiceTest",
      "name": "fixed broadband service test",
      "description": "Speed Test for FixedBroadband service",
      "mode": "PROACTIVE",
      "startDateTime": "2016-03-02T24:00:00.00Z",
      "endDateTime": "2016-03-02T24:00:00.30Z",
      "state": "inProgress",
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2016-04-02T24:00:00.00Z"
      },
      "relatedParty": [
        {
          "role": "testSupervisor",
          "@type": "RelatedPartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "9866",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/Individual/9866",
            "name": "Sandy Smith",
            "@type": "PartyRef",
            "@referredType": "Individual"
          }
        }
      ],
      "relatedService": {
        "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
        "id": "21",
        "@referredType": "Service",
        "@type": "ServiceRef"
      },
      "testSpecification": {
        "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
        "id": "22",
        "@referredType": "ServiceTestSpecification",
        "@type": "ServiceTestSpecificationRef"
      }
    }
  },
  "@baseType": "Event",
  "@type": "ServiceTestCreateEvent"
}
```


Delete Event

Message example for ServiceTestDeleteEvent


```
Content-Type: application/json
{
  "correlationId": "d7243a09-1206",
  "description": "ServiceTestDeleteEvent illustration",
  "domain": "Commercial",
  "eventId": "490b-a75e-e388a74813af",
  "eventTime": "2022-08-25T12:21:36.724Z",
  "eventType": "ServiceTestDeleteEvent",
```


© TM Forum 2026. All Rights Reserved.

```
  "priority": "4",
  "timeOccurred": "2022-08-25T12:21:36.363Z",
  "title": "ServiceTestDeleteEvent",
  "event": {
    "serviceTest": {
      "href": "http://servername/serviceTest/89757",
      "id": "89757",
      "@type": "ServiceTest"
    }
  },
  "reportingSystem": {
    "id": "409",
    "name": "APP-675",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "source": {
    "id": "4",
    "name": "APP-374",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "@baseType": "Event",
  "@type": "ServiceTestDeleteEvent"
}
```


Attribute Value Change Event

Message example for ServiceTestAttributeValueChangeEvent


```
Content-Type: application/json
{
  "correlationId": "76225ba6-e7ed",
  "description": "ServiceTestAttributeValueChangeEvent illustration",
  "domain": "Commercial",
  "eventId": "480d-b29d-6ff6b8e0f5bb",
  "eventTime": "2022-08-25T12:21:36.714Z",
  "eventType": "ServiceTestAttributeValueChangeEvent",
  "priority": "1",
  "timeOccurred": "2022-08-25T12:21:36.133Z",
  "title": "ServiceTestAttributeValueChangeEvent",
  "event": {
    "serviceTest": {
      "href": "http://servername/serviceTest/12",
      "id": "12",
      "@type": "ServiceTest",
      "description": "Speed Test for Fixed Broadband service"
    }
  },
  "@baseType": "Event",
  "@type": "ServiceTestAttributeValueChangeEvent"
}
```


© TM Forum 2026. All Rights Reserved.

Information Required Event

Message example for ServiceTestInformationRequiredEvent

```
Content-Type: application/json
{
  "correlationId": "ST-20011",
  "description": "ServiceTestInformationRequiredEvent illustration",
  "domain": "Commercial",
  "eventId": "11261",
  "eventTime": "2024-12-27T01:06:59.059Z",
  "eventType": "ServiceTestInformationRequiredEvent",
  "priority": "1",
  "timeOccurred": "2024-12-27T01:06:59.059Z",
  "title": "ServiceTestInformationRequiredEvent",
  "event": {
    "serviceTest": {
      "id": "12",
      "href": "https://host:port/serviceTest/v5/serviceTest/12",
      "@type": "ServiceTestRef"
    },
    "informationRequired": [
      {
        "op": "add",
        "path": "/serviceTestSpecification"
      },
      {
        "op": "add",
        "path": "/testMeasure"
      }
    ]
  },
  "@baseType": "Event",
  "@type": "ServiceTestInformationRequiredEvent"
}
```

State Change Event

Message example for ServiceTestStateChangeEvent with ?fields=state property only

```
Content-Type: application/json
{
  "correlationId": "1a9aaff3-697a",
  "description": "ServiceTestStateChangeEvent illustration",
  "domain": "Commercial",
  "eventId": "4242-baa3-0beca5e429ad",
  "eventTime": "2022-08-25T12:21:36.678Z",
  "eventType": "ServiceTestStateChangeEvent",
  "priority": "2",
  "timeOccurred": "2022-08-25T12:21:28.377Z",
  "title": "ServiceTestStateChangeEvent",
  "event": {
    "serviceTest": {
      "href": "http://servername/serviceTest/89757",
      "id": "89757",
```

© TM Forum 2026. All Rights Reserved.

```
      "@type": "ServiceTest",
      "state": "completed"
    }
  },
  "reportingSystem": {
    "id": "409",
    "name": "APP-675",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "source": {
    "id": "4",
    "name": "APP-374",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "@baseType": "Event",
  "@type": "ServiceTestStateChangeEvent"
}
```


ServiceTestSpecification

Create Event

Message example for ServiceTestSpecificationCreateEvent


```
Content-Type: application/json
{
  "correlationId": "ebd4d46a-e5a8",
  "description": "ServiceTestSpecificationCreateEvent illustration",
  "domain": "Commercial",
  "eventId": "4e82-a3cb-de394266dbe5",
  "eventTime": "2022-08-25T12:21:36.704Z",
  "eventType": "ServiceTestSpecificationCreateEvent",
  "priority": "1",
  "timeOccurred": "2022-08-25T12:21:32.568Z",
  "title": "ServiceTestSpecificationCreateEvent",
  "event": {
    "serviceTestSpecification": {
      "@type": "ServiceTestSpecification",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
      "id": "12",
      "version": "1.0",
      "lifecycleStatus": "active",
      "name": "Fixed Broadband service test",
      "description": "Service Test Specification for Fixed Broadband service",
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "testMeasureDefinition": [
        {
          "@type": "TestMeasureDefinition",
          "id": "10",
          "captureFrequency": "once",
```


© TM Forum 2026. All Rights Reserved.

```
          "captureMethod": "automatic capture by instrument",
          "capturePeriod": {
            "amount": 15,
            "units": "seconds"
          },
          "metricDescription": "This is the flow speed in a service",
          "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
          "metricName": "Flow speed",
          "name": "Definition of Flow speed",
          "unitOfMeasure": "bits per second",
          "valueType": "number",
          "specCharacteristic": [
            {
              "name": "metricValue",
              "description": "This characteristic describes the flow speed metric
value",
              "valueType": "number",
              "@type": "CharacteristicSpecification",
              "configurable": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              },
              "minCardinality": 0,
              "maxCardinality": 1,
              "isUnique": true,
              "extensible": false,
              "characteristicValueSpecification": [
                {
                  "valueType": "number",
                  "@type": "NumberCharacteristicValueSpecification",
                  "unitOfMeasure": "bits per second",
                  "validFor": {
                    "startDateTime": "2016-03-02T24:00:00.00Z",
                    "endDateTime": "2020-03-02T24:00:00.00Z"
                  }
                }
              ]
            }
          ],
          "thresholdRule": [
            {
              "@type": "MetricDefMeasureThresholdRule",
              "conformanceTargetUpper": "2500",
              "conformanceComparatorUpper": "greater than ",
              "description": "This speed is greater than the target upper",
              "name": "tooMuchTraffic",
              "numberOfAllowedCrossing": 0,
              "thresholdRuleSeverity": "1",
              "tolerancePeriod": {
                "amount": 15,
                "units": "minutes"
              },
              "consequence": [
                {
                  "@type": "MetricDefMeasureConsequence",
                  "prescribeAction": "sendWarning",
                  "description": "send a warning to the system",
                  "name": "sendWarning",
                  "repeatAction": false,
```


© TM Forum 2026. All Rights Reserved.

```
                  "validFor": {
                    "startDateTime": "2016-03-02T24:00:00.00Z",
                    "endDateTime": "2020-03-02T24:00:00.00Z"
                  }
                },
                {
                  "@type": "MetricDefMeasureConsequence",
                  "prescribeAction": "generateReport",
                  "description": "generate a warning report ",
                  "name": "generateReport",
                  "repeatAction": false,
                  "validFor": {
                    "startDateTime": "2016-03-02T24:00:00.00Z",
                    "endDateTime": "2020-03-02T24:00:00.00Z"
                  }
                }
              ]
            }
          ]
        }
      ],
      "specCharacteristic": [
        {
          "name": "restart",
          "description": "This characteristic describes if restart of the service is
required",
          "valueType": "boolean",
          "@type": "CharacteristicSpecification",
          "configurable": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "boolean",
              "@type": "BooleanCharacteristicValueSpecification",
              "isDefault": false,
              "value": true,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "valueType": "boolean",
              "@type": "BooleanCharacteristicValueSpecification",
              "isDefault": true,
              "value": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
```


© TM Forum 2026. All Rights Reserved.

```
      ],
      "relatedParty": [
        {
          "role": "testDesigner",
          "@type": "RelatedPartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "9866",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/Individual/9866",
            "name": "Sandy Smith",
            "@type": "PartyRef",
            "@referredType": "Individual"
          }
        }
      ],
      "serviceTestSpecificationRelationship": [
        {
          "@type": "ServiceTestSpecificationRelationship",
          "@referredType": "ServiceTestSpecification",
          "id": "13",
          "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
          "relationshipType": "dependency"
        }
      ],
      "relatedServiceSpecification": [
        {
          "id": "31",
          "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
          "name": "cpeServiceSpecification",
          "@referredType": "ServiceSpecification",
          "@type": "ServiceSpecificationRef"
        }
      ]
    }
  },
  "@baseType": "Event",
  "@type": "ServiceTestSpecificationCreateEvent"
}
```


Delete Event

Message example for ServiceTestSpecificationDeleteEvent


```
Content-Type: application/json
{
  "correlationId": "d7243a09-1206",
  "description": "ServiceTestSpecificationDeleteEvent illustration",
  "domain": "Commercial",
  "eventId": "490b-a75e-e388a74813af",
  "eventTime": "2022-08-25T12:21:36.724Z",
  "eventType": "ServiceTestSpecificationDeleteEvent",
  "priority": "4",
  "timeOccurred": "2022-08-25T12:21:36.363Z",
  "title": "ServiceTestSpecificationDeleteEvent",
```


© TM Forum 2026. All Rights Reserved.

```
  "event": {
    "serviceTestSpecification": {
      "href": "http://servername/serviceTestSpecification/12",
      "id": "12",
      "@type": "ServiceTestSpecification"
    }
  },
  "@baseType": "Event",
  "@type": "ServiceTestSpecificationDeleteEvent"
}
```


Attribute Value Change Event

Message example for ServiceTestSpecificationAttributeValueChangeEvent


```
Content-Type: application/json
{
  "correlationId": "76225ba6-e7ed",
  "description": "ServiceTestSpecificationAttributeValueChangeEvent illustration",
  "domain": "Commercial",
  "eventId": "480d-b29d-6ff6b8e0f5bb",
  "eventTime": "2022-08-25T12:21:36.714Z",
  "eventType": "ServiceTestSpecificationAttributeValueChangeEvent",
  "priority": "1",
  "timeOccurred": "2022-08-25T12:21:36.133Z",
  "title": "ServiceTestSpecificationAttributeValueChangeEvent",
  "event": {
    "serviceTestSpecification": {
      "@type": "ServiceTestSpecification",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
      "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/ServiceTestSpecification.schema.json",
      "id": "12",
      "version": "1.1",
      "testMeasureDefinition": [
        {
          "@type": "TestMeasureDefinition",
          "capturePeriod": {
            "amount": 15,
            "units": "seconds"
          }
        }
      ]
    }
  },
  "@baseType": "Event",
  "@type": "ServiceTestSpecificationAttributeValueChangeEvent"
}
```


CancelServiceTest

© TM Forum 2026. All Rights Reserved.

Create Event

Message example for CancelServiceTestCreateEvent event

```
Content-Type: application/json
{
  "correlationId": "SOM-20021",
  "description": "CancelServiceTestCreateEvent illustration",
  "eventId": "10009",
  "eventTime": "2021-12-28T01:09:57.059Z",
  "eventType": "CancelServiceTestCreateEvent",
  "priority": "1",
  "timeOccurred": "2021-12-28T01:09:57.059Z",
  "title": "CancelServiceTestCreateEvent",
  "event": {
    "cancelServiceTest": {
      "id": "790-fsds5-kjp",
      "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-
kjp",
      "cancellationReason": "Unfixable Errors",
      "serviceTest": {
        "id": "89757",
        "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
        "@referredType": "ServiceTest",
        "@type": "ServiceTestRef"
      },
      "state": "acknowledged",
      "@type": "CancelServiceTest"
    }
  },
  "reportingSystem": {
    "id": "20011",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "source": {
    "id": "20011",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "@type": "CancelServiceTestCreateEvent"
}
```

Information Required Event

Message example for CancelServiceTestInformationRequiredEvent event

```
Content-Type: application/json
{
  "correlationId": "SOM-20021",
  "description": "CancelServiceTestInformationRequiredEvent illustration",
  "eventId": "10103",
  "eventTime": "2021-12-28T01:09:57.059Z",
```

© TM Forum 2026. All Rights Reserved.

```
  "eventType": "CancelServiceTestInformationRequiredEvent",
  "priority": "1",
  "timeOccurred": "2021-12-28T01:09:57.059Z",
  "title": "CancelServiceTestInformationRequiredEvent",
  "event": {
    "cancelServiceTest": {
      "id": "790-fsds5-kjp",
      "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-
kjp",
      "@type": "CancelServiceTest"
    },
    "informationRequired": [
      {
        "op": "add",
        "path": "cancellationReason"
      }
    ]
  },
  "reportingSystem": {
    "id": "12",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "source": {
    "id": "12",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "@baseType": "Event",
  "@type": "CancelServiceTestInformationRequiredEvent"
}
```


State Change Event

Message example for CancelServiceTestStateChangeEvent event


```
Content-Type: application/json
{
  "correlationId": "SOM-20021",
  "description": "CancelServiceTestStateChangeEvent illustration",
  "domain": "Commercial",
  "eventId": "10099",
  "eventTime": "2021-12-28T01:09:57.059Z",
  "eventType": "CancelServiceTestStateChangeEvent",
  "priority": "1",
  "timeOccurred": "2021-12-28T01:09:57.059Z",
  "title": "CancelServiceTestStateChangeEvent",
  "event": {
    "cancelServiceTest": {
      "id": "790-fsds5-kjp",
      "href": "https://host:port/serviceOrdering/v5/cancelServiceTest/790-fsds5-kjp",
      "state": "done",
      "@type": "CancelServiceTest"
    }
```


© TM Forum 2026. All Rights Reserved.

```
  },
  "reportingSystem": {
    "id": "20011",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "source": {
    "id": "20011",
    "name": "Service Test Management Component",
    "@type": "ReportingResource",
    "@referredType": "LogicalResource"
  },
  "@baseType": "Event",
  "@type": "CancelServiceTestStateChangeEvent"
}
```


© TM Forum 2026. All Rights Reserved.

API Operations

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Complete Update of an Entity	PUT Resource	PUT must be used to completely update a resource identified by its resource URI
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF630 REST Design Guidelines Part 1 document.

Notifications are also described in a subsequent section.

Operations on ServiceTest

Retrieves a serviceTest by ID

`GET /serviceTest/{id}?fields=…`

Description

This operation retrieves a ServiceTest entity. Attribute selection is enabled for all first level attributes.

© TM Forum 2026. All Rights Reserved.

Usage samples

Here's an example of a request for retrieving a specific service test.

Request

```
GET /serviceTest/89757
Content-Type: application/json
```

Response

```
200

{
  "href": "https://mycsp.com:8080/tmf-api/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
  "name": "fixed broadband service test",
  "description": "Speed Test for Fixed Broadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  },
  "characteristic": [
    {
      "id": "1",
```

© TM Forum 2026. All Rights Reserved.

```
      "@type": "BooleanCharacteristic",
      "name": "restart",
      "valueType": "boolean",
      "value": true
    }
  ],
  "testMeasure": [
    {
      "@type": "TestMeasure",
      "accuracy": 0.001,
      "captureDateTime": "2016-03-02T11:12:00.00Z",
      "testMeasureDefinitionId": "10",
      "captureMethod": "automatic capture by instrument",
      "metricDescription": "This is the flow speed in a service",
      "metricName": "Flow speed",
      "unitOfMeasure": "bits per second",
      "value": {
        "id": "3",
        "name": "Flow speed",
        "valueType": "number",
        "value": 3000,
        "@type": "NumberCharacteristic"
      },
      "ruleViolation": [
        {
          "@type": "MeasureThresholdRuleViolation",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "appliedConsequence": [
            {
              "@type": "AppliedConsequence",
              "appliedAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false
            },
            {
              "@type": "AppliedConsequence",
              "appliedAction": "generateReport",
              "description": "generate a warning report",
              "name": "generateReport",
              "repeatAction": false
            }
          ]
        }
      ]
    }
  ],
  "@type": "ServiceTest",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/ServiceTest.schema.json",
  "@baseType": "ServiceTest"
}
```


© TM Forum 2026. All Rights Reserved.

List or find serviceTest objects

`GET /serviceTest?fields=…&{filtering}`

Description

This operation list ServiceTest entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here's an example of a request for retrieving service tests.

Request

```
GET /serviceTest?filter=mode=PROACTIVE&state=completed
Content-Type: application/json
```

Response

```
200

[
  {
    "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
    "id": "89757",
    "@type": "ServiceTest",
    "name": "fixed broadband service test",
    "description": "Speed Test for FixedBroadband service",
    "mode": "PROACTIVE",
    "startDateTime": "2016-03-02T00:00:00.00Z",
    "endDateTime": "2016-03-02T24:00:00.30Z",
    "state": "completed",
    "validFor": {
      "startDateTime": "2016-03-02T24:00:00.00Z",
      "endDateTime": "2016-04-02T24:00:00.00Z"
    },
    "relatedParty": [
      {
        "role": "testSupervisor",
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "partyOrPartyRole": {
          "id": "9866",
          "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
          "name": "Sandy Smith",
          "@type": "PartyRef",
          "@referredType": "Individual"
        }
      }
    ],
    "relatedService": {
```

© TM Forum 2026. All Rights Reserved.

```
      "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
      "id": "21",
      "@referredType": "Service",
      "@type": "ServiceRef"
    },
    "testSpecification": {
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
      "id": "22",
      "@referredType": "ServiceTestSpecification",
      "@type": "ServiceTestSpecificationRef"
    }
  }
]
```


Creates a serviceTest

POST /serviceTest?fields=…&{filtering}

Description

This operation creates a ServiceTest entity.

Mandatory Attributes

Mandatory Attributes	Rule
name	
relatedService	
testSpecification	
@type	

Usage samples

Creation of a new service test with POST operation

Request

```
POST /serviceTest
Content-Type: application/json

{
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for FixedBroadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
```

© TM Forum 2026. All Rights Reserved.

```
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "state": "inProgress",
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```


Response


```
201

{
  "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for FixedBroadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "inProgress",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
```


© TM Forum 2026. All Rights Reserved.

```
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```


Updates partially a serviceTest

`PATCH /serviceTest/{id}?fields=…`

Description

This operation allows partial updates of a ServiceTest entity. Support of json/merge (https://tools.ietf.org/html/rfc7396) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optional. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
href	
id	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
characteristic	
description	

© TM Forum 2026. All Rights Reserved.

Patchable Attributes	Rule
endDateTime	
externalIdentifier	
mode	
name	
relatedParty	
relatedService	
serviceTestRelationship	
startDateTime	
state	
testMeasure	
testSpecification	
validFor	

Usage samples

Here's an example of a request for patching a service test using application/json. In this example, description is updated.

Request

```
PATCH /serviceTest/89757
Content-Type: application/json

{
  "@type": "ServiceTest",
  "description": "Speed Test for Fixed Broadband service"
}
```

Response

```
200

{
  "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for Fixed Broadband service",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
```

© TM Forum 2026. All Rights Reserved.

```
  "mode": "PROACTIVE",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```

Here's an example of a request for patching a service test using merge-patch+json. In this example, description is updated.

Request

```
PATCH /serviceTest/89757
Content-Type: application/merge-patch+json

{
  "@type": "ServiceTest",
  "description": "Speed Test for Fixed Broadband service"
}
```

Response

```
200

{
  "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
```

© TM Forum 2026. All Rights Reserved.

```
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for Fixed Broadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```


Here's an example of a request for patching a service test using json-patch+json. In this example, description is updated.

Request

```
PATCH /serviceTest/89757
Content-Type: application/json-patch+json

[
  {
    "op": "replace",
    "path": "/description",
    "value": "Speed Test for Fixed Broadband service"
  }
]
```

© TM Forum 2026. All Rights Reserved.

Response

```
200

{
  "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for Fixed Broadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "name": "gameService",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```

Here's an example of a request for patching a service test using json-patch-query+json. In this example, the RelatedParty role attribute is updated.

Request

```
PATCH /serviceTest/89757
Content-Type: application/json-patch-query+json

[
```

© TM Forum 2026. All Rights Reserved.

```
  {
    "op": "replace",
    "path": "/relatedParty/role?relatedParty.role=testSupervisor",
    "value": "testOperator"
  }
]
```

Response

```
200

{
  "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
  "id": "89757",
  "@type": "ServiceTest",
  "name": "fixed broadband service test",
  "description": "Speed Test for Fixed Broadband service",
  "mode": "PROACTIVE",
  "startDateTime": "2016-03-02T24:00:00.00Z",
  "endDateTime": "2016-03-02T24:00:00.30Z",
  "state": "completed",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2016-04-02T24:00:00.00Z"
  },
  "relatedParty": [
    {
      "role": "testOperator",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "relatedService": {
    "href": "https://mycsp.com:8080/tmf-api/serviceManagement/v5/service/21",
    "id": "21",
    "@referredType": "Service",
    "@type": "ServiceRef"
  },
  "testSpecification": {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/22",
    "id": "22",
    "@referredType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecificationRef"
  }
}
```

© TM Forum 2026. All Rights Reserved.

Deletes a serviceTest

DELETE /serviceTest/{id}?{filtering}

Description

This operation deletes a ServiceTest entity.

Operations on ServiceTestSpecification

Retrieves a serviceTestSpecification by ID

GET /serviceTestSpecification/{id}?fields=…

Description

This operation retrieves a ServiceTestSpecification entity. Attribute selection is enabled for all first level attributes.

Usage samples

Here's an example of a request for retrieving a specific service test specification.

Request

```
GET /serviceTestSpecification/12
Content-Type: application/json
```

Response

```
200

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.0",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
```

© TM Forum 2026. All Rights Reserved.

```
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
```


© TM Forum 2026. All Rights Reserved.

```
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
```


© TM Forum 2026. All Rights Reserved.

```
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


List or find serviceTestSpecification objects

`GET /serviceTestSpecification?fields=…&{filtering}`

Description

This operation list ServiceTestSpecification entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here's an example of a request for retrieving multiple service test specifications.

Request

```
GET /serviceTestSpecification?filter=name="Fixed Broadband service test"
Content-Type: application/json
```

Response

```
200
```

© TM Forum 2026. All Rights Reserved.

```
[
  {
    "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
    "id": "12",
    "version": "1.0",
    "lifecycleStatus": "active",
    "name": "Fixed Broadband service test",
    "description": "Service Test Specification for Fixed Broadband service",
    "validFor": {
      "startDateTime": "2016-03-02T24:00:00.00Z",
      "endDateTime": "2020-03-02T24:00:00.00Z"
    },
    "testMeasureDefinition": [
      {
        "@type": "TestMeasureDefinition",
        "id": "10",
        "captureFrequency": "once",
        "captureMethod": "automatic capture by instrument",
        "capturePeriod": {
          "amount": 15,
          "units": "seconds"
        },
        "metricDescription": "This is the flow speed in a service",
        "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
        "metricName": "Flow speed",
        "name": "Definition of Flow speed",
        "unitOfMeasure": "bits per second",
        "valueType": "number",
        "specCharacteristic": [
          {
            "name": "metricValue",
            "description": "This characteristic describes the flow speed metric value",
            "valueType": "number",
            "@type": "CharacteristicSpecification",
            "configurable": false,
            "validFor": {
              "startDateTime": "2016-03-02T24:00:00.00Z",
              "endDateTime": "2020-03-02T24:00:00.00Z"
            },
            "minCardinality": 0,
            "maxCardinality": 1,
            "isUnique": true,
            "extensible": false,
            "characteristicValueSpecification": [
              {
                "valueType": "number",
                "@type": "NumberCharacteristicValueSpecification",
                "unitOfMeasure": "bits per second",
                "validFor": {
                  "startDateTime": "2016-03-02T24:00:00.00Z",
                  "endDateTime": "2020-03-02T24:00:00.00Z"
                }
              }
            ]
          }
        ],
        "thresholdRule": [
          {
            "@type": "MetricDefMeasureThresholdRule",
```


© TM Forum 2026. All Rights Reserved.

```
            "conformanceTargetUpper": "2500",
            "conformanceComparatorUpper": "greater than ",
            "description": "This speed is greater than the target upper",
            "name": "tooMuchTraffic",
            "numberOfAllowedCrossing": 0,
            "thresholdRuleSeverity": "1",
            "tolerancePeriod": {
              "amount": 15,
              "units": "minutes"
            },
            "consequence": [
              {
                "@type": "MetricDefMeasureConsequence",
                "prescribeAction": "sendWarning",
                "description": "send a warning to the system",
                "name": "sendWarning",
                "repeatAction": false,
                "validFor": {
                  "startDateTime": "2016-03-02T24:00:00.00Z",
                  "endDateTime": "2020-03-02T24:00:00.00Z"
                }
              },
              {
                "@type": "MetricDefMeasureConsequence",
                "prescribeAction": "generateReport",
                "description": "generate a warning report ",
                "name": "generateReport",
                "repeatAction": false,
                "validFor": {
                  "startDateTime": "2016-03-02T24:00:00.00Z",
                  "endDateTime": "2020-03-02T24:00:00.00Z"
                }
              }
            ]
          }
        ]
      }
    ],
    "specCharacteristic": [
      {
        "name": "restart",
        "description": "This characteristic describes if restart of the service is
required",
        "valueType": "boolean",
        "@type": "CharacteristicSpecification",
        "configurable": true,
        "validFor": {
          "startDateTime": "2016-03-02T24:00:00.00Z",
          "endDateTime": "2020-03-02T24:00:00.00Z"
        },
        "minCardinality": 0,
        "maxCardinality": 1,
        "isUnique": true,
        "extensible": false,
        "characteristicValueSpecification": [
          {
            "valueType": "boolean",
            "@type": "BooleanCharacteristicValueSpecification",
            "isDefault": false,
            "value": true,
```


© TM Forum 2026. All Rights Reserved.

```
            "validFor": {
              "startDateTime": "2016-03-02T24:00:00.00Z",
              "endDateTime": "2020-03-02T24:00:00.00Z"
            }
          },
          {
            "valueType": "boolean",
            "@type": "BooleanCharacteristicValueSpecification",
            "isDefault": true,
            "value": false,
            "validFor": {
              "startDateTime": "2016-03-02T24:00:00.00Z",
              "endDateTime": "2020-03-02T24:00:00.00Z"
            }
          }
        ]
      }
    ],
    "relatedParty": [
      {
        "role": "testDesigner",
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "partyOrPartyRole": {
          "id": "9866",
          "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
          "name": "Sandy Smith",
          "@type": "PartyRef",
          "@referredType": "Individual"
        }
      }
    ],
    "serviceTestSpecificationRelationship": [
      {
        "@type": "ServiceTestSpecificationRelationship",
        "@referredType": "ServiceTestSpecification",
        "id": "13",
        "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
        "relationshipType": "dependency"
      }
    ],
    "relatedServiceSpecification": [
      {
        "id": "31",
        "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
        "name": "cpeServiceSpecification",
        "@referredType": "ServiceSpecification",
        "@type": "ServiceSpecificationRef"
      }
    ],
    "@baseType": "ServiceTestSpecification",
    "@type": "ServiceTestSpecification",
    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
  }
]
```


© TM Forum 2026. All Rights Reserved.

Creates a serviceTestSpecification

POST /serviceTestSpecification?fields=…&{filtering}

Description

This operation creates a ServiceTestSpecification entity.

Mandatory Attributes

Mandatory Attributes	Rule
name	
relatedServiceSpecification	
@type	

Usage samples

Creation of a new service test specification with POST operation

Request

```
POST /serviceTestSpecification
Content-Type: application/json

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.0",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
```

© TM Forum 2026. All Rights Reserved.

```
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
```


© TM Forum 2026. All Rights Reserved.

```
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "valueType": "boolean",
      "@type": "CharacteristicSpecification",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        },
        {
          "valueType": "boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": true,
          "value": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testDesigner",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
```


© TM Forum 2026. All Rights Reserved.

```
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "id": "31",
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "name": "cpeServiceSpecification",
      "@referredType": "ServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


Response


```
201

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.0",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
```


© TM Forum 2026. All Rights Reserved.

```
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
```


© TM Forum 2026. All Rights Reserved.

```
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "valueType": "boolean",
      "@type": "CharacteristicSpecification",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        },
        {
          "valueType": "boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": true,
          "value": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testDesigner",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
```


© TM Forum 2026. All Rights Reserved.

```
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "id": "31",
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "name": "cpeServiceSpecification",
      "@referredType": "ServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


Updates partially a serviceTestSpecification

`PATCH /serviceTestSpecification/{id}?fields=…`

Description

This operation allows partial updates of a ServiceTestSpecification entity. Support of json/merge (https://tools.ietf.org/html/rfc7396) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optional. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
href	
id	

© TM Forum 2026. All Rights Reserved.

Non Patchable Attributes	Rule
validFor	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
attachment	
constraint	
description	
entitySpecRelationship	
isBundle	
lastUpdate	
lifecycleStatus	
name	
relatedParty	
relatedServiceSpecification	
serviceTestSpecificationRelationship	
specCharacteristic	
targetEntitySchema	
testMeasureDefinition	
version	

Usage samples

Here's an example of a request for patching a service test specification using application/json. In this example, the version is updated.

Request

```
PATCH /serviceTestSpecification/12
Content-Type: application/json

{
  "@type": "ServiceTestSpecification",
```

© TM Forum 2026. All Rights Reserved.

```
  "version": "1.1"
}
```

Response

```
200

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.1",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
```

© TM Forum 2026. All Rights Reserved.

```
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
```


© TM Forum 2026. All Rights Reserved.

```
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "member",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Service/ServiceTest.schema.json",
  "@baseType": "ServiceTestSpecification"
}
```


Here's an example of a request for patching a service test specification using merge-patch+json. In this example, the version is updated.

© TM Forum 2026. All Rights Reserved.

Request

```
PATCH /serviceTestSpecification/12
Content-Type: application/merge-patch+json

{
  "@type": "ServiceTestSpecification",
  "version": "1.1"
}
```

Response

```
200

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.1",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
```

© TM Forum 2026. All Rights Reserved.

```
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
```


© TM Forum 2026. All Rights Reserved.

```
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
```


© TM Forum 2026. All Rights Reserved.

```
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```

Here's an example of a request for patching a service test specification using json-patch+json. In this example, the version is updated.

Request

```
PATCH /serviceTestSpecification/12
Content-Type: application/json-patch+json

[
  {
    "op": "replace",
    "path": "/version",
    "value": "1.1"
  }
]
```

Response

```
200

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.1",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 15,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
```

© TM Forum 2026. All Rights Reserved.

```
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
```


© TM Forum 2026. All Rights Reserved.

```
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
```


© TM Forum 2026. All Rights Reserved.

```
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


Here's an example of a request for patching a service test specification using json-patch-query+json. In this example, the capture period amount for the Test Measure Definition is updated.

Request

```
PATCH /serviceTestSpecification/12
Content-Type: application/json-patch-query+json

[
  {
    "op": "replace",
    "path":
"/testMeasureDefinition/capturePeriod/amount?testMeasureDefinition.metricName=Flow
speed",
    "value": 10
  }
]
```

Response


```
200

{
  "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/12",
  "id": "12",
  "version": "1.1",
  "lifecycleStatus": "active",
  "name": "Fixed Broadband service test",
  "description": "Service Test Specification for Fixed Broadband service",
  "validFor": {
    "startDateTime": "2016-03-02T24:00:00.00Z",
    "endDateTime": "2020-03-02T24:00:00.00Z"
  },
  "testMeasureDefinition": [
    {
```


© TM Forum 2026. All Rights Reserved.

```
      "@type": "TestMeasureDefinition",
      "id": "10",
      "captureFrequency": "once",
      "captureMethod": "automatic capture by instrument",
      "capturePeriod": {
        "amount": 10,
        "units": "seconds"
      },
      "metricDescription": "This is the flow speed in a service",
      "metricUri": "https://mycsp.com:8080/metricRepository/metric/21",
      "metricName": "Flow speed",
      "name": "Definition of Flow speed",
      "unitOfMeasure": "bits per second",
      "valueType": "number",
      "specCharacteristic": [
        {
          "name": "metricValue",
          "description": "This characteristic describes the flow speed metric value",
          "valueType": "number",
          "@type": "CharacteristicSpecification",
          "configurable": false,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          },
          "minCardinality": 0,
          "maxCardinality": 1,
          "isUnique": true,
          "extensible": false,
          "characteristicValueSpecification": [
            {
              "valueType": "number",
              "@type": "NumberCharacteristicValueSpecification",
              "unitOfMeasure": "bits per second",
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ],
      "thresholdRule": [
        {
          "@type": "MetricDefMeasureThresholdRule",
          "conformanceTargetUpper": "2500",
          "conformanceComparatorUpper": "greater than ",
          "description": "This speed is greater than the target upper",
          "name": "tooMuchTraffic",
          "numberOfAllowedCrossing": 0,
          "thresholdRuleSeverity": "1",
          "tolerancePeriod": {
            "amount": 15,
            "units": "minutes"
          },
          "consequence": [
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "sendWarning",
              "description": "send a warning to the system",
```


© TM Forum 2026. All Rights Reserved.

```
              "name": "sendWarning",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            },
            {
              "@type": "MetricDefMeasureConsequence",
              "prescribeAction": "generateReport",
              "description": "generate a warning report ",
              "name": "generateReport",
              "repeatAction": false,
              "validFor": {
                "startDateTime": "2016-03-02T24:00:00.00Z",
                "endDateTime": "2020-03-02T24:00:00.00Z"
              }
            }
          ]
        }
      ]
    }
  ],
  "specCharacteristic": [
    {
      "name": "restart",
      "description": "This characteristic describes if restart of the service is
required",
      "@type": "CharacteristicSpecification",
      "valueType": "Boolean",
      "configurable": true,
      "validFor": {
        "startDateTime": "2016-03-02T24:00:00.00Z",
        "endDateTime": "2020-03-02T24:00:00.00Z"
      },
      "minCardinality": 0,
      "maxCardinality": 1,
      "isUnique": true,
      "extensible": false,
      "characteristicValueSpecification": [
        {
          "valueType": "Boolean",
          "@type": "BooleanCharacteristicValueSpecification",
          "isDefault": false,
          "value": true,
          "validFor": {
            "startDateTime": "2016-03-02T24:00:00.00Z",
            "endDateTime": "2020-03-02T24:00:00.00Z"
          }
        }
      ]
    }
  ],
  "relatedParty": [
    {
      "role": "testSupervisor",
      "@type": "RelatedPartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "9866",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/Individual/9866",
```


© TM Forum 2026. All Rights Reserved.

```
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "serviceTestSpecificationRelationship": [
    {
      "@type": "ServiceTestSpecificationRelationship",
      "@referredType": "ServiceTestSpecification",
      "id": "13",
      "href": "https://mycsp.com:8080/tmf-
api/serviceTestManagement/v5/serviceTestSpecification/13",
      "relationshipType": "dependency"
    }
  ],
  "relatedServiceSpecification": [
    {
      "href": "https://mycsp.com:8080/tmf-
api/serviceCatalogManagement/v5/serviceSpecification/31",
      "id": "31",
      "name": "cpeServiceSpecification",
      "@referredType": "vCPEServiceSpecification",
      "@type": "ServiceSpecificationRef"
    }
  ],
  "@baseType": "ServiceTestSpecification",
  "@type": "ServiceTestSpecification",
  "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/service/PerformanceTestSpecification.schema.json"
}
```


Deletes a serviceTestSpecification

`DELETE /serviceTestSpecification/{id}?{filtering}`

Description

This operation deletes a ServiceTestSpecification entity.

Operations on CancelServiceTest

Retrieves a cancelServiceTest by ID

`GET /cancelServiceTest/{id}?fields=…`

Description

This operation retrieves a CancelServiceTest entity. Attribute selection is enabled for all first level attributes.

© TM Forum 2026. All Rights Reserved.

List or find cancelServiceTest objects

`GET /cancelServiceTest?fields=…&{filtering}`

Description

This operation list CancelServiceTest entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Retrieve a CancelServiceTest from its identifier

Request

```
GET /cancelServiceTest/790-fsds5-kjp
Content-Type: application/json
```

Response

```
200

{
  "id": "790-fsds5-kjp",
  "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-kjp",
  "cancellationReason": "Unfixable Errors",
  "serviceTest": {
    "id": "89757",
    "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
    "@referredType": "ServiceTest",
    "@type": "ServiceTestRef"
  },
  "state": "done",
  "@type": "CancelServiceTest"
}
```

Retrieve a list of CancelServiceTest(s).Here's an example of a request for retrieving a list of Service Test cancel request(s). The given criteria is the cancel request state (done)

Request

```
GET /cancelServiceTest?filter=state=done
Content-Type: application/json
```

Response

© TM Forum 2026. All Rights Reserved.

```
200

[
  {
    "id": "790-fsds5-kjp",
    "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-
kjp",
    "cancellationReason": "Unfixable Errors",
    "serviceTest": {
      "id": "89757",
      "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
      "@referredType": "ServiceTest",
      "@type": "ServiceTestRef"
    },
    "state": "done",
    "@type": "CancelServiceTest"
  }
]
```

Retrieve a list of CancelServiceOrder(s) with field selection id and serviceTest

Request

```
GET /cancelServiceTest?fields=id,serviceTest
Content-Type: application/json
```

Response

```
200

[
  {
    "id": "790-fsds5-kjp",
    "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-
kjp",
    "serviceTest": {
      "id": "89757",
      "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
      "@type": "ServiceTestRef",
      "@referredType": "ServiceTest"
    },
    "@type": "CancelServiceTest"
  },
  {
    "id": "791-fsds5-kjp",
    "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/791-fsds5-
kjp",
    "serviceTest": {
      "id": "89758",
      "href": "https://host:port/serviceTestManagement/v5/serviceTest/89758",
      "@type": "ServiceTestRef",
      "@referredType": "ServiceTest"
    },
```

© TM Forum 2026. All Rights Reserved.

```
    "@type": "CancelServiceTest"
  },
  {
    "id": "792-fsds5-kjp",
    "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/792-fsds5-
kjp",
    "serviceTest": {
      "id": "89759",
      "href": "https://host:port/serviceTestManagement/v5/serviceTest/89759",
      "@type": "ServiceTestRef",
      "@referredType": "ServiceTest"
    },
    "@type": "CancelServiceTest"
  }
]
```


Creates a cancelServiceTest

`POST /cancelServiceTest?fields=…&{filtering}`

Description

This operation creates a CancelServiceTest entity.

Mandatory Attributes

Mandatory Attributes	Rule
serviceTest	
serviceTest.id	
@type	

Usage samples

Creation of a new CancelServiceTest with POST operation

Request

```
POST /cancelServiceTest
Content-Type: application/json

{
  "cancellationReason": "Unfixable Errors",
  "serviceTest": {
    "id": "89757",
    "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
    "@referredType": "ServiceTest",
    "@type": "ServiceTestRef"
  },
  "@type": "CancelServiceTest"
```

© TM Forum 2026. All Rights Reserved.

```
}
```

Response

```
201

{
  "id": "790-fsds5-kjp",
  "href": "https://host:port/serviceTestManagement/v5/cancelServiceTest/790-fsds5-kjp",
  "cancellationReason": "Unfixable Errors",
  "serviceTest": {
    "id": "89757",
    "href": "https://host:port/serviceTestManagement/v5/serviceTest/89757",
    "@referredType": "ServiceTest",
    "@type": "ServiceTestRef"
  },
  "state": "acknowledged",
  "@type": "CancelServiceTest"
}
```

© TM Forum 2026. All Rights Reserved.

API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

Register listener

POST /hub

Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

Usage Samples

Here's an example of a request for registering a listener.

Request

```
POST /api/hub

Accept: application/json

{
    "callback": "http://in.listener.com"
}
```

Response

```
201

Content-Type: application/json

Location: /api/hub/42
```

© TM Forum 2026. All Rights Reserved.

```
{
    "id":"42",
    "callback": "http://in.listener.com",
    "query":""
}
```

Unregister listener

DELETE /hub/{id}

Description

Clears the communication endpoint address that was set by creating the Hub..

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

Usage Samples

Here's an example of a request for un-registering a listener.

Request

```
DELETE /api/hub/42

Accept: application/json
```

Response

```
204
```

Publish Event to listener

POST /client/listener

Description

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

© TM Forum 2026. All Rights Reserved.

Behavior

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

Usage Samples

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

Request

```
POST /client/listener

Accept: application/json

{
    "event": {
        EVENT BODY
    },
    "eventType": "EVENT_TYPE"
}
```

Response

```
201
```

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

© TM Forum 2026. All Rights Reserved.

Acknowledgements

Release History

Release Number	Date	Release led by:	Description
1	21-10-2023	Pushan Mukerjee	Submitted for review
2	06-02-2024	Pushan Mukerjee	TMF Feedback incorporated
3	30-06-2025	Pushan Mukerjee	Final submission
4	01-03-2026	Pushan Mukerjee	TMF CA Review incorporated
5	26-04-2026	Pushan Mukerjee	TMF CA Feedback incorporated for Final submission

Contributors to Document

Pushan Mukerjee	
Gordon Liang	

© TM Forum 2026. All Rights Reserved.