TM Forum Specification

Party Interaction

TMF683

Maturity Level: General availability	**Team Approved Date: 29-09-2023**
Release Status: Production	**Approval Status: Team Approved**
Version 5.0.0	**IPR Mode: RAND**

© TM Forum 2023. All Rights Reserved.

NOTICE

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304
Parsippany, NJ 07054, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

NOTICE . . . i
Introduction . . . 1
Sample Use Cases . . . 2
Support of polymorphism and extension patterns . . . 4
RESOURCE MODEL . . . 5
Managed Entity and Task Resource Models . . . 5
PartyInteraction resource . . . 5
Notification Resource Models . . . 33
Party Interaction Delete Event . . . 34
Party Interaction Attribute Value Change Event . . . 35
Party Interaction Create Event . . . 36
API OPERATIONS . . . 40
Operations on PartyInteraction . . . 40
List or find PartyInteraction objects . . . 40
Retrieves a PartyInteraction by ID . . . 42
Creates a PartyInteraction . . . 45
Updates partially a PartyInteraction . . . 52
Deletes a PartyInteraction . . . 66
API NOTIFICATIONS . . . 67
Register listener . . . 67
Unregister listener . . . 68
Publish Event to listener . . . 68
Acknowledgements . . . 70
Version History . . . 70
Contributors to Document . . . 70

© TM Forum 2023. All Rights Reserved.

Introduction

The following document is the user guide of the REST API for Party Interaction management. It includes the model definition as well as all available operations.

Users are communicating constantly with our enterprises either calling, entering our stores or using our websites and apps. Our companies are also communicating with them proactively by sending them new offers and providing support through different channels. Sometimes it is different to keep track of all those actions throughout all channels.

A **Party Interaction** captures information about past interactions in-order to re-use it in future ones. This allows agents to serve users better by knowing the steps they went through. It also allows customers to see better, the actions they have performed and how they interacted with us.

The Party Interaction Management API provides a mechanism to manage party interactions. Creation, update and retrieval.

© TM Forum 2023. All Rights Reserved.

Sample Use Cases

Use Case Id	UC_TMF_PartyInteractionManagement_0001
Use Case Name	Agent checks previous user interactions
Summary	This case an agent, either from a store or call center, checks the previous interactions a user had with the company.
Actor(s)	1. User (person, may or may not be a customer) 2. Agent (with a dashboard connected to the systems exposing the APIs)
Pre-Conditions	1. The identity of the user is known (his details were requested in the store or his phone number identified when he called).
Begins When	When all pre-conditions have been met and the user begins speaking with an agent. The agent requests using the dashboard the user's interactions info.
Description	1. The agent requests the last user's interactions. 2. His dashboard shows a timeline with all the user interactions of the user. 3. The agent clicks in one to see its details. 4. The detailed interaction appears on screen.

Use Case Id	UC_TMF_PartyInteractionManagement_0002
Use Case Name	User checks previous interactions in app
Summary	This case describes how an app might show the user a list of his last interactions with the company.
Actor(s)	1. User (person) 2. Mobile App (system)
Pre-Conditions	1. App back-end is available. 2. User has logged into the mobile app.
Begins When	When all pre-conditions have been met the app may prompt a timeline with the user's last interactions as a consequence-of a user action within the app.
Description	1. The user logs in the app. 2. In-order to check when he visited a certain store, he clicks on the timeline button. 3. The user sees when he last went there.

Use Case Id	UC_TMF_PartyInteractionManagement_0003
Use Case Name	Customer calls to call center and complain about his bill
Summary	This case an agent, either from a store or call center, start a new interaction
Actor(s)	1. User (person, a customer) 2. Agent (with a dashboard connected to the systems exposing the APIs)

© TM Forum 2023. All Rights Reserved.

Use Case Id	UC_TMF_PartyInteractionManagement_0003
Pre-Conditions	1. The identity of the user is known (his details were requested in the store or his phone number identified when he called).
Begins When	When all pre-conditions have been met and the user begins speaking with an agent. The agent requests using the dashboard the user's interactions info.
Description	1. A customer calls the Customer Service for a bill dispute. 2. The Agent checks the customer bill and realizes that there is indeed a problem with this customer. He performs the following actions : ◦ Previous bill adjustment ◦ A goodwill (discount) will be given to the customer for loyalty and retention reasons 3. As the customer seems to be happy with the solution, the Agent uses the interaction to present a new offer to the customer (cf. cross-sell activity) 4. The customer accepts this new offer 5. Agent sends additional commercial information about the new offer This is described as below with one single partyInteraction which contains one item (RelatedEntityRefOrValue) per InteractionItem : partyInteraction#1 (description : "call from Mr. Doe complaining about his bill") InteractionItem#1.1 : reason : creation of a troubleTicket (TT) to adjust the previous bill. The items (RelatedEntityRefOrValue) is a link to this TT. InteractionItem#1.2 : reason : creation of a productOrder (PO) to give the discount to the customer. The items (RelatedEntityRefOrValue) is a link to this PO. InteractionItem#1.3 : reason : creation of a quote to represent the proposal made to the customer in the cross-sell context. The items (RelatedEntityRefOrValue) is a link to this quote (or no item is no quote is done). InteractionItem#1.4 : reason : creation of a productOrder (PO) to add the new offer to the customer's inventory. The items (RelatedEntityRefOrValue) is a link to this PO. InteractionItem#1.5 : reason : Commercial information and documentation is sent to the customer. These documents are described here as attachments (AttachmentRefOrValue).

© TM Forum 2023. All Rights Reserved.

Support of polymorphism and extension patterns

Support of polymorphic collections and types and schema based extension is provided by means of a list of generic meta-attributes that we describe below. Polymorphism in collections occurs when entities inherit from base entities, for instance a StoreVisitPartyInteraction inheriting properties from the PartyInteraction. entity.

Generic support of polymorphism and pattern extensions is described in the TMF API Guidelines v3.0 Part 2 document.

The @type attribute provides a way to represent the actual class type of an entity. For example, within a list of PartyInteraction instances some may be instances of StoreVisitPartyInteraction. The @type gives this information. All resources and sub-resources of this API have a @type attributes that can be provided when this is useful.

The @referredType can be used within reference entities (like for instance an PartyInteractionRef object) to explicitly denote the actual entity type of the referred class. Notice that in reference entities the @type, when used, denotes the class type of the reference itself, such as BStoreVisitPartyInteractionRef, and not the class type of the referred object. However since reference classes are rarely sub-classed, @type is generally not useful in reference objects.

The @schemaLocation property can be used in resources to allow specifying user-defined properties of an Entity or to specify the expected characteristics of an entity.

The @baseType attribute gives a way to provide explicitly the base of class of a given resource that has been extended.

© TM Forum 2023. All Rights Reserved.

RESOURCE MODEL

Managed Entity and Task Resource Models

PartyInteraction resource

Resource model




Figure 1 - PartyInteraction

© TM Forum 2023. All Rights Reserved.




Figure 2 - EntityRefOrValue

© TM Forum 2023. All Rights Reserved.




Figure 3 - InteractionItem

© TM Forum 2023. All Rights Reserved.




Figure 4 - Organization

© TM Forum 2023. All Rights Reserved.




Figure 5 - Individual

© TM Forum 2023. All Rights Reserved.




Figure 6 - Party

© TM Forum 2023. All Rights Reserved.




Figure 7 - PartyOrPartyRole

© TM Forum 2023. All Rights Reserved.




Figure 8 - PartyRole

Field descriptions

PartyInteraction fields

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
creationDate	A DateTime. Date when the interaction was created in the system.
description	A String. Description of the interaction.
direction	A String. Specifies who started the interaction. It might be the party or the enterprise exposing this API. Possible values are ?inbound? and ?outbound?.

© TM Forum 2023. All Rights Reserved.

externalIdentifier	An ExternalIdentifier. An identification of an entity that is owned by or originates in a software system different from the current system, for example a ProductOrder handed off from a commerce platform into an order handling system. The structure identifies the system itself, the nature of the entity within the system (e.g. class name) and the unique ID of the entity within the system. It is anticipated that multiple external IDs can be held for a single entity, e.g. if the entity passed through multiple systems on the way to the current system. In this case the consumer is expected to sequence the IDs in the array in reverse order of provenance, i.e. most recent system first in the list.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
interactionDate	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
interactionItem	An InteractionItem.
interactionRelationship	An InteractionRelationship.
lastUpdate	A DateTime. Date when the interaction last updated in the system.
note	A Note. Extra information about a given entity.
reason	A String. Reason why the interaction happened.
relatedChannel	A RelatedChannel. Where the interaction took place (e.g. web, mobile app, store, kiosk, etc.).
relatedParty	A RelatedPartyOrPartyRole. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
status	A String. Status of the interaction (opened, inProgress, completed).
statusChangeDate	A DateTime. Last time the status changed.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AccountRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Attachment sub-resource fields

attachmentType	A String. A business characterization of the purpose of the attachment, for example logo, instructionManual, contractCopy.
content	A Base64. The actual contents of the attachment object, if embedded, encoded as base64.
description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
mimeType	A String. A technical characterization of the attachment content format using IETF Mime Types.
name	A String. The name of the attachment.
size	A Quantity. An amount in a given unit.
url	A String. Uniform Resource Locator, is a web page address (a subset of URI).
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AttachmentRef sub-resource fields

© TM Forum 2023. All Rights Reserved.

description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
url	A String. Link to the attachment media/content.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ChannelRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Characteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CharacteristicRelationship sub-resource fields

© TM Forum 2023. All Rights Reserved.

id	A String. Unique identifier of the characteristic.
relationshipType	A String. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ContactMedium sub-resource fields

contactType	A String. Type of the contact medium to qualifiy it like pro email / personal email. This is not used to define the contact medium used.
id	A String. Identifier for this contact medium.
preferred	A Boolean. If true, indicates that is the preferred contact medium.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CreditProfile sub-resource fields

creditProfileDate	A DateTime. The date the profile was established.
creditRiskRating	An Integer. This is an integer whose value is used to rate the risk.
creditScore	An Integer. A measure of a person or organizations creditworthiness calculated on the basis of a combination of factors such as their income and credit history.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Disability sub-resource fields

© TM Forum 2023. All Rights Reserved.

disabilityCode	A String. Code of the disability.
disabilityName	A String. Name of the disability.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.

Entity sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

EntityRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ExternalIdentifier sub-resource fields

externalIdentifierType	A String. Type of the identification, typically would be the type of the entity within the external system.
id	A String. Identification of the entity within the external system.
owner	A String. Name of the external system that owns the entity.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Individual sub-resource fields

aristocraticTitle	A String. E.g. Baron, Graf, Earl.

© TM Forum 2023. All Rights Reserved.

birthDate	A DateTime. Birth date.
contactMedium	A ContactMedium. List of means for contacting the party, e.g. mobile phone, email address.
countryOfBirth	A String. Country where the individual was born.
creditRating	A PartyCreditProfile. List of credit profiles and scores for the party, typically received from an external credit broker.
deathDate	A DateTime. Date of death.
disability	A Disability. List of disabilities suffered by the individual.
externalReference	An ExternalIdentifier. List of identifiers of the Party in an external system, for example when party information is imported from a commerce system.
familyName	A String. Contains the non-chosen or inherited name. Also known as last name in the Western context.
familyNamePrefix	A String. Family name prefix.
formattedName	A String. A fully formatted name in one string with all of its pieces in their proper place and all of the necessary punctuation. Useful for specific contexts (Chinese, Japanese, Korean).
gender	A String. Gender.
generation	A String. E.g.. Sr, Jr, III (the third).
givenName	A String. First name of the individual.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
individualIdentification	An IndividualIdentification. List of official identifications issued to the individual, such as passport, driving licence, social security number.
languageAbility	A LanguageAbility. List of national languages known by the individual.
legalName	A String. Legal name or birth name (name one has for official purposes).
location	A String. Temporary current location of the individual (may be used if the individual has approved its sharing).
maritalStatus	A String. Marital status (married, divorced, widow …).
middleName	A String. Middles name or initial.
name	A String. Full name flatten (first, middle, and last names) - this is the name that is expected to be presented in reference data types such as PartyRef, RelatedParty, etc. that refer to Individual.
nationality	A String. Nationality.
otherName	An OtherNameIndividual. List of other names by which this individual is known.

© TM Forum 2023. All Rights Reserved.

partyCharacteristic	A Characteristic. List of additional characteristics that a Party can take on.
placeOfBirth	A String. Reference to the place where the individual was born.
preferredGivenName	A String. Contains the chosen name by which the individual prefers to be addressed. Note: This name may be a name other than a given name, such as a nickname.
relatedParty	A RelatedPartyOrPartyRole. List of parties and/or party roles related to this party.
skill	A Skill. List of skills exhibited by the individual.
status	An IndividualStateType. Valid values for the lifecycle state of the individual.
taxExemptionCertificate	A TaxExemptionCertificate. List of tax exemptions granted to the party. For example, a war veteran might have partial exemption from state tax and a full exemption from federal tax.
title	A String. Useful for titles (aristocratic, social,…) Pr, Dr, Sir, …
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IndividualIdentification sub-resource fields

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
identificationId	A String. Identifier.
identificationType	A String. Identification type (passport, national identity card, drivers license, social security number, birth certificate).
issuingAuthority	A String. Authority which has issued the identifier, such as: social security, town hall.
issuingDate	A DateTime. Date at which the identifier was issued.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

InteractionItem sub-resource fields

© TM Forum 2023. All Rights Reserved.

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
creationDate	A DateTime. Date when the interaction item was created in the system.
id	A String. Unique identifier of the interaction item.
interactionItemRelationship	An InteractionItemRelationship. Used to describe relationship between interaction items.
interactionItemType	A String. Classification and sub-classification. E.g. Case (type) (subtype/s) Ticket, Incident.
item	A RelatedEntityRefOrValue. A reference to an entity, where the type of the entity is not known in advance. A related entity defines a entity described by reference or by value linked to a specific entity. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Entity and not the RelatedEntityRefOrValue class itself.
itemDate	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
lastUpdate	A DateTime. Date when the interaction item was last updateed in the system.
note	A Note. Extra information about a given entity.
reason	A String. Reason why this item is referred.
relatedChannel	A RelatedChannel. Where the interaction item took place (e.g.: web, mobile app, store, kiosk, etc.).
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
resolution	A String. Resolution of the interaction item.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

InteractionItemRelationship sub-resource fields

id	A String. Unique identifier of the referenced to interaction item (must be in the same PartyInteraction.
relationshipType	A String. Type of the interaction item relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2023. All Rights Reserved.

@type	A String. When sub-classing, this defines the sub-class Extensible name.

InteractionRelationship sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
relationshipType	A String. Relationship type such as parent, handover, etc…
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

LanguageAbility sub-resource fields

isFavouriteLanguage	A Boolean. A ?true? value specifies whether the language is considered by the individual as his favourite one.
languageCode	A String. Language code (RFC 5646).
languageName	A String. Language name.
listeningProficiency	A String. Listening proficiency evaluated for this language.
readingProficiency	A String. Reading proficiency evaluated for this language.
speakingProficiency	A String. Speaking proficiency evaluated for this language.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
writingProficiency	A String. Writing proficiency evaluated for this language.

Note sub-resource fields

author	A String. Author of the note.
date	A DateTime. Date of the note.
id	A String. Identifier of the note within its containing entity.
text	A String. Text of the note.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

© TM Forum 2023. All Rights Reserved.

Organization sub-resource fields

contactMedium	A ContactMedium. List of means for contacting the party, e.g. mobile phone, email address.
creditRating	A PartyCreditProfile. List of credit profiles and scores for the party, typically received from an external credit broker.
existsDuring	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
externalReference	An ExternalIdentifier. List of identifiers of the Party in an external system, for example when party information is imported from a commerce system.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
isHeadOffice	A Boolean. If value is true, the organization is the head office.
isLegalEntity	A Boolean. If value is true, the organization is a legal entity known by a national referential.
name	A String. Organization name (department name for example).
nameType	A String. Type of the name : Co, Inc, Ltd, etc.
organizationChildRelationship	An OrganizationChildRelationship. List of organizations that are contained within this organization. For example if this organization is the Legal Department, the child organizations might include Claims, Courts, Contracts.
organizationIdentification	An OrganizationIdentification. List of official identifiers given to the organization, for example company number in the registry of companies.
organizationParentRelationship	An OrganizationParentRelationship. Parent references of an organization in a structure of organizations.
organizationType	A String. Type of Organization (company, department…).
otherName	An OtherNameOrganization. List of additional names by which the organization is known.
partyCharacteristic	A Characteristic. List of additional characteristics that a Party can take on.
relatedParty	A RelatedPartyOrPartyRole. List of parties and/or party roles related to this party.
status	An OrganizationStateType. Valid values for the lifecycle state of the organization.
taxExemptionCertificate	A TaxExemptionCertificate. List of tax exemptions granted to the party. For example, a war veteran might have partial exemption from state tax and a full exemption from federal tax.
tradingName	A String. Name that the organization (unit) trades under.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2023. All Rights Reserved.

@type	A String. When sub-classing, this defines the sub-class Extensible name.

OrganizationChildRelationship sub-resource fields

organization	An OrganizationRef.
relationshipType	A String. Type of the relationship. Could be juridical, hierarchical, geographical, functional for example.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

OrganizationIdentification sub-resource fields

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
identificationId	A String. Identifier.
identificationType	A String. Type of identification information used to identify the company in a country or internationally.
issuingAuthority	A String. Authority which has issued the identifier (chamber of commerce…).
issuingDate	A DateTime. Date at which the identifier was issued.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

OrganizationParentRelationship sub-resource fields

organization	An OrganizationRef.
relationshipType	A String. Type of the relationship. Could be juridical, hierarchical, geographical, functional for example.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

© TM Forum 2023. All Rights Reserved.

OrganizationRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

OtherNameIndividual sub-resource fields

aristocraticTitle	A String. E.g. Baron, Graf, Earl, etc.
familyName	A String. Contains the non-chosen or inherited name. Also known as last name in the Western context.
familyNamePrefix	A String. Family name prefix.
formattedName	A String. . A fully formatted name in one string with all of its pieces in their proper place and all of the necessary punctuation. Useful for specific contexts (Chinese, Japanese, Korean, etc.).
fullName	A String. Full name flatten (first, middle, and last names).
generation	A String. E.g. Sr, Jr, etc.
givenName	A String. First name.
legalName	A String. Legal name or birth name (name one has for official purposes).
middleName	A String. Middle name or initial.
preferredGivenName	A String. Contains the chosen name by which the person prefers to be addressed. Note: This name may be a name other than a given name, such as a nickname.
title	A String. Use for titles (aristocatic, social, …): Pr, Dr, Sir,….
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.

OtherNameOrganization sub-resource fields

name	A String. Organization name (department name for example).
nameType	A String. Co. , Inc. , Ltd. , Pty Ltd. , Plc; , Gmbh.
tradingName	A String. The name that the organization trades under.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.

© TM Forum 2023. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Party sub-resource fields

contactMedium	A ContactMedium. List of means for contacting the party, e.g. mobile phone, email address.
creditRating	A PartyCreditProfile. List of credit profiles and scores for the party, typically received from an external credit broker.
externalReference	An ExternalIdentifier. List of identifiers of the Party in an external system, for example when party information is imported from a commerce system.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
partyCharacteristic	A Characteristic. List of additional characteristics that a Party can take on.
relatedParty	A RelatedPartyOrPartyRole. List of parties and/or party roles related to this party.
taxExemptionCertificate	A TaxExemptionCertificate. List of tax exemptions granted to the party. For example, a war veteran might have partial exemption from state tax and a full exemption from federal tax.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyCreditProfile sub-resource fields

creditAgencyName	A String. Name of the credit agency giving the score.
creditAgencyType	A String. Type of the credit agency giving the score.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
ratingReference	A String. Reference corresponding to the credit rating.
ratingScore	An Integer32. A measure of a party's creditworthiness calculated on the basis of a combination of factors such as their income and credit history.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRole sub-resource fields

account	An AccountRef. Account reference. A account may be a party account or a financial account.
agreement	An AgreementRef. Agreement reference. An agreement represents a contract or arrangement, either written or verbal and sometimes enforceable by law, such as a service level agreement or a customer price agreement. An agreement involves a number of other business entities, such as products, services, and resources and/or their specifications.
characteristic	A Characteristic. Describes the characteristic of a party role.
contactMedium	A ContactMedium. Indicates the contact medium that could be used to contact the party.
creditProfile	A CreditProfile. Credit profile for the party (containing credit scoring, …). By default only the current credit profile is retrieved. It can be used as a list to give the party credit profiles history, the first one in the list will be the current one.
description	A String. A description of the PartyRole.
engagedParty	A PartyRef. A Party reference.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. A word, term, or phrase by which the PartyRole is known and distinguished from other PartyRoles. It's the name of the PartyRole unique entity.

© TM Forum 2023. All Rights Reserved.

partyRoleSpecification	A PartyRoleSpecificationRef. Party role specification reference. A party role specification gives additional details on the part played by a party in a given context.
paymentMethod	A PaymentMethodRef. PaymentMethod reference. A payment method defines a specific mean of payment (e.g direct debit).
relatedParty	A RelatedPartyOrPartyRole. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
role	A String. Role played by the engagedParty in this context. As role is defined by partyRoleSpecification, this role attribute can be used to precise the role defined by partyRoleSpecification, or it can be used to define the role in case there is no partyRoleSpecification.
status	A String. Used to track the lifecycle status of the party role.
statusReason	A String. A string providing an explanation on the value of the status lifecycle. For instance if the status is Rejected, statusReason will provide the reason for rejection.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleSpecificationRef sub-resource fields

© TM Forum 2023. All Rights Reserved.

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PaymentMethodRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedChannel sub-resource fields

channel	A ChannelRef. The channel to which the resource reference to. e.g. channel for selling product offerings, channel for opening a trouble ticket etc..
role	A String.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedEntityRefOrValue sub-resource fields

entity	An EntityRefOrValue.
role	A String.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyOrPartyRole sub-resource fields

partyOrPartyRole	A PartyOrPartyRole.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Skill sub-resource fields

comment	A String. A free text comment linked to the evaluation done.
evaluatedLevel	A String. Level of expertise in a skill evaluated for an individual.
skillCode	A String. Code of the skill.
skillName	A String. Name of the skill, such as Java language.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.

TaxDefinition sub-resource fields

id	A String. Unique identifier of the tax.
jurisdictionLevel	A String. Level of the jurisdiction that levies the tax.
jurisdictionName	A String. Name of the jurisdiction that levies the tax.

© TM Forum 2023. All Rights Reserved.

name	A String. Tax name.
taxType	A String. Type of the tax.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

TaxExemptionCertificate sub-resource fields

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
certificateNumber	A String. Identifier of a document that shows proof of exemption from taxes for the taxing jurisdiction.
id	A String. Identifier of the tax exemption within list of the exemptions.
issuingJurisdiction	A String. Name of the jurisdiction that issued the exemption.
reason	A String. Reason for the tax exemption.
taxDefinition	A TaxDefinition. A list of taxes that are covered by the exemption, e.g. City Tax, State Tax. The definition would include the exemption (e.g. for a rate exemption 0% would be a full exemption, 5% could be a partial exemption if the actual rate was 10%).
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'PartyInteraction' resource object.


```
{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
```


© TM Forum 2023. All Rights Reserved.

```
    },
    "description": "Visit to store",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }
```


© TM Forum 2023. All Rights Reserved.

```
            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]
                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
```


© TM Forum 2023. All Rights Reserved.

```
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```


Notification Resource Models

4 notifications are defined for this API.

Notifications related to PartyInteraction:

- Party Interaction Delete Event
- Party Interaction Attribute Value Change Event
- Party Interaction Create Event

© TM Forum 2023. All Rights Reserved.

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).




Figure 9 Notification Pattern

Party Interaction Delete Event

Message example for PartyInteractionDeleteEvent event

```
Content-Type: application/json

{
    "correlationId": "0be43a9f-6b43",
    "description": "PartyInteractionDeleteEvent illustration",
    "domain": "Commercial",
    "eventId": "4aa5-a8ce-d1162247afaf",
    "eventTime": "2022-11-28T13:28:06.805Z",
    "eventType": "PartyInteractionDeleteEvent",
    "priority": "3",
    "timeOcurred": "2022-11-28T13:28:01.622Z",
```

© TM Forum 2023. All Rights Reserved.

```
    "title": "PartyInteractionDeleteEvent",
    "event": {
        "partyInteraction": {
            "id": "123",
            "href": "http://servername/partyInteraction/123",
            "@type": "PartyInteraction"
        }
    },
    "reportingSystem": {
        "id": "661",
        "name": "APP-835",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "616",
        "name": "APP-817",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyInteractionDeleteEvent"
}
```


Party Interaction Attribute Value Change Event

Message example for PartyInteractionAttributeValueChangeEvent event


```
Content-Type: application/json

{
    "correlationId": "8b161265-fc15",
    "description": "PartyInteractionAttributeValueChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "4dff-81c5-b308c95373fa",
    "eventTime": "2022-11-28T13:28:06.795Z",
    "eventType": "PartyInteractionAttributeValueChangeEvent",
    "priority": "4",
    "timeOcurred": "2022-11-28T13:27:57.646Z",
    "title": "PartyInteractionAttributeValueChangeEvent",
    "event": {
        "partyInteraction": {
            "href": "http://servername/partyInteraction/123",
            "id": "123",
            "@type": "PartyInteraction",
            "interactionDate": {
                "startDateTime": "2019-10-02T11:36:18.758Z",
                "endDateTime": "2019-10-02T11:53:21.789Z"
            }
        }
    },
    "reportingSystem": {
        "id": "661",
        "name": "APP-835",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "616",
        "name": "APP-817",
```


© TM Forum 2023. All Rights Reserved.

```
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyInteractionAttributeValueChangeEvent"
}
```

Party Interaction Create Event

Message example for PartyInteractionCreateEvent event

```
Content-Type: application/json

{
    "correlationId": "20c77f4b-3c76",
    "description": "PartyInteractionCreateEvent illustration",
    "domain": "Commercial",
    "eventId": "4103-b23b-d57302dead62",
    "eventTime": "2022-11-28T13:28:06.780Z",
    "eventType": "PartyInteractionCreateEvent",
    "priority": "3",
    "timeOcurred": "2022-11-28T13:28:01.547Z",
    "title": "PartyInteractionCreateEvent",
    "event": {
        "partyInteraction":
    {
            "id": "123",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
            "@type": "PartyInteraction",
            "interactionDate": {
                "startDateTime": "2020-10-02T11:36:18.758Z",
                "endDateTime": "2020-10-02T11:53:21.789Z"
            },
            "description": "Visit to store",
            "reason": "The user wanted to buy TV and internet plan",
            "status": "ongoing",
            "statusChangeDate": "2020-10-02T11:53:21.789Z",
            "direction": "inbounds",
            "creationDate": "2020-10-02T11:37:08.013Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "relatedParty": [
                {
                    "role": "user",
                    "@type": "RelatedPartyOrPartyRole",
                    "partyOrPartyRole":
                     {
                        "id": "999",
                        "href":
"https://host:port/partyManagement/v5/individual/999",
                        "name": "John Doe",
                        "@type" : "PartyRef",
                        "@referredType": "Individual"
                    }
                },
                {
                    "role": "agent",
                    "@type": "RelatedPartyOrPartyRole",
                    "partyOrPartyRole":
                     {
                        "id": "888",
```

© TM Forum 2023. All Rights Reserved.

```
                        "href":
"https://host:port/partyManagement/v5/individual/888",
                        "name": "Rian Muray",
                        "@type" : "PartyRef",
                        "@referredType": "Individual"
                    }
                }
            ],
            "interactionItem": [
                {
                    "id": "5678",
                    "reason": "The user signed up to new TV bundle and paid the
decoder",
                    "@type": "InteractionItem",
                    "itemDate": {
                        "endDateTime": "2020-10-02T11:56:01.895Z",
                        "startDateTime": "2020-10-02T11:50:01.895Z"
                      },
                    "resolution": "Product order is created",
                    "creationDate": "2020-10-02T11:50:01.895Z",
                    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
                    "item":
                    {
                        "role": "interaction",
                        "@type": "RelatedEntityRefOrValue",
                        "entity" :
                         {
                            "id": "30001",
                            "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                            "name": "Product Order illustration sample by
reference",
                            "@referredType": "ProductOrder",
                            "@type":"EntityRef"

                        }

                    }
                },
                {
                    "id": "1212",
                    "reason": "The user is purchasing unlimited internet plan",
                    "@type": "InteractionItem",
                    "itemDate": {
                        "endDateTime": "2020-10-02T11:59:01.895Z",
                        "startDateTime": "2020-10-02T11:50:01.895Z"
                      },
                    "resolution": "Product order is created",
                    "creationDate": "2020-10-02T11:50:01.895Z",
                    "item": {
                        "role": "interaction",
                        "@type": "RelatedEntityRefOrValue",
                        "entity" :
                        {
                            "id": "88",
                            "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                            "@type": "ProductOrder",
                            "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                            "productOrderItem": [
                                {
                                    "id": "13219",
```


© TM Forum 2023. All Rights Reserved.

```
                                    "action": "add",
                                    "productOffering": {
                                        "id": "2445",
                                        "name": "Unlimited Internet Plus",
                                        "@type": "ProductOfferingRef",
                                        "@referredType": "ProductOrder"
                                    }
                                }
                            ]
                        }

                    }
                },
                {
                    "id": "9999",
                    "reason": "The user paid the decoder in the store with credit
card",
                    "@type": "InteractionItem",
                    "itemDate": {
                        "endDateTime": "2020-10-02T11:56:01.895Z",
                        "startDateTime": "2020-10-02T11:50:01.895Z"
                      },
                    "resolution": "TODO",
                    "creationDate": "2020-10-02T11:50:01.895Z",
                    "item": {
                        "role": "interaction",
                        "@type": "RelatedEntityRefOrValue",
                        "entity" : {
                            "id": "666",
                            "href":
"https://host:port/paymentManagement/5/payment/666",
                            "name": "TV bundle plus decoder payment",
                            "@type" :"EntityRef",
                            "@referredType": "Payment"
                        }

                    }
                }
            ],
            "relatedChannel": [
                {
                    "role": "interaction creation",
                    "@type" :"RelatedChannel",
                    "channel":
                    {
                        "id": "555",
                        "name": "Madrid Gran Store",
                        "@type": "ChannelRef"
                    }

                }
            ],
            "attachment": [
                {
                    "id": "111222444",
                    "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
                    "name": "Some cool attachment",
                    "@type": "AttachmentRef",
                    "description": "blahblahblah",
                    "attachmentType": "receipt",
                    "mimeType": "application/pdf",
                    "size": {
```


© TM Forum 2023. All Rights Reserved.

```
                        "amount": 321321,
                        "units": "KB"
                      },
                    "URL": "https://whereverthpdfis.com"
                }
            ],
            "note": [
                {
                    "id": "121",
                    "text": "loren ipsum ...",
                    "author": "John Doe",
                    "date": "2020-10-02T11:36:18.758Z",
                    "@type" :"Note"
                }
            ],
            "interactionRelationship": [
                {
                    "id": "1034",
                    "href":
"https://host:port/partyInteraction/v5/partyInteraction/1034",
                    "@type": "InteractionRelationship",
                    "relationshipType": "parentInteraction"
                }
            ]
        }
    },
    "reportingSystem": {
        "id": "661",
        "name": "APP-835",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "616",
        "name": "APP-817",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyInteractionCreateEvent"
}
```


© TM Forum 2023. All Rights Reserved.

API OPERATIONS

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

Operations on PartyInteraction

List or find PartyInteraction objects

`GET /partyInteraction?fields=…`

Description

This operation list PartyInteraction entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here's an example of a request for retrieving a list of party interaction(s). The given criteria is the individual (relatedParty.partyOrPartyRole.@referredType=Individual&relatedParty.partyOrPartyRole.id=999)

Request

```
GET
/partyInteraction?fields=id,href,relatedParty.partyOrPartyRole.name,relatedParty.rol
e,relatedParty.partyOrPartyRole.id,relatedParty.partyOrPartyRole.@referredType&relat
edParty.partyOrPartyRole.@referredType=Individual&relatedParty.partyOrPartyRole.id=9
99
```

© TM Forum 2023. All Rights Reserved.

```
Content-Type: application/json
```

Response

```
200

[
    {
        "id": "123",
        "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
        "@type": "PartyInteraction",
        "relatedParty": [
            {
                "role": "user",
                "@type": "RelatedPartyOrPartyRole",
                "partyOrPartyRole":
                {
                    "id": "999",
                    "href": "https://host:port/partyManagement/v5/individual/999",
                    "name": "John Doe",
                    "@type" :"PartyRef",
                    "@referredType": "Individual"
                }

            },
            {
                "role": "customer",
                "@type": "RelatedPartyOrPartyRole",
                "partyOrPartyRole":
                {
                    "id": "3434",
                    "href": "https://host:port/partyManagement/v5/individual/3434",

                    "name": "Malik Doe",
                    "@type" :"PartyRoleRef",
                    "@referredType": "Customer"
                }

            },
            {
                "role": "agent",
                "@type": "RelatedPartyOrPartyRole",
                "partyOrPartyRole":
                {
                    "id": "36666",
                    "href": "https://host:port/partyManagement/v5/individual/36666",

                    "name": "Rian Muray",
                    "@type" :"PartyRef",
                    "@referredType": "Individual"
                }

            }
        ]
    },
    {
        "id": "555",
        "href": "https://host:port/partyInteraction/v5/partyInteraction/555",
        "@type": "PartyInteraction",
        "relatedParty":
```

© TM Forum 2023. All Rights Reserved.

```
        [
            {
                "role": "user",
                "@type": "RelatedPartyOrPartyRole",
                "partyOrPartyRole":
                {
                    "id": "999",
                    "href": "https://host:port/partyManagement/v5/individual/999",
                    "name": "John Doe",
                    "@type" :"PartyRef",
                    "@referredType": "Individual"
                }

            }


        ]
    }
]
```

Retrieves a PartyInteraction by ID

`GET /partyInteraction/{id}?fields=…`

Description

This operation retrieves a PartyInteraction entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here's an example of a request for retrieving a specific party interaction, id=123.

Request

```
GET /partyInteraction/123
Content-Type: application/json
```

Response

```
200

{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
```

© TM Forum 2023. All Rights Reserved.

```
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
```


© TM Forum 2023. All Rights Reserved.

```
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
```


© TM Forum 2023. All Rights Reserved.

```
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```

Creates a PartyInteraction

`POST /partyInteraction?fields=…`

Description

This operation creates a PartyInteraction entity.

Mandatory Attributes

Mandatory Attributes	Rule
direction	
reason	

© TM Forum 2023. All Rights Reserved.

Mandatory Attributes	Rule
relatedChannel	
relatedChannel.@type	
relatedChannel.channel	
relatedChannel.channel.@type	
relatedChannel.channel.id	
relatedChannel.role	
@type	

Usage samples

Here's an example of a request for create a party interaction- the resulting party interaction is 123.

Request

```
POST /partyInteraction
Content-Type: application/json

{
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store",
    "reason": "The user wanted to buy TV and internet plan",
    "direction": "inbounds",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
```

© TM Forum 2023. All Rights Reserved.

```
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
```


© TM Forum 2023. All Rights Reserved.

```
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
```


© TM Forum 2023. All Rights Reserved.

```
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note "
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```

Response

```
201

{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type": "PartyRef",
                "@referredType": "Individual"
```

© TM Forum 2023. All Rights Reserved.

```
            }
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
```


© TM Forum 2023. All Rights Reserved.

```
                        }
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
```


© TM Forum 2023. All Rights Reserved.

```
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```


Updates partially a PartyInteraction

`PATCH /partyInteraction/{id}?fields=…`

Description

This operation allows partial updates of a PartyInteraction entity. Support of json/merge (https://tools.ietf.org/html/rfc7386) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optiona. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
creationDate	
direction	
href	
id	
statusChangeDate	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
attachment	
description	
externalIdentifier	
interactionDate	

© TM Forum 2023. All Rights Reserved.

Patchable Attributes	Rule
interactionItem	
interactionRelationship	
lastUpdate	
note	
reason	
relatedChannel	
relatedParty	
status	

Usage samples

Here's an example of a request for update a party interaction description- updated party interaction is 123.This example illustrating patch application json. When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyInteraction/123
Content-Type: application/json

{
    "@type": "PartyInteraction",
    "description": "Visit to store and buy TV"

}
```

Response

```
200

{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store and buy TV",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
```

© TM Forum 2023. All Rights Reserved.

```
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type": "PArtyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
```


© TM Forum 2023. All Rights Reserved.

```
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
```


© TM Forum 2023. All Rights Reserved.

```
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```


Here's an example of a request for update a party interaction description- updated party interaction is 123.This example illustrating patch patch merge. When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyInteraction/123
Content-Type: application/merge-patch+json

{
    "@type": "PartyInteraction",
    "description": "Visit to store and buy TV"

}
```

Response

```
200

{
```

© TM Forum 2023. All Rights Reserved.

```
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store and buy TV",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type": "PArtyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [
        {
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
```


© TM Forum 2023. All Rights Reserved.

```
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
```


© TM Forum 2023. All Rights Reserved.

```
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```


Here's an example of a request for update a party interaction description- updated party interaction is 123. This example illustrating json patch json

Request

© TM Forum 2023. All Rights Reserved.

```
PATCH /partyInteraction/123
Content-Type: application/json-patch+json

[
    {"op":"replace",
      "path": "/description",
      "value": "Visit to store and buy TV"
      }
  ]
```

Response

```
200

{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store and buy TV",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type": "PArtyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [
        {
```

© TM Forum 2023. All Rights Reserved.

```
            "id": "5678",
            "reason": "The user signed up to new TV bundle and paid the decoder",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "lastUpdateDate": "2020-11-02T11:37:08.013Z",
            "item":
            {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                 {
                    "id": "30001",
                    "href":
"https://host:port/productOrderingManagement/5/productOrder/30001",
                    "name": "Product Order illustration sample by reference",
                    "@referredType": "ProductOrder",
                    "@type":"EntityRef"

                }

            }
        },
        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]

                }
```


© TM Forum 2023. All Rights Reserved.

```
            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
```


© TM Forum 2023. All Rights Reserved.

```
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
    ]
}
```

Here's an example of a request for remove a party interaction item (id=5678) from party interaction is 123. This example illustrating json patch query json

Request

```
PATCH /partyInteraction/123
Content-Type: application/json-patch-query+json

[
    {"op":"delete",
      "path": "/interactionItem?id=5678"
      }
  ]
```

Response

```
200

{
    "id": "123",
    "href": "https://host:port/partyInteraction/v5/partyInteraction/123",
    "@type": "PartyInteraction",
    "interactionDate": {
        "startDateTime": "2020-10-02T11:36:18.758Z",
        "endDateTime": "2020-10-02T11:53:21.789Z"
    },
    "description": "Visit to store and buy TV",
    "reason": "The user wanted to buy TV and internet plan",
    "status": "ongoing",
    "statusChangeDate": "2020-10-02T11:53:21.789Z",
    "direction": "inbounds",
    "creationDate": "2020-10-02T11:37:08.013Z",
    "lastUpdateDate": "2020-11-02T11:37:08.013Z",
    "relatedParty": [
        {
            "role": "user",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "999",
                "href": "https://host:port/partyManagement/v5/individual/999",

                "name": "John Doe",
                "@type" : "PartyRef",
                "@referredType": "Individual"
```

© TM Forum 2023. All Rights Reserved.

```
            }
        },
        {
            "role": "agent",
            "@type": "RelatedPartyOrPartyRole",
            "partyOrPartyRole":
             {
                "id": "888",
                "href": "https://host:port/partyManagement/v5/individual/888",

                "name": "Rian Muray",
                "@type": "PArtyRef",
                "@referredType": "Individual"
            }
        }
    ],
    "interactionItem": [

        {
            "id": "1212",
            "reason": "The user is purchasing unlimited internet plan",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:59:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
              },
            "resolution": "Product order is created",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" :
                {
                    "id": "88",
                    "href":
"https://host:port/productOrderingManagement/v5/productOrder/88",
                    "@type": "ProductOrder",
                    "@schemaLocation": "https://mycsp.com:8080/tmf-
api/schema/Resource/ProductOrder.schema.json",
                    "productOrderItem": [
                        {
                            "id": "13219",
                            "action": "add",
                            "productOffering": {
                                "id": "2445",
                                "name": "Unlimited Internet Plus",
                                "@type": "ProductOfferingRef",
                                "@referredType": "ProductOrder"
                            }
                        }
                    ]

                }

            }
        },
        {
            "id": "9999",
            "reason": "The user paid the decoder in the store with credit card",
            "@type": "InteractionItem",
            "itemDate": {
                "endDateTime": "2020-10-02T11:56:01.895Z",
                "startDateTime": "2020-10-02T11:50:01.895Z"
```


© TM Forum 2023. All Rights Reserved.

```
              },
            "resolution": "TODO",
            "creationDate": "2020-10-02T11:50:01.895Z",
            "item": {
                "role": "interaction",
                "@type": "RelatedEntityRefOrValue",
                "entity" : {
                    "id": "666",
                    "href": "https://host:port/paymentManagement/5/payment/666",
                    "name": "TV bundle plus decoder payment",
                    "@type" :"EntityRef",
                    "@referredType": "Payment"
                }

            }
        }
    ],
    "relatedChannel": [
        {
            "role": "interaction creation",
            "@type" :"RelatedChannel",
            "channel":
            {
                "id": "555",
                "name": "Madrid Gran Store",
                "@type": "ChannelRef"
            }

        }
    ],
    "attachment": [
        {
            "id": "111222444",
            "href":
"https://host:port/partyInteraction/5/partyInteraction/123/attachment/111222444",
            "name": "Some cool attachment",
            "@type": "AttachmentRef",
            "description": "blahblahblah",
            "attachmentType": "receipt",
            "mimeType": "application/pdf",
            "size": {
                "amount": 321321,
                "units": "KB"
              },
            "URL": "https://whereverthpdfis.com"
        }
    ],
    "note": [
        {
            "id": "121",
            "text": "loren ipsum ...",
            "author": "John Doe",
            "date": "2020-10-02T11:36:18.758Z",
            "@type" :"Note"
        }
    ],
    "interactionRelationship": [
        {
            "id": "1034",
            "href": "https://host:port/partyInteraction/v5/partyInteraction/1034",
            "@type": "InteractionRelationship",
            "relationshipType": "parentInteraction"
        }
```


© TM Forum 2023. All Rights Reserved.

```
    ]
}
```

Deletes a PartyInteraction

`DELETE /partyInteraction/{id}`

Description

This operation deletes a PartyInteraction entity.

Usage samples

Here's an example of a request to delete party interaction

Request

```
DELETE /partyInteraction/123
Content-Type: application/json
```

Response

```
204
```

© TM Forum 2023. All Rights Reserved.

API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

Register listener

POST /hub

Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

Usage Samples

Here's an example of a request for registering a listener.

Request

```
POST /api/hub

Accept: application/json

{
    "callback": "http://in.listener.com"
}
```

Response

```
201

Content-Type: application/json

Location: /api/hub/42

{
    "id":"42",
    "callback": "http://in.listener.com",
    "query":""
}
```

© TM Forum 2023. All Rights Reserved.

Unregister listener

DELETE /hub/{id}

Description

Clears the communication endpoint address that was set by creating the Hub..

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

Usage Samples

Here's an example of a request for un-registering a listener.

Request

```
DELETE /api/hub/42

Accept: application/json
```

Response

```
204
```

Publish Event to listener

POST /client/listener

Description

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

Behavior

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

Usage Samples

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

Request

© TM Forum 2023. All Rights Reserved.

```
POST /client/listener

Accept: application/json

{
    "event": {
        EVENT BODY
    },
    "eventType": "EVENT_TYPE"
}
```

Response

```
201
```

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

© TM Forum 2023. All Rights Reserved.

Acknowledgements

Version History

Version Number	Date	Release led by:	Description
1.0	11/10/2017	Guillermo Martínez del Camino Telefónica guillermo.martinezdelcamino@telefonica.com	First Release of Draft Version of the Document.
2.0	24-Apr-2018	Guillermo Martínez del Camino	Renamed UserInteraction to PartyInteraction and added multiple modifications
2.0.1	29-Jun-2018	Adrienne Walcott	Formatting/style edits prior to R18 publishing.
2.0.2	10-Sep-2018	Adrienne Walcott	Updated to reflect TM Forum Approved Status
4.0.0	8-Apr-20	Jacob Avraham	Update version to reflect schema-driven api
5.0.0	4-Jun-23	Jacob Avraham jacoba@amdocs.com	Update version to algin with v5 guideline

Contributors to Document

Contributor	Comment
Guillermo Martínez del Camino Telefónica guillermo.martinezdelcamino@telefonica.com	
Jacob Avraham, Amdocs jacoba@amdocs.com	
Deepesh Jakkal, Amdocs deepesh.jakkal@amdocs.com	

© TM Forum 2023. All Rights Reserved.