TM Forum Specification

Privacy

TMF644

Maturity Level: General availability	**Team Approved Date: 29-09-2023**
Release Status: Production	**Approval Status: Team Approved**
Version 5.0.0	**IPR Mode: RAND**

© TM Forum 2023. All Rights Reserved.

NOTICE

Copyright © TM Forum 2023. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to TM FORUM, except as needed for the purpose of developing any document or deliverable produced by a TM FORUM Collaboration Project Team (in which case the rules applicable to copyrights, as set forth in the TM FORUM IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by TM FORUM or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and TM FORUM DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Direct inquiries to the TM Forum office:

181 New Road, Suite 304
Parsippany, NJ 07054, USA
Tel No. +1 862 227 1648
TM Forum Web Page: www.tmforum.org

Table of Contents

NOTICE . . . i
Introduction . . . 2
Sample Use Cases . . . 4
Use Case 1: Customer Subscribing to a Service Provider . . . 5
PartyPrivacyAgreemennt Life Cycle . . . 5
PartyPrivacyProfile Life Cycle . . . 6
PartyPrivacyProfileSpecification Life Cycle . . . 6
Support of polymorphism and extension patterns . . . 7
RESOURCE MODEL . . . 8
Managed Entity and Task Resource Models . . . 8
PartyPrivacyProfile resource . . . 8
PartyPrivacyAgreement resource . . . 18
PartyPrivacyProfileSpecification resource . . . 39
Notification Resource Models . . . 56
Party Privacy Profile Status Change Event . . . 57
Party Privacy Profile Attribute Value Change Event . . . 58
Party Privacy Profile Create Event . . . 59
Party Privacy Profile Delete Event . . . 61
Party Privacy Agreement Create Event . . . 62
Party Privacy Agreement Delete Event . . . 64
Party Privacy Agreement Status Change Event . . . 65
Party Privacy Agreement Attribute Value Change Event . . . 66
Party Privacy Profile Specification Create Event . . . 67
Party Privacy Profile Specification Status Change Event . . . 68
Party Privacy Profile Specification Attribute Value Change Event . . . 69
Party Privacy Profile Specification Delete Event . . . 70
API OPERATIONS . . . 72
Operations on PartyPrivacyProfile . . . 72
List or find PartyPrivacyProfile objects . . . 72
Retrieves a PartyPrivacyProfile by ID . . . 75
Creates a PartyPrivacyProfile . . . 77
Updates partially a PartyPrivacyProfile . . . 80
Deletes a PartyPrivacyProfile . . . 88
Operations on PartyPrivacyAgreement . . . 88
Retrieves a PartyPrivacyAgreement by ID . . . 88
List or find PartyPrivacyAgreement objects . . . 91
Creates a PartyPrivacyAgreement . . . 96
Updates partially a PartyPrivacyAgreement . . . 101
Deletes a PartyPrivacyAgreement . . . 113
Operations on PartyPrivacyProfileSpecification . . . 113

© TM Forum 2023. All Rights Reserved.

Retrieves a PartyPrivacyProfileSpecification by ID . . . 113
List or find PartyPrivacyProfileSpecification objects . . . 115
Creates a PartyPrivacyProfileSpecification . . . 118
Updates partially a PartyPrivacyProfileSpecification . . . 121
Deletes a PartyPrivacyProfileSpecification . . . 129
API NOTIFICATIONS . . . 130
Register listener . . . 130
Unregister listener . . . 131
Publish Event to listener . . . 131
Acknowledgements . . . 133
Release History . . . 133
Contributors to Document . . . 133

© TM Forum 2023. All Rights Reserved.

Introduction

The following document is the user guide of the REST API for Privacy management. It includes the model definition as well as all available operations. The following document is the specification of the REST API for Privacy management. It includes the model definition as well as all available operations.

The Privacy management API provides standardized mechanism for privacy profile specification, privacy profiles and privacy agreements such as creation, update, retrieval, deletion and notification of events.

Privacy management API manages the following data resources:

Privacy Profile Specification

- Privacy profile specification represents a description for privacy profiles.
- Main privacy profile specification attributes are its identifier, name, description, version, last update, lifecycle status, validity period, characteristics and their values, related parties, applicable roles.

Privacy Profile

- Privacy profile represents the set of Privacy settings defined for a Party
- Main privacy profile attributes are its identifier, name, description, date of creation, status, validity period, privacy profile specification, characteristics values, agreement, the party who has agreed and the party which the privacy is applicable for, typically the same party represents both the aggreged by and applicable for. In case of minor privacy the applicable for party is the minor and the agreed party is the parent.

Privacy Agreement

- Privacy agreement represents the approval made by the Party about a Party Privacy Profile
- Main privacy agreement attributes are its identifier, name, description, agreement period, initial date, completion date, document number, statement of intent, status, type, version, agreement specification, agreement items, engaged party, agreement authorization, characteristics, associated agreements, privacy profile and privacy profile characteristic values.

Privacy management API performs the following operations on privacy profile specification, privacy profiles and privacy agreements:

- Retrieval of a privacy profile specification, a privacy profile or a privacy agreement, or of a collection of them depending on filter criteria
- Partial update of a privacy profile specification, a privacy profile or a privacy agreement
- Creation of a privacy profile specification, a privacy profile or a privacy agreement
- Deletion of a privacy profile specification, a privacy profile or a privacy agreement (for administration purposes)

© TM Forum 2023. All Rights Reserved.

- Notification of events:
  - privacy profile specification create
  - privacy profile specification update
  - privacy profile specification delete
  - privacy profile create
  - privacy profile update
  - privacy profile delete
  - privacy agreement create
  - privacy agreement update
  - privacy agreement delete

© TM Forum 2023. All Rights Reserved.

Sample Use Cases


© TM Forum 2023. All Rights Reserved.

Use Case 1: Customer Subscribing to a Service Provider

Prospect Customer Subscribes to a Service Provider Service with Privacy Policy Right to Know for Marketing Purposes


AS A…
A Prospective Customer
I NEED TO…
provide PII required for the service and agree to a default Privacy Policy Agreement presented as part of Service Provider Contract Terms & Conditions
SO THAT I CAN….
Receive the desired Service, confident that my data will only be used in accordance with the Privacy Policy Agreement presented as part of Service Provider Contract Terms & Conditions
TO DO THIS I NEED…
To be able to view and understand the privacy policy structure, and the applicable privacy policy. To be able to opt in/out specific privacy policy for example email address

PartyPrivacyAgreemennt Life Cycle




© TM Forum 2023. All Rights Reserved.

PartyPrivacyProfile Life Cycle



PartyPrivacyProfileSpecification Life Cycle



© TM Forum 2023. All Rights Reserved.

Support of polymorphism and extension patterns

Support of polymorphic collections and types and schema based extension is provided by means of a list of generic meta-attributes that we describe below. Polymorphism in collections occurs when entities inherit from base entities, for instance a IndividualPrivacyProfile and EmployeePrivacyProfile inheriting properties from the PartyPrivacyProfile entity.

Generic support of polymorphism and pattern extensions is described in the TMF API Guidelines, Part 2 (TMF630).

The @type attribute provides a way to represent the actual class type of an entity. For example, within a list of PartyPrivacyProfile instances some may be instances of IndividualPrivacyProfile where other could be instances of EmployeePrivacyProfile. The @type gives this information. All resources and sub-resources of this API have a @type attributes that can be provided when this is useful.

The @referredType can be used within reference entities (like for instance an PartyPrivacyProfileRef object) to explicitly denote the actual entity type of the referred class. Notice that in reference entities the @type, when used, denotes the class type of the reference itself, such as IndividualPrivacyProfileRef or EmployeePrivacyProfileRef, and not the class type of the referred object. However since reference classes are rarely sub-classed, @type is generally not useful in reference objects.

The @schemaLocation property can be used in resources to allow specifying user-defined properties of an Entity or to specify the expected characteristics of an entity.

The @baseType attribute gives a way to provide explicitly the base of class of a given resource that has been extended.

© TM Forum 2023. All Rights Reserved.

RESOURCE MODEL

Managed Entity and Task Resource Models

PartyPrivacyProfile resource

A Party Privacy Profile represents the set of Privacy settings defined for a Party.

Resource model

© TM Forum 2023. All Rights Reserved.




Figure 1 - PartyPrivacyProfile

© TM Forum 2023. All Rights Reserved.




Figure 2 - Characteristic

Field descriptions

PartyPrivacyProfile fields

agreedByParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
agreement	A PartyPrivacyAgreementRef. Reference to Party Privacy Agreement resource.
applicableForParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
creationDate	A DateTime. The date on which the PartyPrivacyProfile was created.
description	A String. Description of the privacy profile.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
lastUpdate	A DateTime. Date and time when the PartyPrivacyProfile was last updated.
name	A String. Name of the privacy profile.
partyPrivacyProfileCharacteristic	A PartyPrivacyProfileCharacteristic. List of characteristics of the privacy profile.
partyPrivacyProfileSpecification	A PartyPrivacyProfileSpecificationRef. Reference to Party Privacy Specification resource.

© TM Forum 2023. All Rights Reserved.

status	A String. The status of this profile (for example: created, terminated, etc.).
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Characteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CharacteristicRelationship sub-resource fields

id	A String. Unique identifier of the characteristic.
relationshipType	A String. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

FloatCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Float. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An Integer.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An Integer. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

MapAnyCharacteristicValue sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.

© TM Forum 2023. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object.

© TM Forum 2023. All Rights Reserved.

valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyAgreementRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyProfileCharacteristic sub-resource fields

characterisitc	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
privacyUsagePurpose	A String. Defines the purpose authorized or refused for the characteristic (e.g. ADMIN, INFORMATION, MARKETING, RESEARCH, etc.
relatedParty	A RelatedPartyRefOrPartyRoleRef. A list of parties to which the allowed use of the characteristic applies.

© TM Forum 2023. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyProfileSpecificationRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A String.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A String. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'PartyPrivacyProfile' resource object.

```
{
    "id": "109",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
    "@type" : "PartyPrivacyProfile",
    "creationDate": "2019-09-06T04:54:42.690Z",
    "description": "Individual Privacy Profile",
    "name": "individual Consents",
    "status": "created",
    "agreedByParty": {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "role": "Individual",
      "@referredType": "Individual"
    },
    "agreement": {
      "id": "Agreement_5667789jjhbjklb7878",
      "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
      "name": "agreement"
    },
    "applicableForParty": {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "role": "owner",
      "@referredType": "Individual"
    },
    "partyPrivacyProfileCharacteristic": [
      {
        "characterisitc": {
          "id": "43",
          "name": "emailAddress",
          "valueType": "string",
          "value": "Yes",
          "@type": "StringCharacteristic"
        },
        "privacyUsagePurpose": "ADMIN",
        "relatedParty": [
          {
            "id": "8632",
                "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
                "name": "John Doe",
                "role": "Vendor",
                "@referredType": "Individual"
          }
        ]
```

© TM Forum 2023. All Rights Reserved.

```
      }
    ],
    "partyPrivacyProfileSpecification": {
      "id": "PartyPrivacySpec_156bjhbjkbk57434",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/PartyPrivacySpec_156bjhbjkbk57434
",
      "name": "Individual Privacy Spec"
    },
    "validFor": {
      "endDateTime": "2020-09-09T04:54:42.691Z",
      "startDateTime": "2019-09-06T04:54:42.691Z"
    }
}
```


PartyPrivacyAgreement resource

A specific type of agreement that formalizes the privacy profiles requested for a party.

Resource model

© TM Forum 2023. All Rights Reserved.




Figure 3 - PartyPrivacyAgreement

© TM Forum 2023. All Rights Reserved.




Figure 4 - Agreement

© TM Forum 2023. All Rights Reserved.




Figure 5 - Characteristic

© TM Forum 2023. All Rights Reserved.




Figure 6 - Document

© TM Forum 2023. All Rights Reserved.

Field descriptions

PartyPrivacyAgreement fields

agreementAuthorization	An AgreementAuthorization. A business participant that is responsible for approving the agreement.
agreementItem	An AgreementItem. A part of the agreement expressed in terms of a product offering and possibly including specific terms and conditions.
agreementPeriod	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
agreementRelationship	An AgreementRelationship. A uni-directionmal relationship from this agreement to another agreement.
agreementSpecification	An AgreementSpecificationRef. Agreement specification reference. An AgreementSpecification represents a template of an agreement that can be used when establishing partnerships.
agreementType	A String. The type of the agreement. For example commercial.
characteristic	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
completionDate	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
description	A String. Narrative that explains the agreement and details about the it , such as why the agreement is taking place.
engagedParty	A PartyRefOrPartyRoleRef.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
initialDate	A DateTime. Date at which the agreement was initialized.
name	A String. A human-readable name for the agreement.
partyPrivacyProfile	A PartyPrivacyProfileRef. The privacy profiles that are the subject of the agreement.
partyPrivacyProfileCharacteristic	A PartyPrivacyProfileCharacteristic. A list of (typically) high criticality characteristics whose chosen privacy rules are included in the agreement.
relatedDocument	A RelatedDocumentRefOrValue. Documents related to the agreement, suc as signed off contract.
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
statementOfIntent	A String. An overview and goals of the Agreement.
status	A String. The current status of the agreement. Typical values are: in process, approved and rejected.
version	A String. A string identifying the version of the agreement.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Agreement sub-resource fields

agreementAuthorization	An AgreementAuthorization. A business participant that is responsible for approving the agreement.
agreementItem	An AgreementItem. A part of the agreement expressed in terms of a product offering and possibly including specific terms and conditions.
agreementPeriod	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
agreementRelationship	An AgreementRelationship. A uni-directionmal relationship from this agreement to another agreement.
agreementSpecification	An AgreementSpecificationRef. Agreement specification reference. An AgreementSpecification represents a template of an agreement that can be used when establishing partnerships.
agreementType	A String. The type of the agreement. For example commercial.
characteristic	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
completionDate	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
description	A String. Narrative that explains the agreement and details about the it , such as why the agreement is taking place.
engagedParty	A PartyRefOrPartyRoleRef.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
initialDate	A DateTime. Date at which the agreement was initialized.
name	A String. A human-readable name for the agreement.
relatedDocument	A RelatedDocumentRefOrValue. Documents related to the agreement, suc as signed off contract.
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
statementOfIntent	A String. An overview and goals of the Agreement.
status	A String. The current status of the agreement. Typical values are: in process, approved and rejected.
version	A String. A string identifying the version of the agreement.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementAuthorization sub-resource fields

date	A DateTime. The date associated with the authorization state.
signatureRepresentation	A String. Indication that represents whether the signature is a physical paper signature or a digital signature.
state	A String. Current status of the authorization, for example in process, approved, rejected.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementItem sub-resource fields

id	A String. Identifier of the Agreement item (generally it is a sequence number 01, 02, 03, …).
termOrCondition	An AgreementTermOrCondition. Aspects of the agreement not formally specified elsewhere in the agreement and that cannot be captured elsewhere in a formal notation, or automatically monitored and require a more human level of management.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementRelationship sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
relationshipType	A String. Type of relationship such as containment, substitution, dependency, exclusivity.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementSpecificationRef sub-resource fields

description	A String. A narrative that explains in detail what the agreement specification is about.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementTermOrCondition sub-resource fields

description	A String. Text that explains the term or condition of the agreement.
id	A String. Unique number assigned for reference.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Attachment sub-resource fields

attachmentType	A String. A business characterization of the purpose of the attachment, for example logo, instructionManual, contractCopy.
content	A Base64. The actual contents of the attachment object, if embedded, encoded as base64.
description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.

© TM Forum 2023. All Rights Reserved.

mimeType	A String. A technical characterization of the attachment content format using IETF Mime Types.
name	A String. The name of the attachment.
size	A Quantity. An amount in a given unit.
url	A String. Uniform Resource Locator, is a web page address (a subset of URI).
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AttachmentRef sub-resource fields

description	A String. A narrative text describing the content of the attachment.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
url	A String. Link to the attachment media/content.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CategoryRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
version	A String. Version of the category.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2023. All Rights Reserved.

@type	A String. When sub-classing, this defines the sub-class Extensible name.

Characteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CharacteristicRelationship sub-resource fields

id	A String. Unique identifier of the characteristic.
relationshipType	A String. The type of relationship.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Document sub-resource fields

attachment	An AttachmentRefOrValue. The polymorphic attributes @type, @schemaLocation & @referredType are related to the Attachment entity and not the AttachmentRefOrValue class itself.
category	A CategoryRef. Reference to a category in the catalog.
characteristic	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
creationDate	A DateTime. The date and time the document was created. A date and time formatted in compliance with the ISO8601 standard must be used.
description	A String. Free-text description of the document.
documentRelationship	A DocumentRef.
documentSpecification	A DocumentSpecification. A document specification reference.
documentType	A String. Name of the document type.
href	A String. Hyperlink reference.

© TM Forum 2023. All Rights Reserved.

id	A String. Unique identifier.
lastUpdate	A DateTime. The date and time the document was last modified. A date and time formatted in compliance with the ISO8601 standard must be used.
lifecycleState	A String. The life cycle state of the document.
name	A String. A string used to give a name to the document.
relatedEntity	A RelatedEntity. A reference to an entity, where the type of the entity is not known in advance.
relatedParty	A RelatedPartyRefOrPartyRoleRef. RelatedParty reference. A related party defines party or party role or its reference, linked to a specific entity.
version	A String. A particular form or variety of an artefact that is different from others or from the original. The form represents differences in properties that characterize an artefact, that are not enough to warrant creating a new artefact.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

DocumentRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

DocumentSpecification sub-resource fields

URL	A String. URL of the Document Specification.
id	A String. Indentifier of the DocumentSpecification.
name	A String. A String. Name of the DocumentSpecification.
version	A String. A string, a version of the DocumentSpecification.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

EntityRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

FloatCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Float. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An Integer.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An Integer. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

MapAnyCharacteristicValue sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number.
valueType	A String. Data type of the value of the characteristic.

© TM Forum 2023. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A Number. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	An object. Value of the characteristic.

© TM Forum 2023. All Rights Reserved.

valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyProfileCharacteristic sub-resource fields

characterisitc	A Characteristic. Describes a given characteristic of an object or entity through a name/value pair.
privacyUsagePurpose	A String. Defines the purpose authorized or refused for the characteristic (e.g. ADMIN, INFORMATION, MARKETING, RESEARCH, etc.
relatedParty	A RelatedPartyRefOrPartyRoleRef. A list of parties to which the allowed use of the characteristic applies.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyProfileRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ProductAgreementItem sub-resource fields

id	A String. Identifier of the Agreement item (generally it is a sequence number 01, 02, 03, …).
product	A ProductRef. The list of products indirectly referred by this agreement item (since an agreement item refers primarily to product offerings).
productOffering	A ProductOfferingRef. The list of product offerings referred by this agreement item.
termOrCondition	An AgreementTermOrCondition. Aspects of the agreement not formally specified elsewhere in the agreement and that cannot be captured elsewhere in a formal notation, or automatically monitored and require a more human level of management.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ProductOfferingRef sub-resource fields

href	A String. Hyperlink reference.

© TM Forum 2023. All Rights Reserved.

id	A String. Unique identifier.
name	A String. Name of the referred entity.
version	A String. Version of the product offering.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ProductRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedDocumentRefOrValue sub-resource fields

document	A DocumentRefOrValue.
role	A String.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedEntity sub-resource fields

entity	An EntityRef. Entity reference schema to be use for all entityRef class.
role	A String.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2023. All Rights Reserved.

@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringArrayCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A String.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristic sub-resource fields

characteristicRelationship	A CharacteristicRelationship. Another Characteristic that is related to the current Characteristic;.
id	A String. Unique identifier of the characteristic.
name	A String. Name of the characteristic.
value	A String. Value of the characteristic.
valueType	A String. Data type of the value of the characteristic.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

© TM Forum 2023. All Rights Reserved.

Json representation sample(s)

We provide below a JSON representation as example of the 'PartyPrivacyAgreement' resource object.


```
{
    "id": "6810",
    "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
    "@type" : "PartyPrivacyAgreement",
    "agreementType": "commercial",
    "description": "This agreements is between the individual user annd the service
provider ...",
    "relatedDocument": [
      {
        "@type": "RelatedDocumentRefOrValue",
        "role": "agreement",
        "document": {
          "@type": "DocumentRef",
          "@referredType": "Document",
          "href": "http://serverlocation:port/document/v5/document/1999",
          "id": "1999",
          "name" : "Agreeemnt document"
        }
      }
    ] ,
    "initialDate": "2019-08-06T09:56:38.679Z",
    "name": "Customer mass market privacy agreement",
    "statementOfIntent": "Agreement on customer mass market privacy profile",
    "status": "validated",
    "version": "1",
    "agreementAuthorization": [
      {
        "@type":"AgreementAuthorization",
        "date": "2019-08-06T09:56:38.679Z",
        "signatureRepresentation": "Digital",
        "state": "approved"
      }
    ],
    "agreementItem": [
      {
        "id": "6810_988",
        "@type" : "ProductAgreementItem",
        "productOffering": [
          {
            "id": "9559",
            "href": "https://host:port/productCatalog/v5/productOffering/7120",
            "name": "Magic Offer"
          }
        ],
        "termOrCondition": [
          {
            "id": "8905",
            "description": "This agreement term or condition",
            "validFor": {
              "endDateTime": "2019-09-06T09:56:38.679Z",
              "startDateTime": "2020-09-06T09:56:38.679Z"
            },
            "@type" : "AgreementTermOrCondition"
          }
        ]
```


© TM Forum 2023. All Rights Reserved.

```
        }
    ],
    "agreementPeriod": {
      "endDateTime": "2020-09-06T09:56:38.679Z",
      "startDateTime": "2019-09-06T09:56:38.679Z"
    },
    "agreementSpecification": {
      "id": "8139",
      "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
      "description": "This agreement specification defines the rules of privacy to
be followed by each party",
      "name": "General Agreement Specification",
      "@type": "AgreementSpecificationRef"
    },
    "agreementRelationship": [
      {
        "@type": "AgreementRelationship",
        "id": "987654",
        "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
        "name": "General Privacy Agreement",
        "relationshipType": "addendum "
      }
    ],
    "completionDate": {
      "endDateTime": "2020-09-06T09:56:38.679Z"
    },
    "relatedParty": [
      {
        "role": "customer agent",
        "@type": "PartyRefOrPartyRoleRef",
        "partyOrPartyRole": {
          "id": "5467",
          "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
          "name" : "Jack Simion",
          "@type": "PartyRef",
          "@referredType": "Individual"
        }
      }
    ],
    "engagedParty" :[
      {
        "id": "5467",
        "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
        "name": "Bob Smith",
        "@referredType": "Individual",
        "@type" : "PartyRef"
      }
    ],
    "partyPrivacyProfile": [
      {
        "id": "103",
        "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
        "name": "individual Consents",
        "@type" : "PartyPrivacyProfileRef"
      }
    ],
    "partyPrivacyProfileCharacteristic": [
      {
        "@type": "partyPrivacyProfileCharacteristic",
        "characterisitc": {
```


© TM Forum 2023. All Rights Reserved.

```
          "id": "43",
          "name": "emailAddress",
          "valueType": "string",
          "value": "Yes",
          "@type": "StringCharacteristic"
        },
        "privacyUsagePurpose": "ADMIN",
        "relatedParty": [
          {
            "role": "Vendor",
            "@type" : "PartyRefOrPartyRoleRef",
            "partyOrPartyRole": {
              "id": "8632",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
              "name": "John Doe",
              "@type" : "PartyRef",
              "@referredType": "Individual"
            }

          }
        ]
      }
    ]
}
```


PartyPrivacyProfileSpecification resource

Party Privacy Profile Specification serves as a template for creating Privacy Profiles. The specification defines characteristics for the profile. For example there might be a profile specification for residential customers, and a different specification for partners.

Resource model

© TM Forum 2023. All Rights Reserved.




Figure 7 - PartyPrivacyProfileSpecification

© TM Forum 2023. All Rights Reserved.




Figure 8 - CharacteristicSpecification

© TM Forum 2023. All Rights Reserved.




Figure 9 - CharacteristicValueSpecification

Field descriptions

PartyPrivacyProfileSpecification fields

applicableRole	A PartyPrivacyRoleSpecification. A list of roles to which this specification can apply. For example: Shop Agent, Call Center Agent.
description	A String. Description of the specification.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
lastUpdate	A DateTime. Date and time when the specification was last updated.
lifecycleStatus	A String. Lifecycle status of the specification (for example: In Design, Active, Rejected, Retired).
name	A String. Name of the specification.
productOffering	A ProductOfferingRef. ProductOffering reference. A product offering represents entities that are orderable from the provider of the catalog, this resource includes pricing information.
relatedParty	A RelatedPartyRefOrPartyRoleRef. List of parties or party roles involved in the definition or management of the specification.
specCharacteristic	A PartyPrivacyProfileSpecificationCharacteristic. List of characteristics of the specification, whose values would typically be supplied when the profile is instantiated.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
version	A String. The version of the specification, in case it is desired to maintain multiple versions of profile specifications.
@baseType	A String. When sub-classing, this defines the super-class.

© TM Forum 2023. All Rights Reserved.

@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

AgreementSpecificationRef sub-resource fields

description	A String. A narrative that explains in detail what the agreement specification is about.
href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

CharacteristicSpecification sub-resource fields

charSpecRelationship	A CharacteristicSpecificationRelationship. An aggregation, migration, substitution, dependency or exclusivity relationship between/among Specification Characteristics.
characteristicValueSpecification	A CharacteristicValueSpecification. A CharacteristicValueSpecification object is used to define a set of attributes, each of which can be assigned to a corresponding set of attributes in a CharacteristicSpecification object. The values of the attributes in the CharacteristicValueSpecification object describe the values of the attributes that a corresponding Characteristic object can take on.
configurable	A Boolean. If true, the Boolean indicates that the target Characteristic is configurable.
description	A String. A narrative that explains the CharacteristicSpecification.
extensible	A Boolean. An indicator that specifies that the values for the characteristic can be extended by adding new values when instantiating a characteristic for a resource.
id	A String. Unique ID for the characteristic.
isUnique	A Boolean. Specifies if the value of this characteristic is unique across all entities instantiated from the specification that uses this characteristc. For example, consider a ProductSpecification for a set-top box, with a CharacteristicSpecification cardID. Each set-top box must have a different value for cardID, so this isUnique attribute would be set to true for the characteristic.

© TM Forum 2023. All Rights Reserved.

maxCardinality	An Integer. The maximum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where five is the value for the maxCardinality.
minCardinality	An Integer. The minimum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where zero is the value for the minCardinality.
name	A String. A word, term, or phrase by which this characteristic specification is known and distinguished from other characteristic specifications.
regex	A String. A rule or principle represented in regular expression used to derive the value of a characteristic value.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
valueType	A String. A kind of value that the characteristic can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.
@valueSchemaLocation	A String. This (optional) field provides a link to the schema describing the value type.

CharacteristicSpecificationRelationship sub-resource fields

characteristicSpecificationId	A String. Unique identifier of the characteristic within the specification.
name	A String. Name of the target characteristic within the specification.
parentSpecificationHref	A Uri. Hyperlink reference to the parent specification containing the target characteristic.
parentSpecificationId	A String. Unique identifier of the parent specification containing the target characteristic.
relationshipType	A String. Type of relationship such as aggregation, migration, substitution, dependency, exclusivity.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

© TM Forum 2023. All Rights Reserved.

CharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerArrayCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An Integer.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.

© TM Forum 2023. All Rights Reserved.

valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

IntegerCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An Integer. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

MapArrayCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.

© TM Forum 2023. All Rights Reserved.

unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An object.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

MapCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An object. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.

© TM Forum 2023. All Rights Reserved.

@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberArrayCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A Number.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

NumberCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.

© TM Forum 2023. All Rights Reserved.

value	A Number. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectArrayCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An object.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ObjectCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.

© TM Forum 2023. All Rights Reserved.

rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	An object. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyPrivacyProfileSpecificationCharacteristic sub-resource fields

allowedRole	A PartyRoleSpecificationRef. A list of roles in the organization who are allowed access to this characteristic.
charSpecRelationship	A CharacteristicSpecificationRelationship. An aggregation, migration, substitution, dependency or exclusivity relationship between/among Specification Characteristics.
characteristicValueSpecification	A CharacteristicValueSpecification. A CharacteristicValueSpecification object is used to define a set of attributes, each of which can be assigned to a corresponding set of attributes in a CharacteristicSpecification object. The values of the attributes in the CharacteristicValueSpecification object describe the values of the attributes that a corresponding Characteristic object can take on.
configurable	A Boolean. If true, the Boolean indicates that the target Characteristic is configurable.
criticalityLevel	A String. Level of criticality for this characteristic of personal identifiable information (e.g. in terms of the damage if this item was breached), such as low, medium, high.
description	A String. A narrative that explains the CharacteristicSpecification.

© TM Forum 2023. All Rights Reserved.

extensible	A Boolean. An indicator that specifies that the values for the characteristic can be extended by adding new values when instantiating a characteristic for a resource.
id	A String. Unique ID for the characteristic.
isUnique	A Boolean. Specifies if the value of this characteristic is unique across all entities instantiated from the specification that uses this characteristc. For example, consider a ProductSpecification for a set-top box, with a CharacteristicSpecification cardID. Each set-top box must have a different value for cardID, so this isUnique attribute would be set to true for the characteristic.
maxCardinality	An Integer. The maximum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where five is the value for the maxCardinality.
minCardinality	An Integer. The minimum number of instances a CharacteristicValue can take on. For example, zero to five phone numbers in a group calling plan, where zero is the value for the minCardinality.
name	A String. A word, term, or phrase by which this characteristic specification is known and distinguished from other characteristic specifications.
privacyType	A String. Type of privacy (e.g. Internal Purpose, External Purpose, Internal Retention, External Retention).
privacyUsagePurpose	A String. Defines the purpose authorized or refused for the characteristic (e.g. ADMIN, INFORMATION, MARKETING, RESEARCH).
regex	A String. A rule or principle represented in regular expression used to derive the value of a characteristic value.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
valueType	A String. A kind of value that the characteristic can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.
@valueSchemaLocation	A String. This (optional) field provides a link to the schema describing the value type.

PartyPrivacyRoleSpecification sub-resource fields

agreementSpecification	An AgreementSpecificationRef. Agreement specification reference. An AgreementSpecification represents a template of an agreement that can be used when establishing partnerships.
href	A String. Hyperlink reference.

© TM Forum 2023. All Rights Reserved.

id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
partyId	A String. The identifier of the engaged party that is linked to the PartyRole object.
partyName	A String. The name of the engaged party that is linked to the PartyRole object.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

PartyRoleSpecificationRef sub-resource fields

© TM Forum 2023. All Rights Reserved.

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

ProductOfferingRef sub-resource fields

href	A String. Hyperlink reference.
id	A String. Unique identifier.
name	A String. Name of the referred entity.
version	A String. Version of the product offering.
@baseType	A String. When sub-classing, this defines the super-class.
@referredType	A String. The actual type of the target instance when needed for disambiguation.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

RelatedPartyRefOrPartyRoleRef sub-resource fields

partyOrPartyRole	A PartyRefOrPartyRoleRef.
role	A String. Role played by the related party or party role in the context of the specific entity it is linked to. Such as 'initiator', 'customer', 'salesAgent', 'user'.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringArrayCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.

© TM Forum 2023. All Rights Reserved.

rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A String.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.
@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

StringCharacteristicValueSpecification sub-resource fields

isDefault	A Boolean. If true, the Boolean Indicates if the value is the default value for a characteristic.
rangeInterval	A String. An indicator that specifies the inclusion or exclusion of the valueFrom and valueTo attributes. If applicable, possible values are "open", "closed", "closedBottom" and "closedTop".
regex	A String. A regular expression constraint for given value.
unitOfMeasure	A String. A length, surface, volume, dry measure, liquid measure, money, weight, time, and the like. In general, a determinate quantity or magnitude of the kind designated, taken as a standard of comparison for others of the same kind, in assigning to them numerical values, as 1 foot, 1 yard, 1 mile, 1 square foot.
validFor	A TimePeriod. A period of time, either as a deadline (endDateTime only) a startDateTime only, or both.
value	A String. Value of the characteristic.
valueFrom	An Integer. The low range value that a characteristic can take on.
valueTo	An Integer. The upper range value that a characteristic can take on.
valueType	A String. A kind of value that the characteristic value can take on, such as numeric, text and so forth.

© TM Forum 2023. All Rights Reserved.

@baseType	A String. When sub-classing, this defines the super-class.
@schemaLocation	A String. A URI to a JSON-Schema file that defines additional attributes and relationships.
@type	A String. When sub-classing, this defines the sub-class Extensible name.

Json representation sample(s)

We provide below a JSON representation as example of the 'PartyPrivacyProfileSpecification' resource object.


```
{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "@type": "PartyPrivacyProfileSpecification",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "active",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
```


© TM Forum 2023. All Rights Reserved.

```
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  }

}
```


Notification Resource Models

12 notifications are defined for this API.

Notifications related to PartyPrivacyProfile:

- Party Privacy Profile Status Change Event
- Party Privacy Profile Attribute Value Change Event
- Party Privacy Profile Create Event
- Party Privacy Profile Delete Event

Notifications related to PartyPrivacyAgreement:

- Party Privacy Agreement Create Event
- Party Privacy Agreement Delete Event
- Party Privacy Agreement Status Change Event
- Party Privacy Agreement Attribute Value Change Event

Notifications related to PartyPrivacyProfileSpecification:

- Party Privacy Profile Specification Create Event
- Party Privacy Profile Specification Status Change Event
- Party Privacy Profile Specification Attribute Value Change Event

© TM Forum 2023. All Rights Reserved.

- Party Privacy Profile Specification Delete Event

The notification structure for all notifications in this API follow the pattern depicted by the figure below. A notification event resource (depicted by "SpecificEvent" placeholder) is a sub class of a generic Event structure containing at least an id of the event occurrence (eventId), an event timestamp (eventTime), and the name of the resource (eventType). This notification structure owns an event payload structure ("SpecificEventPayload" placeholder) linked to the resource concerned by the notification using the resource name as access field ("resourceName" placeholder).




Figure 10 Notification Pattern

Party Privacy Profile Status Change Event

Message example for PartyPrivacyProfileStatuseChangeEvent event

```
Content-Type: application/json

{
    "correlationId": "06b52b7a-ecfe",
    "description": "PartyPrivacyProfileStatusChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "45bc-8937-fe1bc98c7099",
    "eventTime": "2022-08-25T12:20:32.693Z",
    "eventType": "PartyPrivacyProfileStatusChangeEvent",
```

© TM Forum 2023. All Rights Reserved.

```
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:26.936Z",
    "title": "PartyPrivacyProfileStatusChangeEvent",
    "event": {
        "partyPrivacyProfile": {
            "id": "109",
            "href": "http://servername//tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
            "@type" : "PartyPrivacyProfile",
            "status": "retired"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileStatusChangeEvent"
}
```


Party Privacy Profile Attribute Value Change Event

Message example for PartyPrivacyProfileAttributeValueChangevent event


```
Content-Type: application/json

{
    "correlationId": "05ec39be-04b6",
    "description": "PartyPrivacyProfileAttributeValueChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "4010-b413-c5c9159fc79d",
    "eventTime": "2022-08-25T12:20:32.675Z",
    "eventType": "PartyPrivacyProfileAttributeValueChangeEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:32.016Z",
    "title": "PartyPrivacyProfileAttributeValueChangeEvent",
    "event": {
        "partyPrivacyProfile":
        {
          "id": "109",
          "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
          "@type" : "PartyPrivacyProfile",
          "partyPrivacyProfileCharacteristic": [
            {
              "@type":"partyPrivacyProfileCharacteristic",
              "characterisitc": {
                "id": "43",
                "name": "emailAddress",
                "valueType": "string",
                "value": "Yes",
                "@type": "StringCharacteristic"
```


© TM Forum 2023. All Rights Reserved.

```
              },
              "privacyUsagePurpose": "ADMIN",
              "relatedParty": [
                {
                  "id": "8632",
                  "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
                  "name": "John Doe",
                  "role": "Vendor",
                  "@referredType": "Individual",
                  "@type":"PartyRef"
                }
              ]
            }
          ]
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileAttributeValueChangeEvent"
}
```


Party Privacy Profile Create Event

Message example for PartyPrivacyProfileCreateEvent event


```
Content-Type: application/json

{
    "correlationId": "a0aae29d-94bd",
    "description": "PartyPrivacyProfileCreateEvent illustration",
    "domain": "Commercial",
    "eventId": "4420-b098-1d6acf210c4e",
    "eventTime": "2022-08-25T12:20:32.668Z",
    "eventType": "PartyPrivacyProfileCreateEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:28.408Z",
    "title": "PartyPrivacyProfileCreateEvent",
    "event": {
        "partyPrivacyProfile":
        {
          "id": "109",
          "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
          "creationDate": "2019-09-06T04:54:42.690Z",
          "description": "Individual Privacy Profile",
          "name": "individual Consents",
          "status": "created",
          "agreedByParty": {
```


© TM Forum 2023. All Rights Reserved.

```
            "role": "owner",
            "partyOrPartyRole" : {
              "id": "9176",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/9176",
              "name": "Sandy Smith",
              "@type": "PartyRef",
              "@referredType": "Individual"
            },
            "@type" : "RelatedPartyRefOrPartyRoleRef"
          },
          "agreement": {
            "id": "Agreement_5667789jjhbjklb7878",
            "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
            "name": "agreement",
            "@type": "PartyPrivacyAgreementRef"
          },
          "applicableForParty": {
            "role": "user",
            "partyOrPartyRole" : {
              "id": "7889",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/7889",
              "name": "Smith junior",
              "@type": "PartyRef",
              "@referredType": "Individual"
            },
            "@type" : "RelatedPartyRefOrPartyRoleRef"
          },
          "partyPrivacyProfileCharacteristic": [
            {
              "@type": "PartyPrivacyProfileCharacteristic",
              "characterisitc": {
                "id": "43",
                "name": "emailAddress",
                "valueType": "string",
                "value": "Yes",
                "@type": "StringCharacteristic"
              },
              "privacyUsagePurpose": "ADMIN",
              "relatedParty": [
                {
                  "role": "Vendor",
                  "partyOrPartyRole" : {
                    "id": "8632",
                    "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
                    "name": "John Doe",
                    "@type": "PartyRef",
                    "@referredType": "Individual"
                  },
                  "@type" : "RelatedPartyRefOrPartyRoleRef"
                }
              ]
            }
          ],
          "partyPrivacyProfileSpecification": {
            "id": "103",
            "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/103",
            "name": "Individual Privacy",
            "@type": "partyPrivacyProfileSpecificationRef"
```


© TM Forum 2023. All Rights Reserved.

```
            },
            "validFor": {
              "endDateTime": "2020-09-09T04:54:42.691Z",
              "startDateTime": "2019-09-06T04:54:42.691Z"
            },
            "@type": "PartyPrivacyProfile"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileCreateEvent"
}
```


Party Privacy Profile Delete Event

Message example for PartyPrivacyProfileDeleteEvent event


```
Content-Type: application/json

{
    "correlationId": "c34a42ca-498e",
    "description": "PartyPrivacyProfileDeleteEvent illustration",
    "domain": "Commercial",
    "eventId": "4942-89e4-eed1a99f3a40",
    "eventTime": "2022-08-25T12:20:32.683Z",
    "eventType": "PartyPrivacyProfileDeleteEvent",
    "priority": "5",
    "timeOcurred": "2022-08-25T12:20:26.320Z",
    "title": "PartyPrivacyProfileDeleteEvent",
    "event": {
        "partyPrivacyProfile": {
            "id": "109",
            "href": "http://servername/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
            "@type" : "PartyPrivacyProfile"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
```


© TM Forum 2023. All Rights Reserved.

```
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileDeleteEvent"
}
```

Party Privacy Agreement Create Event

Message example for PartyPrivacyAgreementCreateEvent event

```
Content-Type: application/json

{
    "correlationId": "a0aae29d-94bd",
    "description": "PartyPrivacyAgreementCreateEvent illustration",
    "domain": "Commercial",
    "eventId": "4420-b098-1d6acf210c4e",
    "eventTime": "2022-08-25T12:20:32.668Z",
    "eventType": "PartyPrivacyAgreementCreateEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:28.408Z",
    "title": "PartyPrivacyAgreementCreateEvent",
    "event": {
        "partyPrivacyAgreement":
        {
          "id": "6810",
          "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
          "@type" : "PartyPrivacyAgreement",
          "agreementType": "commercial",
          "description": "This agreements is between the individual user annd the
service provider ...",
          "relatedDocument": [
            {
              "@type": "RelatedDocumentRefOrValue",
              "role": "string",
              "document": {
                "@type": "DocumentRef",
                "@referredType": "Document",
                "href": "http://serverlocation:port/document/v5/document/1999",
                "id": "1999",
                "name" : "Agreeemnt document"
              }
            }
          ] ,
          "initialDate": "2019-08-06T09:56:38.679Z",
          "name": "Customer mass market privacy agreement",
          "statementOfIntent": "Agreement on customer mass market privacy profile",
          "status": "initialized",
          "version": "1",
          "agreementItem": [
            {
              "id": "6810_988",
              "@type" : "ProductAgreementItem",
              "productOffering": [
                {
                  "id": "9559",
                  "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
                  "name": "Magic Offer",
                  "@type": "ProductOfferingRef"
                }
```

© TM Forum 2023. All Rights Reserved.

```
              ],
              "termOrCondition": [
                {
                  "id": "8905",
                  "description": "This agreement term or condition",
                  "validFor": {
                    "endDateTime": "2019-09-06T09:56:38.679Z",
                    "startDateTime": "2020-09-06T09:56:38.679Z"
                  },
                  "@type": "AgreementTermOrCondition"
                }
              ]
             }
          ],
          "agreementPeriod": {
            "endDateTime": "2020-09-06T09:56:38.679Z",
            "startDateTime": "2019-09-06T09:56:38.679Z"
          },
          "agreementSpecification": {
            "id": "8139",
            "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
            "description": "This agreement specification defines the rules of
privacy to be followed by each party",
            "name": "General Agreement Specification",
            "@type": "AgreementSpecificationRef"
          },
          "agreementRelationship": [
            {
              "@type": "AgreementRelationship",
              "id": "987654",
              "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
              "name": "General Privacy Agreement",
              "relationshipType": "addendum "
            }
          ],

          "relatedParty": [
            {
              "role": "customer agent",
              "@type": "PartyRefOrPartyRoleRef",
              "partyOrPartyRole": {
                "id": "5467",
                "href":
"http://serverlocation:port/partyManagement/v5/individual/5467",
                "name" : "Jack Simion",
                "@type": "PartyRef",
                "@referredType": "Individual"
              }
            }
          ],
          "engagedParty" :[
            {
              "id": "5467",
              "href":
"http://serverLocation:port/partyManagement/v5/individual/5467",
              "name": "Bob Smith",
              "@type" : "PartyRef",
              "@referredType": "Individual"
            }
          ],
          "partyPrivacyProfile": [
```


© TM Forum 2023. All Rights Reserved.

```
            {
              "@type":"PartyPrivacyProfileRef",
              "id": "103",
              "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
              "name": "individual Consents"
            }
          ],
          "partyPrivacyProfileCharacteristic": [
            {
              "@type": "partyPrivacyProfileCharacteristic",
              "characterisitc": {
                "id": "43",
                "name": "emailAddress",
                "valueType": "string",
                "value": "Yes",
                "@type": "StringCharacteristic"
              },
              "privacyUsagePurpose": "INFORMATION",
              "relatedParty": [
                {
                  "role": "Vendor",
                  "@type" : "PartyRefOrPartyRoleRef",
                  "partyOrPartyRole": {
                    "id": "8632",
                    "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
                    "name": "John Doe",
                    "@type" : "PartyRef",
                    "@referredType": "Individual"
                  }

                }
              ]
            }
          ]
        }
      },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyAgreementCreateEvent"
}
```


Party Privacy Agreement Delete Event

Message example for PartyPrivacyAgreementDeleteEvent event

```
Content-Type: application/json
```

© TM Forum 2023. All Rights Reserved.

```
{
    "correlationId": "c34a42ca-498e",
    "description": "PartyPrivacyAgreementDeleteEvent illustration",
    "domain": "Commercial",
    "eventId": "4942-89e4-eed1a99f3a40",
    "eventTime": "2022-08-25T12:20:32.683Z",
    "eventType": "PartyPrivacyAgreementDeleteEvent",
    "priority": "5",
    "timeOcurred": "2022-08-25T12:20:26.320Z",
    "title": "PartyPrivacyAgreementDeleteEvent",
    "event": {
        "partyPrivacyAgreement": {
            "id": "6810",
            "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
            "@type" : "PartyPrivacyAgreement"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyAgreementDeleteEvent"
}
```


Party Privacy Agreement Status Change Event

Message example for PartyPrivacyAgreementStatuseChangeEvent event


```
Content-Type: application/json

{
    "correlationId": "06b52b7a-ecfe",
    "description": "PartyPrivacyAgreementStatusChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "45bc-8937-fe1bc98c7099",
    "eventTime": "2022-08-25T12:20:32.693Z",
    "eventType": "PartyPrivacyAgreementStatusChangeEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:26.936Z",
    "title": "PartyPrivacyAgreementStatusChangeEvent",
    "event": {
        "partyPrivacyAgreement": {
            "id": "6810",
            "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
            "@type" : "PartyPrivacyAgreement",
            "status": "validated"
        }
    },
    "reportingSystem": {
```


© TM Forum 2023. All Rights Reserved.

```
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyAgreementStatusChangeEvent"
}
```

Party Privacy Agreement Attribute Value Change Event

Message example for PartyPrivacyAgreementAttributeValueChangeEvent event

```
Content-Type: application/json

{
    "correlationId": "05ec39be-04b6",
    "description": "PartyPrivacyAgreementAttributeValueChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "4010-b413-c5c9159fc79d",
    "eventTime": "2022-08-25T12:20:32.675Z",
    "eventType": "PartyPrivacyAgreementAttributeValueChangeEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:32.016Z",
    "title": "PartyPrivacyAgreementAttributeValueChangeEvent",
    "event": {
        "partyPrivacyAgreement": {
            "id": "6810",
            "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
            "@type" : "PartyPrivacyAgreement",
            "agreementAuthorization": [
                {
                    "@type":"agreementAuthorization",
                    "date": "2019-08-06T09:56:38.679Z",
                    "signatureRepresentation": "Digital",
                    "state": "approved"
                }
            ]
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
```

© TM Forum 2023. All Rights Reserved.

```
    "@type": "PartyPrivacyAgreementAttributeValueChangeEvent"
}
```

Party Privacy Profile Specification Create Event

Message example for PartyPrivacyProfileSpecificationCreateEvent event

```
Content-Type: application/json

{
    "correlationId": "a0aae29d-94bd",
    "description": "PartyPrivacyProfileSpecificationCreateEvent illustration",
    "domain": "Commercial",
    "eventId": "4420-b098-1d6acf210c4e",
    "eventTime": "2022-08-25T12:20:32.668Z",
    "eventType": "PartyPrivacyProfileSpecificationCreateEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:28.408Z",
    "title": "PartyPrivacyProfileSpecificationCreateEvent",
    "event": {
        "partyPrivacyProfileSpecification":
        {
          "id": "103",
          "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
          "@type": "PartyPrivacyProfileSpecification",
          "description": "This is the Individual Privacy Specification",
          "lastUpdate": "2019-07-06T10:36:30.709Z",
          "name": "Individual Privacy",
          "lifecycleStatus": "active",
          "version": "1",
          "applicableRole": [
            {
              "id" : "owner_123",
              "@type": "PartyPrivacyRoleSpecification",
              "name": "owner"
            }
          ],
          "specCharacteristic": [
            {
              "@type": "PartyPrivacyProfileSpecificationCharacteristic",
              "id": "42",
              "criticalityLevel": "low",
              "description": "Can EmailAddress be used for information purpose",
              "name": "emailAddress",
              "configurable": true,
              "privacyType": "InternalPurpose",
              "privacyUsagePurpose": "ADMIN",
              "allowedRole": [
                {
                  "id" : "vendor_123",
                  "@type": "PartyPrivacyRoleSpecification",
                  "name": "vendor"
                }
              ],
              "characteristicValueSpecification": [
                {
                  "isDefault": true,
                  "valueType": "string",
                  "value":"Yes",
```

© TM Forum 2023. All Rights Reserved.

```
                  "@type": "StringCharacteristicValueSpecification"
                },
                {
                  "isDefault": false,
                  "valueType": "string",
                  "value":"No",
                  "@type": "StringCharacteristicValueSpecification"
                }
              ],
              "validFor": {
                "endDateTime": "2019-09-06T10:36:30.709Z",
                "startDateTime": "2020-09-06T10:36:30.709Z"
              }

            }
          ],
          "relatedParty": [
            {
              "@type": "RelatedPartyRefOrPartyRoleRef",
                "role": "admin",
                "partyOrPartyRole": {
                  "@type": "PartyRef",
                  "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
                  "id": "203",
                  "name": "Mandy brown",
                  "@referredType": "Individual"
                }
            }
          ],
          "validFor": {
            "endDateTime": "2019-09-06T10:36:30.709Z",
            "startDateTime": "2020-09-06T10:36:30.709Z"
          }

        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileSpecificationCreateEvent"
}
```


Party Privacy Profile Specification Status Change Event

Message example for PartyPrivacyProfileSpecificationStatuseChangeEvent event


```
Content-Type: application/json

{
```


© TM Forum 2023. All Rights Reserved.

```
    "correlationId": "06b52b7a-ecfe",
    "description": "PartyPrivacyProfileSpecificationStatusChangeEvent illustration",
    "domain": "Commercial",
    "eventId": "45bc-8937-fe1bc98c7099",
    "eventTime": "2022-08-25T12:20:32.693Z",
    "eventType": "PartyPrivacyProfileSpecificationStatusChangeEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:26.936Z",
    "title": "PartyPrivacyProfileSpecificationStatusChangeEvent",
    "event": {
        "partyPrivacyProfileSpecification": {
            "id": "103",
            "href": "http://servername//tmf-
api/privacyManagement/v5/partyPrivacyProfileSpecification/103",
            "@type" : "PartyPrivacyProfileSpecification",
            "status": "retired"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileSpecificationStatusChangeEvent"
}
```


Party Privacy Profile Specification Attribute Value Change Event

Message example for PartyPrivacyProfileSpecificationAttributeValueChangevent event


```
Content-Type: application/json

{
    "correlationId": "05ec39be-04b6",
    "description": "PartyPrivacyProfileSpecificationAttributeValueChangeEvent
illustration",
    "domain": "Commercial",
    "eventId": "4010-b413-c5c9159fc79d",
    "eventTime": "2022-08-25T12:20:32.675Z",
    "eventType": "PartyPrivacyProfileSpecificationAttributeValueChangeEvent",
    "priority": "3",
    "timeOcurred": "2022-08-25T12:20:32.016Z",
    "title": "PartyPrivacyProfileSpecificationAttributeValueChangeEvent",
    "event": {
        "partyPrivacyProfileSpecification":
        {
          "id": "103",
          "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
          "@type": "PartyPrivacyProfileSpecification",
          "specCharacteristic": [
            {
```


© TM Forum 2023. All Rights Reserved.

```
              "@type": "PartyPrivacyProfileSpecificationCharacteristic",
              "id": "42",
              "criticalityLevel": "high",
              "description": "Can EmailAddress be used for information purpose",
              "name": "emailAddress",
              "configurable": true,
              "privacyType": "InternalPurpose",
              "privacyUsagePurpose": "ADMIN",
              "allowedRole": [
                {
                  "id" : "vendor_123",
                  "@type": "PartyPrivacyRoleSpecification",
                  "name": "vendor"
                }
              ],
              "characteristicValueSpecification": [
                {
                  "isDefault": true,
                  "valueType": "string",
                  "value":"Yes",
                  "@type": "StringCharacteristicValueSpecification"
                },
                {
                  "isDefault": false,
                  "valueType": "string",
                  "value":"No",
                  "@type": "StringCharacteristicValueSpecification"
                }
              ],
              "validFor": {
                "endDateTime": "2019-09-06T10:36:30.709Z",
                "startDateTime": "2020-09-06T10:36:30.709Z"
              }
            }
          ]
      }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "SpecificationPartyPrivacyProfileAttributeValueChangeEvent"
}
```


Party Privacy Profile Specification Delete Event

Message example for PartyPrivacyProfileSpecificationDeleteEvent event


```
Content-Type: application/json

{
```


© TM Forum 2023. All Rights Reserved.

```
    "correlationId": "c34a42ca-498e",
    "description": "PartyPrivacyProfileSpecificationDeleteEvent illustration",
    "domain": "Commercial",
    "eventId": "4942-89e4-eed1a99f3a40",
    "eventTime": "2022-08-25T12:20:32.683Z",
    "eventType": "PartyPrivacyProfileSpecificationDeleteEvent",
    "priority": "5",
    "timeOcurred": "2022-08-25T12:20:26.320Z",
    "title": "PartyPrivacyProfileSpecificationDeleteEvent",
    "event": {
        "partyPrivacyProfileSpecification": {
            "id": "103",
            "href": "http://servername/tmf-
api/privacyManagement/v5/partyPrivacyProfileSpecification/103",
            "@type" : "PartyPrivacyProfileSpecification"
        }
    },
    "reportingSystem": {
        "id": "665",
        "name": "APP-224",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "source": {
        "id": "403",
        "name": "APP-686",
        "@type": "ReportingResource",
        "@referredType": "LogicalResource"
    },
    "@baseType": "Event",
    "@type": "PartyPrivacyProfileSpecificationDeleteEvent"
}
```


© TM Forum 2023. All Rights Reserved.

API OPERATIONS

Remember the following Uniform Contract:

Operation on Entities	Uniform API Operation	Description
Query Entities	GET Resource	GET must be used to retrieve a representation of a resource.
Create Entity	POST Resource	POST must be used to create a new resource
Partial Update of an Entity	PATCH Resource	PATCH must be used to partially update a resource
Remove an Entity	DELETE Resource	DELETE must be used to remove a resource
Execute an Action on an Entity	POST on TASK Resource	POST must be used to execute Task Resources
Other Request Methods	POST on TASK Resource	GET and POST must not be used to tunnel other request methods.

Filtering and attribute selection rules are described in the TMF REST Design Guidelines.

Notifications are also described in a subsequent section.

Operations on PartyPrivacyProfile

List or find PartyPrivacyProfile objects

`GET /partyPrivacyProfile?fields=…`

Description

This operation list PartyPrivacyProfile entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of privacy profile(s). This operation list party privacy profile entities.Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation

Request

```
GET
/partyPrivacyProfile?agreedByPartypartyOrPartyRole.id=9176&agreedByParty.partyOrPart
yRole@referredType=Individual&status=created
Content-Type: application/json
```

© TM Forum 2023. All Rights Reserved.

Response

```
200

[
  {
    "id": "109",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
    "creationDate": "2019-09-06T04:54:42.690Z",
    "description": "Individual Privacy Profile",
    "name": "individual Consents",
    "status": "created",
    "agreedByParty": {
      "role": "owner",
      "partyOrPartyRole" : {
        "id": "9176",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      },
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "agreement": {
      "id": "Agreement_5667789jjhbjklb7878",
      "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
      "name": "agreement",
      "@type": "PartyPrivacyAgreementRef"
    },
    "applicableForParty": {
      "role": "user",
      "partyOrPartyRole" : {
        "id": "7889",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
        "name": "Smith junior",
        "@type": "PartyRef",
        "@referredType": "Individual"
      },
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "partyPrivacyProfileCharacteristic": [
      {
        "@type": "PartyPrivacyProfileCharacteristic",
        "characterisitc": {
          "id": "43",
          "name": "emailAddress",
          "valueType": "string",
          "value": "Yes",
          "@type": "StringCharacteristic"
        },
        "relatedParty": [
          {
            "role": "Vendor",
            "partyOrPartyRole" : {
              "id": "8632",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
              "name": "John Doe",
              "@type": "PartyRef",
```

© TM Forum 2023. All Rights Reserved.

```
              "@referredType": "Individual"
            },
            "@type" : "RelatedPartyRefOrPartyRoleRef"
          }
        ]
      }
    ],
    "partyPrivacyProfileSpecification": {
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/103",
      "name": "Individual Privacy",
      "@type": "partyPrivacyProfileSpecificationRef"
    },
    "validFor": {
      "endDateTime": "2020-09-09T04:54:42.691Z",
      "startDateTime": "2019-09-06T04:54:42.691Z"
    },
    "@type": "PartyPrivacyProfile"
},
{
  "id": "110",
  "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/110",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Employee Privacy Profile",
  "name": "employee Consents",
  "status": "created",
  "agreedByParty": {
    "role": "employee",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7877",
    "name": "employee privacy agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
```


© TM Forum 2023. All Rights Reserved.

```
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "104",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/104",
    "name": "Employee Privacy",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
]
```


Retrieves a PartyPrivacyProfile by ID

`GET /partyPrivacyProfile/{id}?fields=…`

Description

This operation retrieves a PartyPrivacyProfile entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Retrieve privacy profile type with id 109 - with all its attributes

Request

```
GET /partyPrivacyProfile/109
Content-Type: application/json
```

Response


```
200

{
  "id": "103",
  "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Individual Privacy Profile",
  "name": "individual Consents",
  "status": "created",
```


© TM Forum 2023. All Rights Reserved.

```
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
    "name": "agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "applicableForParty": {
    "role": "user",
    "partyOrPartyRole" : {
      "id": "7889",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
      "name": "Smith junior",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "103",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/103",
    "name": "Individual Privacy Spec",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
```


© TM Forum 2023. All Rights Reserved.

```
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
```

Creates a PartyPrivacyProfile

`POST /partyPrivacyProfile?fields=…`

Description

This operation creates a PartyPrivacyProfile entity.

Mandatory Attributes

Mandatory Attributes	Rule
agreedByParty	
agreedByParty.@type	
agreedByParty.role	
partyPrivacyProfileCharacteristic	
partyPrivacyProfileCharacteristic.@type	
partyPrivacyProfileSpecification	
partyPrivacyProfileSpecification.@type	
partyPrivacyProfileSpecification.id	
@type	

Usage samples

Creation of a new party privacy profile with POST operation

Request

```
POST /partyPrivacyProfile
Content-Type: application/json

{
  "description": "Individual Privacy Profile",
  "name": "Individual Consents",
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
```

© TM Forum 2023. All Rights Reserved.

```
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "agreement": {
      "id": "Agreement_5667789jjhbjklb7878",
      "name": "agreement",
      "@type": "PartyPrivacyAgreementRef"
    },
    "applicableForParty": {
      "role": "user",
      "partyOrPartyRole" : {
        "id": "7889",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
        "name": "Smith junior",
        "@type": "PartyRef",
        "@referredType": "Individual"
      },
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "partyPrivacyProfileCharacteristic": [
      {
        "@type":"PartyPrivacyProfileCharacteristic",
        "characterisitc": {
            "id": "43",
            "name": "emailAddress",
            "valueType": "string",
            "value": "Yes",
            "@type": "StringCharacteristic"
          },
          "privacyUsagePurpose": "ADMIN",
          "relatedParty": [
            {
              "role": "Vendor",
              "partyOrPartyRole" : {
                "id": "8632",
                "href": "https://mycsp.com:8080/tmf-
api/partyManagement/5/individual/8632",
                "name": "John Doe",
                "role": "Vendor",
                "@type": "PartyRef",
                "@referredType": "Individual"
              },
              "@type" : "RelatedPartyRefOrPartyRoleRef"
            }
          ]
        }
    ],
    "partyPrivacyProfileSpecification": {
      "id": "103",
      "name": "Individual Privacy ",
      "@type": "partyPrivacyProfileSpecificationRef"
    },
    "validFor": {
      "endDateTime": "2019-09-06T05:26:06.566Z",
      "startDateTime": "2019-09-06T05:26:06.566Z"
    },
    "@type": "PartyPrivacyProfile"
  }
```


Response

© TM Forum 2023. All Rights Reserved.

```
201

{
    "id": "109",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
    "creationDate": "2019-09-06T04:54:42.690Z",
    "description": "Individual Privacy Profile",
    "name": "individual Consents",
    "status": "created",
    "agreedByParty": {
      "role": "owner",
      "partyOrPartyRole" : {
        "id": "9176",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
        "name": "Sandy Smith",
        "@type": "PartyRef",
        "@referredType": "Individual"
      },
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "agreement": {
      "id": "Agreement_5667789jjhbjklb7878",
      "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
      "name": "agreement",
      "@type": "PartyPrivacyAgreementRef"
    },
    "applicableForParty": {
      "role": "user",
      "partyOrPartyRole" : {
        "id": "7889",
        "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
        "name": "Smith junior",
        "@type": "PartyRef",
        "@referredType": "Individual"
      },
      "@type" : "RelatedPartyRefOrPartyRoleRef"
    },
    "partyPrivacyProfileCharacteristic": [
      {
        "@type": "PartyPrivacyProfileCharacteristic",
        "characterisitc": {
          "id": "43",
          "name": "emailAddress",
          "valueType": "string",
          "value": "Yes",
          "@type": "StringCharacteristic"
        },
        "relatedParty": [
          {
            "role": "Vendor",
            "partyOrPartyRole" : {
              "id": "8632",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
              "name": "John Doe",
              "@type": "PartyRef",
              "@referredType": "Individual"
            },
            "@type" : "RelatedPartyRefOrPartyRoleRef"
          }
```

© TM Forum 2023. All Rights Reserved.

```
          ]
        }
      ],
      "partyPrivacyProfileSpecification": {
        "id": "103",
        "href": "https://mycsp.com:8080/tmf-
 api/privacyManagement/v5/partyPrivacySpecification/103",
        "name": "Individual Privacy",
        "@type": "partyPrivacyProfileSpecificationRef"
      },
      "validFor": {
        "endDateTime": "2020-09-09T04:54:42.691Z",
        "startDateTime": "2019-09-06T04:54:42.691Z"
      },
      "@type": "PartyPrivacyProfile"
 }
```


Updates partially a PartyPrivacyProfile

`PATCH /partyPrivacyProfile/{id}?fields=…`

Description

This operation allows partial updates of a PartyPrivacyProfile entity. Support of json/merge (https://tools.ietf.org/html/rfc7386) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optiona. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
creationDate	
href	
id	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
agreedByParty	
agreement	
applicableForParty	
description	
lastUpdate	
name	

© TM Forum 2023. All Rights Reserved.

Patchable Attributes	Rule
partyPrivacyProfileCharacteristic	
partyPrivacyProfileSpecification	
status	
validFor	

Usage samples

Here's an example of a request for updating a party privacy profile- Update party privacy profile characteristic. This example illustrating patch merge, When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyPrivacyProfile/109
Content-Type: application/merge-patch+json

{
  "@type": "PartyPrivacyProfile",
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ]
}
```

Response

```
200

{
  "id": "109",
  "href": "https://mycsp.com:8080/tmf-
```

© TM Forum 2023. All Rights Reserved.

```
api/privacyManagement/v5/partyPrivacyProfile/109",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Individual Privacy Profile",
  "name": "individual Consents",
  "status": "created",
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
    "name": "agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "applicableForParty": {
    "role": "user",
    "partyOrPartyRole" : {
      "id": "7889",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
      "name": "Smith junior",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v4/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "103",
    "href": "https://mycsp.com:8080/tmf-
```


© TM Forum 2023. All Rights Reserved.

```
api/privacyManagement/v5/partyPrivacySpecification/103",
    "name": "Individual Privacy",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
```

Here's an example of a request for updating a party privacy profile- Update party privacy profile characteristic. This example illustrating patch merge, When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyPrivacyProfile/109
Content-Type: application/json

{
  "@type": "PartyPrivacyProfile",
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ]
}
```

Response

```
200

{
  "id": "109",
  "href": "https://mycsp.com:8080/tmf-
```

© TM Forum 2023. All Rights Reserved.

```
api/privacyManagement/v5/partyPrivacyProfile/109",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Individual Privacy Profile",
  "name": "individual Consents",
  "status": "created",
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
    "name": "agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "applicableForParty": {
    "role": "user",
    "partyOrPartyRole" : {
      "id": "7889",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
      "name": "Smith junior",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v4/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "103",
    "href": "https://mycsp.com:8080/tmf-
```


© TM Forum 2023. All Rights Reserved.

```
api/privacyManagement/v5/partyPrivacySpecification/103",
    "name": "Individual Privacy",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
```

Here's an example of a request for updating a party privacy profile- Update party privacy profile status to terminated. This example illustrating patch json

Request

```
PATCH /partyPrivacyProfile/109
Content-Type: application/json-patch+json

{
  "op": "replace",
  "path": "/status",
  "value": "terminated"
}
```

Response

```
200

{
  "id": "109",
  "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Individual Privacy Profile",
  "name": "individual Consents",
  "status": "terminnated",
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
    "name": "agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "applicableForParty": {
    "role": "user",
```

© TM Forum 2023. All Rights Reserved.

```
    "partyOrPartyRole" : {
      "id": "7889",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
      "name": "Smith junior",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v4/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "103",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/103",
    "name": "Individual Privacy",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
```

Here's an example of a request for updating a party privacy profile- Update party privacy profile characterisitc id=43 with "value=No". This example illustrating json patch query

Request

```
PATCH /partyPrivacyProfile/109
Content-Type: application/json-patch-query+json

{
  "op": "replace",
  "path": "/partyPrivacyProfileCharacteristic/characterisitc?id=43",
```

© TM Forum 2023. All Rights Reserved.

```
  "value": {"value" : "No"}
}
```

Response

```
200

{
  "id": "109",
  "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/109",
  "creationDate": "2019-09-06T04:54:42.690Z",
  "description": "Individual Privacy Profile",
  "name": "individual Consents",
  "status": "terminnated",
  "agreedByParty": {
    "role": "owner",
    "partyOrPartyRole" : {
      "id": "9176",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/9176",
      "name": "Sandy Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "agreement": {
    "id": "Agreement_5667789jjhbjklb7878",
    "href": "https://mycsp.com:8080/tmf-
api/agreement/Agreement_5667789jjhbjklb7878",
    "name": "agreement",
    "@type": "PartyPrivacyAgreementRef"
  },
  "applicableForParty": {
    "role": "user",
    "partyOrPartyRole" : {
      "id": "7889",
      "href": "https://mycsp.com:8080/tmf-api/partyManagement/v5/individual/7889",
      "name": "Smith junior",
      "@type": "PartyRef",
      "@referredType": "Individual"
    },
    "@type" : "RelatedPartyRefOrPartyRoleRef"
  },
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "PartyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "No",
        "@type": "StringCharacteristic"
      },
      "relatedParty": [
        {
          "role": "Vendor",
          "partyOrPartyRole" : {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
```

© TM Forum 2023. All Rights Reserved.

```
api/partyManagement/v4/individual/8632",
            "name": "John Doe",
            "@type": "PartyRef",
            "@referredType": "Individual"
          },
          "@type" : "RelatedPartyRefOrPartyRoleRef"
        }
      ]
    }
  ],
  "partyPrivacyProfileSpecification": {
    "id": "103",
    "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacySpecification/103",
    "name": "Individual Privacy",
    "@type": "partyPrivacyProfileSpecificationRef"
  },
  "validFor": {
    "endDateTime": "2020-09-09T04:54:42.691Z",
    "startDateTime": "2019-09-06T04:54:42.691Z"
  },
  "@type": "PartyPrivacyProfile"
}
```

Deletes a PartyPrivacyProfile

`DELETE /partyPrivacyProfile/{id}`

Description

This operation deletes a PartyPrivacyProfile entity.

Usage samples

Here's an example of a request to delete party privacy profile

Request

```
DELETE /partyPrivacyProfile/109
Content-Type: application/json
```

Response

```
204
```

Operations on PartyPrivacyAgreement

Retrieves a PartyPrivacyAgreement by ID

`GET /partyPrivacyAgreement/{id}?fields=…`

Description

© TM Forum 2023. All Rights Reserved.

This operation retrieves a PartyPrivacyAgreement entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Retrieve party privacy agreement with id 6810 - with all its attributes

Request

```
GET /partyPrivacyAgreement/6810
Content-Type: application/json
```

Response

```
200

{
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type":"PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "initialized",
  "version": "1",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
```

© TM Forum 2023. All Rights Reserved.

```
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type": "AgreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"PartyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
```


© TM Forum 2023. All Rights Reserved.

```
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "INFORMATION",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```

List or find PartyPrivacyAgreement objects

GET /partyPrivacyAgreement?fields=…

Description

This operation list PartyPrivacyAgreement entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Retrieve party privacy agreement list - with all its attributes

Request

```
GET /partyPrivacyAgreement
Content-Type: application/json
```

Response

```
200
```

© TM Forum 2023. All Rights Reserved.

```
[
  {
    "id": "6810",
    "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
    "@type" : "PartyPrivacyAgreement",
    "agreementType": "commercial",
    "description": "This agreements is between the individual user annd the service
provider ...",
    "relatedDocument": [
      {
        "@type": "RelatedDocumentRefOrValue",
        "role": "string",
        "document": {
          "@type": "DocumentRef",
          "@referredType": "Document",
          "href": "http://serverlocation:port/document/v5/document/1999",
          "id": "1999",
          "name" : "Agreeemnt document"
        }
      }
    ] ,
    "initialDate": "2019-08-06T09:56:38.679Z",
    "name": "Customer mass market privacy agreement",
    "statementOfIntent": "Agreement on customer mass market privacy profile",
    "status": "validated",
    "version": "1",
    "agreementAuthorization": [
      {
        "@type" : "AgreementAuthorization",
        "date": "2019-08-06T09:56:38.679Z",
        "signatureRepresentation": "Digital",
        "state": "approved"
      }
    ],
    "agreementItem": [
      {
        "id": "6810_988",
        "@type" : "ProductAgreementItem",
        "productOffering": [
          {
            "id": "9559",
            "href": "https://host:port/productCatalog/v5/productOffering/9559",
            "name": "Magic Offer"
          }
        ],
        "termOrCondition": [
          {
            "id": "8905",
            "description": "This agreement term or condition",
            "validFor": {
              "endDateTime": "2019-09-06T09:56:38.679Z",
              "startDateTime": "2020-09-06T09:56:38.679Z"
            },
            "@type" : "AgreementTermOrCondition"
          }

        ]
       }
    ],
    "agreementPeriod": {
      "endDateTime": "2020-09-06T09:56:38.679Z",
```


© TM Forum 2023. All Rights Reserved.

```
      "startDateTime": "2019-09-06T09:56:38.679Z"
    },
    "agreementSpecification": {
      "@type" : "AgreementSpecificationRef",
      "id": "8139",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreementSpecification/
8139",
      "description": "This agreement specification defines the rules of privacy to
be followed by each party",
      "name": "General Agreement Specification"
    },
    "agreementRelationship": [
      {
        "@type" : "AgreementRelationship",
        "id": "987654",
        "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
        "name": "General Privacy Agreement",
        "relationshipType": "addendum "
      }
    ],
    "completionDate": {
      "endDateTime": "2020-09-06T09:56:38.679Z"
    },
    "relatedParty": [
      {
        "role": "customer agent",
        "@type": "PartyRefOrPartyRoleRef",
        "partyOrPartyRole": {
          "id": "5467",
          "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
          "name" : "Jack Simion",
          "@type": "PartyRef",
          "@referredType": "Individual"
        }
      }
    ],
    "engagedParty" :[
      {
        "id": "5467",
        "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
        "name": "Bob Smith",
        "@referredType": "Individual",
        "@type": "PartyRef"
      }
    ],
    "partyPrivacyProfile": [
      {
        "@type": "PartyPrivacyProfileRef",
        "id": "103",
        "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
        "name": "individual Consents"
      }
    ],
    "partyPrivacyProfileCharacteristic": [
      {
        "@type": "partyPrivacyProfileCharacteristic",
        "characterisitc": {
          "id": "43",
          "name": "emailAddress",
          "valueType": "string",
```


© TM Forum 2023. All Rights Reserved.

```
          "value": "Yes",
          "@type": "StringCharacteristic"
        },
        "privacyUsagePurpose": "ADMIN",
        "relatedParty": [
          {
            "role": "Vendor",
            "@type" : "PartyRefOrPartyRoleRef",
            "partyOrPartyRole": {
              "id": "8632",
              "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
              "name": "John Doe",
              "@type" : "PartyRef",
              "@referredType": "Individual"
            }

          }
        ]
      }
    ]
},
{
  "id": "6811",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6811",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1888",
        "id": "1888",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2022-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "validated",
  "version": "1",
  "agreementAuthorization": [
    {
      "@type" :"AgreementAuthorization",
      "date": "2022-08-06T09:56:38.679Z",
      "signatureRepresentation": "Digital",
      "state": "approved"
    }
  ],
  "agreementItem": [
    {
      "id": "6811_1111",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9550",
```


© TM Forum 2023. All Rights Reserved.

```
          "href": "https://host:port/productOffering/v5/productOffering/9550",
          "name": "Special Offer"
        }
      ],
      "termOrCondition": [
        {
          "@type":"AgreementTermOrCondition",
          "id": "8900",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2021-09-06T09:56:38.679Z",
            "startDateTime": "2022-09-06T09:56:38.679Z"
          }
        }
      ]
    }
  ],
  "agreementPeriod": {
    "endDateTime": "2022-09-06T09:56:38.679Z",
    "startDateTime": "2021-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type" : "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type":"agreementRelationship",
      "id": "987600",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987600",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],
  "completionDate": {
    "endDateTime": "2022-09-06T09:56:38.679Z"
  },
  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5499",
      "href": "http://serverLocation:port/partyManagement/individual/5499",
      "name": "Jermy Jim",
      "@type" : "PartyRef",
      "@referredType": "Individual"
```


© TM Forum 2023. All Rights Reserved.

```
    }
  ],
  "partyPrivacyProfile": [
    {
      "id": "1009",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/1009",
      "name": "individual Consents",
      "@type" : "PartyPrivacyProfileRef"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
]
```

Creates a PartyPrivacyAgreement

`POST /partyPrivacyAgreement?fields=…`

Description

This operation creates a PartyPrivacyAgreement entity.

Mandatory Attributes

Mandatory Attributes	Rule
agreementType	
engagedParty	
engagedParty.@type	

© TM Forum 2023. All Rights Reserved.

Mandatory Attributes	Rule
engagedParty.id	
name	
@type	

Usage samples

Here's an example of a request for creating a party privacy agreement, the resulting privacy profile agreement is 6810

Request

```
POST /partyPrivacyAgreement
Content-Type: application/json

{
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
```

© TM Forum 2023. All Rights Reserved.

```
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2019-09-06T09:56:38.679Z",
    "startDateTime": "2020-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type":"AgreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type": "PartyRef",
      "@referredType": "Individual"

    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
```


© TM Forum 2023. All Rights Reserved.

```
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```

Response

```
201

{
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "initialized",
  "version": "1",
  "agreementItem": [
    {
```

© TM Forum 2023. All Rights Reserved.

```
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type" : "AgreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
```


© TM Forum 2023. All Rights Reserved.

```
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```


Updates partially a PartyPrivacyAgreement

`PATCH /partyPrivacyAgreement/{id}?fields=…`

Description

This operation allows partial updates of a PartyPrivacyAgreement entity. Support of json/merge (https://tools.ietf.org/html/rfc7386) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optiona. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

© TM Forum 2023. All Rights Reserved.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
href	
id	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
agreementAuthorization	
agreementItem	
agreementPeriod	
agreementRelationship	
agreementSpecification	
agreementType	
characteristic	
completionDate	
description	
engagedParty	
initialDate	
name	
partyPrivacyProfile	
partyPrivacyProfileCharacteristic	
relatedDocument	
relatedParty	
statementOfIntent	
status	
version	

Usage samples

Here's an example of a request for updating a privacy profile agreement- set status to approved. This example illustrating patch application/json. When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyPrivacyAgreement/6810
```

© TM Forum 2023. All Rights Reserved.

```
Content-Type: application/json

{
   "@type" : "PartyPrivacyAgreement",
   "status": "approved"
}
```

Response

```
200

{
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "approved",
  "version": "1",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
```

© TM Forum 2023. All Rights Reserved.

```
        ]
      }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type":"agreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
```


© TM Forum 2023. All Rights Reserved.

```
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```

Here's an example of a request for updating a privacy profile agreement- set status to approved. This example illustrating patch merge, When PATCH is implemeted merge syntaxt is mandatory

Request

```
PATCH /partyPrivacyAgreement/6810
Content-Type: application/merge-patch+json

{
   "@type" : "PartyPrivacyAgreement",
   "status": "approved"
}
```

Response

```
200

{
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
```

© TM Forum 2023. All Rights Reserved.

```
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "approved",
  "version": "1",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type":"agreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
```


© TM Forum 2023. All Rights Reserved.

```
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```


Here's an example of a request for updating a privacy profile agreement- set status to

© TM Forum 2023. All Rights Reserved.

approved. This example illustrating patch json

Request

```
PATCH /partyPrivacyAgreement/6810
Content-Type: application/json-patch+json

{
  "op": "replace",
  "path": "/status",
  "value": "approved"

}
```

Response

```
200

{
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "approved",
  "version": "1",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
```

© TM Forum 2023. All Rights Reserved.

```
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
  },
  "agreementRelationship": [
    {
      "@type":"agreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
```


© TM Forum 2023. All Rights Reserved.

```
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```

Here's an example of a request for updating a privacy profile agreement- related document (document.id=1999) with "name"=Agreeemnt document". This example illustrating patch query json

Request

```
PATCH /partyPrivacyAgreement/6810
Content-Type: application/json-patch-query+json

{
  "op": "replace",
  "path": "/relatedDocument/document?id=1999",
  "value":
    {
      "name" : "Agreeemnt document"
    }

}
```

Response

```
200

{
```

© TM Forum 2023. All Rights Reserved.

```
  "id": "6810",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/6810",
  "@type" : "PartyPrivacyAgreement",
  "agreementType": "commercial",
  "description": "This agreements is between the individual user annd the service
provider ...",
  "relatedDocument": [
    {
      "@type": "RelatedDocumentRefOrValue",
      "role": "string",
      "document": {
        "@type": "DocumentRef",
        "@referredType": "Document",
        "href": "http://serverlocation:port/document/v5/document/1999",
        "id": "1999",
        "name" : "Agreeemnt document"
      }
    }
  ] ,
  "initialDate": "2019-08-06T09:56:38.679Z",
  "name": "Customer mass market privacy agreement",
  "statementOfIntent": "Agreement on customer mass market privacy profile",
  "status": "approved",
  "version": "1",
  "agreementItem": [
    {
      "id": "6810_988",
      "@type" : "ProductAgreementItem",
      "productOffering": [
        {
          "id": "9559",
          "href":
"https://host:port/productCatalog/v5/productOffering/bundledProductOffering/7120",
          "name": "Magic Offer",
          "@type": "ProductOfferingRef"
        }
      ],
      "termOrCondition": [
        {
          "id": "8905",
          "description": "This agreement term or condition",
          "validFor": {
            "endDateTime": "2019-09-06T09:56:38.679Z",
            "startDateTime": "2020-09-06T09:56:38.679Z"
          },
          "@type": "AgreementTermOrCondition"
        }
      ]
     }
  ],
  "agreementPeriod": {
    "endDateTime": "2020-09-06T09:56:38.679Z",
    "startDateTime": "2019-09-06T09:56:38.679Z"
  },
  "agreementSpecification": {
    "id": "8139",
    "href":
"http://serverlocation:port/agreementManagement/v5/agreementSpecification/8139",
    "description": "This agreement specification defines the rules of privacy to be
followed by each party",
    "name": "General Agreement Specification",
    "@type": "AgreementSpecificationRef"
```


© TM Forum 2023. All Rights Reserved.

```
  },
  "agreementRelationship": [
    {
      "@type":"agreementRelationship",
      "id": "987654",
      "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacyAgreement/987654",
      "name": "General Privacy Agreement",
      "relationshipType": "addendum "
    }
  ],

  "relatedParty": [
    {
      "role": "customer agent",
      "@type": "PartyRefOrPartyRoleRef",
      "partyOrPartyRole": {
        "id": "5467",
        "href": "http://serverlocation:port/partyManagement/v5/individual/5467",
        "name" : "Jack Simion",
        "@type": "PartyRef",
        "@referredType": "Individual"
      }
    }
  ],
  "engagedParty" :[
    {
      "id": "5467",
      "href": "http://serverLocation:port/partyManagement/v5/individual/5467",
      "name": "Bob Smith",
      "@type" : "PartyRef",
      "@referredType": "Individual"
    }
  ],
  "partyPrivacyProfile": [
    {
      "@type":"partyPrivacyProfileRef",
      "id": "103",
      "href": "https://mycsp.com:8080/tmf-
api/privacyManagement/v5/partyPrivacyProfile/103",
      "name": "individual Consents"
    }
  ],
  "partyPrivacyProfileCharacteristic": [
    {
      "@type": "partyPrivacyProfileCharacteristic",
      "characterisitc": {
        "id": "43",
        "name": "emailAddress",
        "valueType": "string",
        "value": "Yes",
        "@type": "StringCharacteristic"
      },
      "privacyUsagePurpose": "ADMIN",
      "relatedParty": [
        {
          "role": "Vendor",
          "@type" : "PartyRefOrPartyRoleRef",
          "partyOrPartyRole": {
            "id": "8632",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/8632",
            "name": "John Doe",
```


© TM Forum 2023. All Rights Reserved.

```
            "@type" : "PartyRef",
            "@referredType": "Individual"
          }

        }
      ]
    }
  ]
}
```

Deletes a PartyPrivacyAgreement

`DELETE /partyPrivacyAgreement/{id}`

Description

This operation deletes a PartyPrivacyAgreement entity.

Usage samples

Here's an example of a request to delete party privacy agreement

Request

```
DELETE /partyPrivacyAgreement/6810
Content-Type: application/json
```

Response

```
204
```

Operations on PartyPrivacyProfileSpecification

Retrieves a PartyPrivacyProfileSpecification by ID

`GET /partyPrivacyProfileSpecification/{id}?fields=…`

Description

This operation retrieves a PartyPrivacyProfileSpecification entity. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Retrieve privacy profile spec with id 103 - with all its attributes

Request

```
GET /partyPrivacyProfileSpecification/103
```

© TM Forum 2023. All Rights Reserved.

```
Content-Type: application/json
```

Response

```
200

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "active",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
```

© TM Forum 2023. All Rights Reserved.

```
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```


List or find PartyPrivacyProfileSpecification objects

`GET /partyPrivacyProfileSpecification?fields=…`

Description

This operation list PartyPrivacyProfileSpecification entities. Attribute selection is enabled for all first level attributes. Filtering may be available depending on the compliance level supported by an implementation.

Usage samples

Here is an example of a request for retrieving a list of privacy profile specification (s). This operation list party privacy profile specifications .Attribute selection is enabled for all first level attributes. Filtering is done on the applicable role.

Request

```
GET /partyPrivacyProfileSpecification?applicableRole.name=owner
Content-Type: application/json
```

Response


```
200

[
  {
    "id": "103",
    "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
    "description": "This is the Individual Privacy Specification",
    "lastUpdate": "2019-07-06T10:36:30.709Z",
    "name": "Individual Privacy",
    "lifecycleStatus": "active",
    "version": "1",
```


© TM Forum 2023. All Rights Reserved.

```
    "applicableRole": [
      {
        "id" : "owner_123",
        "@type": "PartyPrivacyRoleSpecification",
        "name": "owner"

      }
    ],
    "specCharacteristic": [
      {
        "id": "42",
        "criticalityLevel": "low",
        "description": "Can EmailAddress be used for information purpose",
        "name": "emailAddress",
        "configurable": true,
        "privacyType": "InternalPurpose",
        "privacyUsagePurpose": "ADMIN",
        "allowedRole": [
          {
            "id" : "vendor_123",
            "@type": "PartyPrivacyRoleSpecification",
            "name": "vendor"
          }
        ],
        "characteristicValueSpecification": [
          {
            "isDefault": true,
            "valueType": "string",
            "value":"Yes",
            "@type": "StringCharacteristicValueSpecification"
          },
          {
            "isDefault": false,
            "valueType": "string",
            "value":"No",
            "@type": "StringCharacteristicValueSpecification"
          }
        ],
        "validFor": {
          "endDateTime": "2019-09-06T10:36:30.709Z",
          "startDateTime": "2020-09-06T10:36:30.709Z"
        },
      "@type": "PartyPrivacyProfileSpecificationCharacteristic"
      }
    ],
    "relatedParty": [
      {
        "@type": "RelatedPartyRefOrPartyRoleRef",
          "role": "admin",
          "partyOrPartyRole": {
            "@type": "PartyRef",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
            "id": "203",
            "name": "Mandy brown",
            "@referredType": "Individual"
          }
      }
    ],
    "validFor": {
      "endDateTime": "2019-09-06T10:36:30.709Z",
      "startDateTime": "2020-09-06T10:36:30.709Z"
    },
```


© TM Forum 2023. All Rights Reserved.

```
    "@type": "partyPrivacyProfileSpecification"
  },
  {
    "id": "104",
    "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/104",
    "description": "This is the Employee Privacy Specification",
    "lastUpdate": "2019-07-06T10:36:30.709Z",
    "name": "Employee Privacy",
    "lifecycleStatus": "active",
    "version": "1",
    "applicableRole": [
      {
        "id" : "employee_123",
        "@type": "PartyPrivacyRoleSpecification",
        "name": "employee"
      }
    ],
    "specCharacteristic": [
      {
        "id": "42",
        "criticalityLevel": "low",
        "description": "Can EmailAddress be used for information purpose",
        "name": "emailAddress",
        "configurable": false,
        "privacyType": "InternalPurpose",
        "privacyUsagePurpose": "ADMIN",
        "allowedRole": [
          {
            "id" : "vendor_123",
            "@type": "PartyPrivacyRoleSpecification",
            "name": "vendor"
          }
        ],
        "characteristicValueSpecification": [
          {
            "isDefault": true,
            "valueType": "string",
            "value":"Yes",
            "@type": "StringCharacteristicValueSpecification"
          }
        ],
        "validFor": {
          "endDateTime": "2019-09-06T10:36:30.709Z",
          "startDateTime": "2020-09-06T10:36:30.709Z"
        },
      "@type": "PartyPrivacyProfileSpecificationCharacteristic"
      }
    ],
    "relatedParty": [
      {
        "@type": "RelatedPartyRefOrPartyRoleRef",
          "role": "admin",
          "partyOrPartyRole": {
            "@type": "PartyRef",
            "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
            "id": "203",
            "name": "Mandy brown",
            "@referredType": "Individual"
          }
      }
    ],
```


© TM Forum 2023. All Rights Reserved.

```
    "validFor": {
      "endDateTime": "2019-09-06T10:36:30.709Z",
      "startDateTime": "2020-09-06T10:36:30.709Z"
    },
    "@type": "partyPrivacyProfileSpecification"
  }
]
```

Creates a PartyPrivacyProfileSpecification

`POST /partyPrivacyProfileSpecification?fields=…`

Description

This operation creates a PartyPrivacyProfileSpecification entity.

Mandatory Attributes

Mandatory Attributes	Rule
name	
@type	

Usage samples

Creation of a new party privacy profile specification with POST operation

Request

```
POST /partyPrivacyProfileSpecification
Content-Type: application/json

{
  "description": "This is the Individual Privacy Specification",
  "name": "Individual Privacy",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "@type": "PartyPrivacyProfileSpecificationCharacteristic",
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "valueType":"string",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
```

© TM Forum 2023. All Rights Reserved.

```
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      }
    }
  ],
  "relatedParty": [
    {
        "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```


Response


```
201

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "active",
  "version": "1",
  "applicableRole": [
```


© TM Forum 2023. All Rights Reserved.

```
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "@type": "PartyPrivacyProfileSpecificationCharacteristic",
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "valueType":"string",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      }
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
```


© TM Forum 2023. All Rights Reserved.

```
}
```

Updates partially a PartyPrivacyProfileSpecification

`PATCH /partyPrivacyProfileSpecification/{id}?fields=…`

Description

This operation allows partial updates of a PartyPrivacyProfileSpecification entity. Support of json/merge (https://tools.ietf.org/html/rfc7386) is mandatory, support of json/patch (http://tools.ietf.org/html/rfc5789) is optiona. Note: If the update operation yields to the creation of sub-resources or relationships, the same rules concerning mandatory sub-resource attributes and default value settings in the POST operation applies to the PATCH operation. Hence these tables are not repeated here.

Patchable and Non Patchable Attributes

Non Patchable Attributes	Rule
href	
id	
@baseType	@baseType is immutable
@schemaLocation	@schemaLocation is immutable
@type	@type is immutable

Patchable Attributes	Rule
applicableRole	
description	
lastUpdate	
lifecycleStatus	
name	
productOffering	
relatedParty	
specCharacteristic	
validFor	
version	

Usage samples

Here's an example of a request for updating a privacy profile - Such as set status to inDesign, applicableRole. This example illustrating patch application/json.

Request

© TM Forum 2023. All Rights Reserved.

```
PATCH /partyPrivacyProfileSpecification/103
Content-Type: application/json

{
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "high",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
   "@type": "partyPrivacyProfileSpecification"
}
```

Response

```
200

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "active",
  "version": "1",
  "applicableRole": [
    {
```

© TM Forum 2023. All Rights Reserved.

```
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "high",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```


© TM Forum 2023. All Rights Reserved.

Here's an example of a request for updating a privacy profile spec - Such as set status to retired, applicableRole. This example illustrating patch json

Request

```
PATCH /partyPrivacyProfileSpecification/103
Content-Type: application/json-patch+json

{
  "op": "replace",
  "path": "/status",
  "value": "retired"
}
```

Response

```
200

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "retired",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    },
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "individual"
    }

  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
```

© TM Forum 2023. All Rights Reserved.

```
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```


Here's an example of a request for updating a privacy profile spec - Such as set status to inDesign, applicableRole. This example illustrating patch merge, When PATCH is implemeted merge syntaxt is mandatory

Request


```
PATCH /partyPrivacyProfileSpecification/103
Content-Type: application/merge-patch+json

{
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "high",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
```


© TM Forum 2023. All Rights Reserved.

```
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
   "@type": "partyPrivacyProfileSpecification"
}
```

Response

```
200

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "active",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    }
  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "high",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
```

© TM Forum 2023. All Rights Reserved.

```
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```

Here's an example of a request for updating a privacy profile spec - Change characteristic id=42 with "privacyUsagePurpose=ADMIN". This example illustrating patch query json

Request

```
PATCH /partyPrivacyProfileSpecification/103
Content-Type: application/json-patch-query+json

{
  "op": "replace",
  "path": "/specCharacteristic?id=42",
```

© TM Forum 2023. All Rights Reserved.

```
  "value": { "privacyUsagePurpose": "ADMIN"}
  }
```

Response

```
200

{
  "id": "103",
  "href":
"http://serverlocation:port/privacyManagement/v5/partyPrivacySpecification/103",
  "description": "This is the Individual Privacy Specification",
  "lastUpdate": "2019-07-06T10:36:30.709Z",
  "name": "Individual Privacy",
  "lifecycleStatus": "retired",
  "version": "1",
  "applicableRole": [
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "owner"
    },
    {
      "id" : "owner_123",
      "@type": "PartyPrivacyRoleSpecification",
      "name": "individual"
    }

  ],
  "specCharacteristic": [
    {
      "id": "42",
      "criticalityLevel": "low",
      "description": "Can EmailAddress be used for information purpose",
      "name": "emailAddress",
      "configurable": true,
      "privacyType": "InternalPurpose",
      "privacyUsagePurpose": "ADMIN",
      "allowedRole": [
        {
          "id" : "vendor_123",
          "@type": "PartyPrivacyRoleSpecification",
          "name": "vendor"
        }
      ],
      "characteristicValueSpecification": [
        {
          "isDefault": true,
          "valueType": "string",
          "value":"Yes",
          "@type": "StringCharacteristicValueSpecification"
        },
        {
          "isDefault": false,
          "valueType": "string",
          "value":"No",
          "@type": "StringCharacteristicValueSpecification"
        }
      ],
      "validFor": {
```

© TM Forum 2023. All Rights Reserved.

```
        "endDateTime": "2019-09-06T10:36:30.709Z",
        "startDateTime": "2020-09-06T10:36:30.709Z"
      },
    "@type": "PartyPrivacyProfileSpecificationCharacteristic"
    }
  ],
  "relatedParty": [
    {
      "@type": "RelatedPartyRefOrPartyRoleRef",
        "role": "admin",
        "partyOrPartyRole": {
          "@type": "PartyRef",
          "href": "https://mycsp.com:8080/tmf-
api/partyManagement/v5/individual/203",
          "id": "203",
          "name": "Mandy brown",
          "@referredType": "Individual"
        }
    }
  ],
  "validFor": {
    "endDateTime": "2019-09-06T10:36:30.709Z",
    "startDateTime": "2020-09-06T10:36:30.709Z"
  },
  "@type": "partyPrivacyProfileSpecification"
}
```

Deletes a PartyPrivacyProfileSpecification

`DELETE /partyPrivacyProfileSpecification/{id}`

Description

This operation deletes a PartyPrivacyProfileSpecification entity.

Usage samples

Here's an example of a request to delete party privacy profile specification

Request

```
DELETE /partyPrivacyProfileSpecification/103
Content-Type: application/json
```

Response

```
204
```

© TM Forum 2023. All Rights Reserved.

API NOTIFICATIONS

For every single of operation on the entities use the following templates and provide sample REST notification POST calls.

It is assumed that the Pub/Sub uses the Register and UnRegister mechanisms described in the REST Guidelines reproduced below.

Register listener

POST /hub

Description

Sets the communication endpoint address the service instance must use to deliver information about its health state, execution state, failures and metrics. Subsequent POST calls will be rejected by the service if it does not support multiple listeners. In this case DELETE /api/hub/{id} must be called before an endpoint can be created again.

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 409 if request is not successful.

Usage Samples

Here's an example of a request for registering a listener.

Request

```
POST /api/hub

Accept: application/json

{
    "callback": "http://in.listener.com"
}
```

Response

```
201

Content-Type: application/json

Location: /api/hub/42

{
    "id":"42",
    "callback": "http://in.listener.com",
    "query":""
}
```

© TM Forum 2023. All Rights Reserved.

Unregister listener

DELETE /hub/{id}

Description

Clears the communication endpoint address that was set by creating the Hub..

Behavior

Returns HTTP/1.1 status code 204 if the request was successful.

Returns HTTP/1.1 status code 404 if the resource is not found.

Usage Samples

Here's an example of a request for un-registering a listener.

Request

```
DELETE /api/hub/42

Accept: application/json
```

Response

```
204
```

Publish Event to listener

POST /client/listener

Description

Clears the communication endpoint address that was set by creating the Hub.

Provides to a registered listener the description of the event that was raised. The /client/listener url is the callback url passed when registering the listener.

Behavior

Returns HTTP/1.1 status code 201 if the service is able to set the configuration.

Usage Samples

Here's an example of a notification received by the listener. In this example "EVENT TYPE" should be replaced by one of the notification types supported by this API (see Notification resources Models section) and EVENT BODY refers to the data structure of the given notification type.

Request

© TM Forum 2023. All Rights Reserved.

```
POST /client/listener

Accept: application/json

{
    "event": {
        EVENT BODY
    },
    "eventType": "EVENT_TYPE"
}
```

Response

```
201
```

For detailed examples on the general TM Forum notification mechanism, see the TMF REST Design Guidelines.

© TM Forum 2023. All Rights Reserved.

Acknowledgements

Release History

Release Number	Date	Release led by:	Description
Release 1.0	15/04/2016	Pierre Gauthier TM Forum pgauthier@tmforum.org Fabien Venries (Orange) Julie Bertrand (Orange)	First Release of Draft Version of the Document.
Release 4.0	14/07/2019	Jacob Avraham Amdocs jacoba@amdocs.com	Version 4.0 of the API REST *Note: the version 4.0 is assigned to all the APIs delivered in the release 19.0*
Releasee 5.0	2/05/2023	Jacob Avraham Amdocs jacoba@amdocs.com	Version 5.0 of the API REST Convert to V5 guideline and patterns, like PartyRefOrPartyRoleRef, etc…

Contributors to Document

© TM Forum 2023. All Rights Reserved.