

FIG. 1A




FIG. 1B

(CONNECTOR A)
CONTINUED FROM FIG. 1A



110 PROTECTED PREDICATE VALIDATION

Validates authority, purpose, jurisdiction, consent, ALF/RBD where applicable, revocation, freshness, policy epoch, sink binding, boundary binding, runtime evidence, quota, budget, and protected state



112 VALIDATION FAILS

Deny, suppress, quarantine, zeroize, or hold.
No capability released.

114 VALIDATION PASSES

Continue to protected state, evidence, and capability generation sequence.



116 FAIL-CLOSED / DENIAL ENFORCEMENT HANDLING

Candidate Act remains non-effective. External effect disabled. No scoped non-bearer capability is released. Denial evidence or denial LAVR is committed as protected enforcement evidence of non-completion, and denial-related protected state may be advanced, locked, quarantined, or consumed-as-denied to prevent replay, rollback, stale retry, substitution, or cross-sink laundering.



118 PROTECTED STATE UPDATE / CONSUMPTION

Nonce, quota, budget, session, revocation, monotonic, or replay state updated/consumed.



120 PROTECTED VALIDATION EVIDENCE / LAVR COMMITMENT

Protected validation evidence, receipt, or LAVR is committed before or atomically with scoped non-bearer capability availability.



122 SCOPED NON-BEARER CAPABILITY AVAILABILITY / RELEASE

Capability is act-bound, descriptor-bound, sink-bound, boundary-bound, nonce-bound, scope-bound, protected-state-bound, and evidence-bound.



124 FINALITY SINK / EFFECTUATION PLANE

Memory controller, DMA engine, PCIe/CXL/NVLink/UALink boundary, SmartNIC, DPU, UPF/N6 egress, radio chain, payment terminal, ledger bridge, renderer, actuator, API dispatcher, storage writer, or model-output emitter



(CONNECTOR B)
CONTINUED ON FIG. 1C

FIG. 1C

(CONNECTOR B)
CONTINUED FROM FIG. 1B

