The URL where your application is deployed on GCP.

• <a href="https://final-suhs.appspot.com/">https://final-suhs.appspot.com/</a>

The URL for account creation/login (can be the same as above).

• <a href="https://final-suhs.appspot.com/">https://final-suhs.appspot.com/</a>

# Final Project: API Spec

CS 493: Cloud Application Development

### Spring 2021

## Oregon State University

Last Update: June 6th, 2021

Data Model	Error! Bookmark not defined
List All Users	4
Create a Group	5
List all Groups	
Delete a Group	
Edit a Subset of a Group	10
Edit all Attributes of a Group	12
Create a Post	14
List all Posts	
Delete a Post	19
Edit a Subset of a Post	20
Edit all Attributes of a Post	23
Assign a Group to a Post	26
Remove a Group from a Post	28
Create a Comment	30
List all Comments	32
Delete a Comment	33
Edit a Subset of a Comment	34
Edit all Attributes of a Comment	37

# Data Model

# **Users**

Property Name	Туре	Required?	Notes
id	String	No	The unique id of user. This is generated automatically when a user logs in or creates an account. This is equivalent to the "sub" value from the JWT.
email	String	No	The email of the logged in user. This is automatically fetched from the user after login/signup.

# **Groups** (unprotected)

Property Name	Туре	Required?	Notes
id	String	No	The unique id of group. This is automatically generated by Datastore.
name	String	Yes	The name of the group. Must be a string.
description	String	Yes	The description of group. Must be a string.
creation_date	String	No	Creation Date is automatically generated.
posts	Array of posts	No	Array of posts of a group.

# Posts (protected)

Property Name	Туре	Required?	Notes
id	String	No	The unique id of post. This is automatically generated by Datastore.
author	String	No	The author of the post. This is automatically generated based on the JWT.
group	String	No	The group the post belongs to. This is optional and may be assigned/unassigned later on. Default: None.
title	String	Yes	Title of the post. Must be a string.
body	String	Yes	Body of the post. Must be a String.
creation_date	String	No	Creation Date is automatically generated.

last_modified	String	No	Last Modified Date is automatically generated during creation. Updated when the contents of the post are updated.
comments	Array of comments	No	Array of comments of a post.

## **Comments** (protected)

Property Name	Туре	Required?	Notes
id	String	No	The unique id of comment. This is automatically generated by Datastore.
author	String	No	The author of the comment. This is automatically generated based on the JWT.
body	String	Yes	Body of the comment. Must be a String.
creation_date	String	No	Creation Date is automatically generated.
last_modified	String	No	Last Modified Date is automatically generated during creation. Updated when the contents of the comment are updated.
post_id	String	No	The post_id of the post that the comment belongs to.

# Non-User Entities Relationship

## **Groups and Posts**

- Groups and Posts have an optional relationship.
- A post can be created with/without a group.
- The group of a post can be assigned/unassigned.
- When a group is deleted, the group of the post is updated to "None".

### Posts and Comments

- Posts and Comments have a mandatory relationship.
- A comment has to be created to a specific post.
- When a post is deleted, all comments for that post is also deleted.

# **User Entity**

- The unique identifier for the users is equivalent to the "sub" value from the JWT.
- The supplied JWT of a request is matched to this unique identifier.
- A user can directly create posts and comments.
- Only the owner of a post/comment can read, create, update, and delete a post/comment.

# List all Users

### List all the users.

GET /users

Request

Path Parameters

None

Request Body

None

Response

Response Body Format

**JSON** 

Response Statuses

Outcome	Status Code	Notes
Success	200 OK	

# Response Examples

### Success

```
Status: 200 OK

{
    "email": "abc@gmail.com",
    "id": "google-oauth2|100808511338155876176"
},
{
    "email": "def@gmail.com",
    "id": "google-oauth2|103346317843634340680"
}
```

# Create a Group Unprotected

Allows you to create a new group.

POST /groups

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

### Request JSON Attributes

Name	Туре	Description	Required?
name	String	The name of the group.	Yes
description	String	The description of the group.	Yes

## Request Body Example

```
Accepted
{
    "name": "Movies",
    "description": "Place to discuss movies",
}
Unaccepted (missing at least one attribute)
{
    "name": "Movies"
}
Unaccepted (not JSON Format)
    name: Movies
    description: Place to discuss movies
```

## Response

Response Body Format

**JSON** 

Outcome	Status Code	Notes
Success	201 Created	Only "name" and "description" will be added to the new
		entity. Any other attribute will be ignored.
Failure	400 Bad Request	If the request is missing any of the 2 required attributes,
		the group must not be created, and 400 status code must
		be returned.
Failure	406 Not Acceptable	Response Format is in JSON. If client cannot accept JSON,
		then group is not created, and 406 status code is
		returned.
Failure	415 Unsupported	Request Format must be in JSON. If client's request
	Media Type	format is not in JSON, group is not created, and 415
		status code is returned.

- Datastore will automatically generate an ID and store it with the entity being created.
- The self attribute will contain the live link to the REST resource corresponding to this group. In other words, this is the URL to get this newly created group.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Success

```
Status: 201 Created
{
    "id": "abc123",
    "name": "Movies",
    "description": "Place to discuss movies",
    "creation_date": "06/06/2021 22:59:49",
    "posts": [],
    "self": "https://final-suhs.appspot.com/groups/abc123"
}
```

```
Status: 400 Bad Request
{
"Error": "The request object is missing at least one of the required attributes"
}

{
"Error": "Name is not a string"
}

{
"Error": "Description is not a string"
}

Status: 406 Not Acceptable
{
"Error": "Server can only return application/json"
}

Status: 415 Unsupported Media Type
{
"Error": "Request is an unsupported media type. Request must be JSON"
}
```

# List all Groups Protected

List all the groups.

GET /groups

Request

Path Parameters

None

Request Body

None

Response

Response Body Format

**JSON** 

**Response Statuses** 

Outcome	Status Code	Notes
Success	200 OK	

### Response Examples

#### Success

```
Status: 200 OK
    "total_groups": 6,
    "groups": [
            "posts": [],
            "name": "Music",
            "description": "La la la",
            "create date": "06/06/2021 23:34:58",
            "id": 4673484156305408,
            "self": "https://final-suhs.appspot.com/groups/4673484156305408"
        },
            "posts": [],
            "description": "Gossip",
            "name": "Celebrity",
            "create_date": "06/06/2021 23:35:01",
            "id": 4675146040213504,
            "self": "https://final-suhs.appspot.com/groups/4675146040213504"
        },
            "posts": [],
            "description": "Technology is cool",
            "name": "Tech",
            "create date": "06/06/2021 23:35:04",
            "id": 4733584338321408,
            "self": "https://final-suhs.appspot.com/groups/4733584338321408"
        },
            "name": "Movies",
            "posts": [],
```

# Delete a Group Unprotected

## Allows you to delete a group.

DELETE /groups/:group_id	

# Request

### Path Parameters

Name	Туре	Description
group_id	String	ID of the group

## Request Body

None

## Response

No body

Response Body Format

Success: No body Failure: JSON

## Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	
Failure	404 Not Found	No group with this group_id exists

# Response Examples

### Success

Status: 204 No Content

```
Status: 404 Not Found

{
    "Error": "No group with this group_id exists"
}
```

# Edit a Subset of a Group Unprotected

Allows you to edit a subset of a group's attributes

PATCH /groups/:group\_id

# Request

## Path Parameters

Name	Туре	Description
group_id	String	ID of the group

# Request Body

### Required

Request Body Format

### JSON

## Request JSON Attributes

Name	Туре	Description	Required?
name	String	The name of the group.	No
description	String The description of the group. No		
At least one of the two attributes are required.			

## Request Body Example

```
{
    "name": "New Movies"
}
```

# Response

## Response Body Format

### **JSON**

Outcome	Status Code	Notes
Success	200 OK	
Failure	400 Bad Request  If the request is missing all of the 2 required attrib but body is in JSON format with other attributes in the group not be created, and 400 status code mu returned.	
Failure	404 Not Found	No group with this group_id exists
Failure	406 Not Acceptable	If the request is an empty body, the group must not be created, and 406 status code must be returned.
		Response Format is in JSON. If client cannot accept JSON, then group is not created, and 406 status code is returned.
Failure	415 Unsupported Media Type	Request Format must be in JSON. If client's request format is not in JSON, group is not created, and 415 status code is returned.

- The self attribute will contain the live link to the REST resource corresponding to this group. In other words, this is the URL to get this newly created group.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 200 OK
 "id": "abc123",
 "name": "New Movies",
 "description": "Place to discuss movies",
 "creation_date": "06/06/2021 22:59:49",
 "posts": [],
 "self": "https://final-suhs.appspot.com/groups/abc123"
```

```
Status: 400 Bad Request
"Error": "No attribute was given"
"Error": "Name is not a string"
"Error": "Description is not a string"
Status: 404 Not Found
"Error": "No group with this group_id exists"
Status: 406 Not Acceptable
"Error": "Server can only return application/json"
Status: 415 Unsupported Media Type
"Error": "Request is an unsupported media type. Request must be JSON"
```

# Edit all Attributes of a Group Unprotected

Allows you to edit all attributes of a group

PUT /groups/:group\_id

## Request

### Path Parameters

Name	Type	Description
group_id	String	ID of the group

### Request Body

## Required

Request Body Format

### **JSON**

### Request JSON Attributes

Name	Туре	Description	Required?
name	String	The name of the group.	Yes
description	String The description of the group. Yes		
All two attributes are required.			

## Request Body Example

```
{
   "name": "New Movies",
   "type": "New place to discuss movies"
}
```

### Response

## Response Body Format

### **JSON**

### Response Statuses

Outcome	Status Code	Notes
Success	303 See Other	303 Status code is returned upon success.
		The URL of the updated group will be included in the
		Location header.
Failure	400 Bad Request	If the request is missing all of the two required attributes,
		the group must not be created, and 400 status code must
		be returned.
Failure	404 Not Found No group with this group_id exists	
Failure	406 Not Acceptable	Response Format is in JSON. If client cannot accept JSON,
		then group is not created, and 406 status code is
		returned.
Failure	415 Unsupported	Request Format must be in JSON. If client's request
	Media Type	format is not in JSON, group is not created, and 415
		status code is returned.

### Response Examples

• The self attribute will contain the live link to the REST resource corresponding to this group. In other words, this is the URL to get this newly created group.

• Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 303 See Other

{
    "id": "abc123",
    "name": "New Movies",
    "description": "New place to discuss movies",
    "creation_date": "06/06/2021 22:59:49",
    "posts": [],
    "self": "https://final-suhs.appspot.com/groups/abc123"
}
```

```
Status: 400 Bad Request

{
"Error": "The request object is missing at least one of the required attributes"
}

{
"Error": "Name is not a string"
}

{
"Error": "Description is not a string"
}

Status: 404 Not Found

{
"Error": "No group with this group_id exists"
}

Status: 406 Not Acceptable

{
"Error": "Server can only return application/json"
}

Status: 415 Unsupported Media Type

{
"Error": "Request is an unsupported media type. Request must be JSON"
}
```

# Create a Post Protected

Allows you to create a new post.

POST /posts

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

Request JSON Attributes

Name	Туре	Description	Required?
group	String	The group the post belongs to.	No
title	String	The title of the post.	Yes
body	String	The body of the post.	Yes

### Request Body Example

```
Accepted
{
    "title": "I love movies",
    "body": "I want to watch more movies",
}
Unaccepted (missing at least one attribute)
{
    "title": "I love movies"
}
Unaccepted (not JSON Format)
    title: I love movies
    body: I want to watch more movies
```

### Response

Response Body Format

JSON

Outcome	Status Code	Notes
Success	201 Created	Group is defaulted to "None". Only "group", "title", and
		"body" will be added to the new entity. Any other
		attribute will be ignored.
Failure	400 Bad Request	If the request is missing any of the 2 required attributes,
		the post must not be created, and 400 status code must
		be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	406 Not Acceptable	Response Format is in JSON. If client cannot accept JSON,
		then post is not created, and 406 status code is returned.

Failure	415 Unsupported	Request Format must be in JSON. If client's request
	Media Type	format is not in JSON, post is not created, and 415 status
		code is returned.

- Datastore will automatically generate an ID and store it with the entity being created.
- The self attribute will contain the live link to the REST resource corresponding to this group. In other words, this is the URL to get this newly created group.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Success

```
Status: 201 Created
{
    "id": "abc123",
    "group": "NULL",
    "author": "google-oauth2|103346317843634340680",
    "title": "I love movies",
    "body": "I want to watch more movies",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 22:59:49",
    "comments": [],
    "self": "https://final-suhs.appspot.com/posts/abc123"
}
```

```
Status: 400 Bad Request
{
"Error": "The request object is missing at least one of the required attributes"
}
{
"Error": "title is not a string"
}

{
"Error": "body is not a string"
}

Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}

Status: 406 Not Acceptable
{
"Error": "Server can only return application/json"
}
```

```
Status: 415 Unsupported Media Type
{
   "Error": "Request is an unsupported media type. Request must be JSON"
}
```

## List all Posts Protected

### List all the posts.

GET /posts

Request

Path Parameters

None

Request Body

None

Response

Response Body Format

**JSON** 

### **Response Statuses**

Outcome	Status Code	Notes
Success	200 OK	
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.

# Response Examples

### Success

```
Status: 200 OK
    "total_posts": 2,
    "posts": [
        {
            "title": "Anyone want to watch a movie?",
            "group": null,
            "creation_date": "06/06/2021 23:36:22",
            "author": "google-oauth2|103346317843634340680",
            "comments": [],
            "body": "What should we watch?",
            "last_modified": "06/06/2021 23:36:22",
            "id": 5799384063148032,
            "self": "https://final-suhs.appspot.com/posts/5799384063148032"
        },
            "author": "google-oauth2|103346317843634340680",
            "comments": [],
            "creation date": "06/06/2021 23:08:21",
            "title": "Anyone want to watch a movie?",
            "group": null,
            "last modified": "06/06/2021 23:08:21",
            "body": "What should we watch?",
            "id": 4714247422476288,
            "self": "https://final-suhs.appspot.com/posts/4714247422476288"
        }
    1
```

```
Status: 401 Unauthorized
{
  "Error": "Invalid JWT"
}
{
  "Error": "Missing JWT"
}
```

# Delete a Post Protected

### Allows you to delete a post.

DELETE /posts/:post_id	

## Request

### Path Parameters

Name	Туре	Description
post_id	String	ID of the post

## Request Body

None

## Response

No body

Response Body Format

Success: No body Failure: JSON

## Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the post, 403 code is returned.
Failure	404 Not Found	No post with this post_id exists

## Response Examples

### Success

```
Status: 204 No Content
```

```
Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}

Status: 403 Forbidden
{
"Error": "Post is owned by someone else"
}

Status: 404 Not Found
{
"Error": "No post with this post_id exists"
}
```

# Edit a Subset of a Post Protected

# Allows you to edit a subset of a post's attributes

PATCH /posts/:post\_id

# Request

# Path Parameters

Name	Туре	Description
post_id	String	ID of the post

# Request Body

## Required

Request Body Format

### JSON

## Request JSON Attributes

Name	Туре	Description	Required?
group	String	Group the post belongs to N	
title	String	The title of the post.	No
body	String	The body of the post. No	
At least one	At least one of the three attributes are required.		

## Request Body Example

```
{
  "title": "Yes, I love movies"
}
```

## Response

# Response Body Format

## JSON

Outcome	Status Code	Notes
Success	200 OK	
Failure	400 Bad Request	If the request is missing all of the 3 required attributes but body is in JSON format with other attributes included, the post not be created, and 400 status code must be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the post, 403 code is returned.
Failure	404 Not Found	No post with this post_id exists
Failure	406 Not Acceptable	If the request is an empty body, the post must not be created, and 406 status code must be returned.  Response Format is in JSON. If client cannot accept JSON,
		then post is not created, and 406 status code is returned.
Failure	415 Unsupported Media Type	Request Format must be in JSON. If client's request format is not in JSON, post is not created, and 415 status code is returned.

- The self attribute will contain the live link to the REST resource corresponding to this post. In other words, this is the URL to get this newly created post.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 200 OK
{
    "id": "abc123",
    "group": "NULL",
    "author": "google-oauth2|103346317843634340680",
    "title": "Yes, I love movies",
    "body": "I want to watch more movies",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 23:02:21",
    "comments": [],
    "self": "https://final-suhs.appspot.com/posts/abc123"
}
```

```
Status: 400 Bad Request
{
    "Error": "No attribute was given"
}
{
    "Error": "Group is not a string"
}
{
    "Error": "Title is not a string"
}

Status: 401 Unauthorized
{
    "Error": "Invalid JWT"
}
{
    "Error": "Missing JWT"
}
```

```
Status: 403 Forbidden
{
"Error": "Post is owned by someone else"
}

Status: 404 Not Found
{
"Error": "No post with this post_id exists"
}

Status: 406 Not Acceptable
{
"Error": "Server can only return application/json"
}

Status: 415 Unsupported Media Type
{
"Error": "Request is an unsupported media type. Request must be JSON"
}
```

# Edit all Attributes of a Post Protected

# Allows you to edit all attributes of a post

PUT /posts/:post\_id

## Request

### Path Parameters

Name	Туре	Description
post_id	String	ID of the post

# Request Body

## Required

Request Body Format

### **JSON**

## Request JSON Attributes

Name	Туре	<b>Description</b> Requ		
group	String	Group the post belongs to No		
title	String	The title of the post.	Yes	
body	body String The body of the post. Yes			
"title" and "body" attributes are required. "group" is not required due to nature of relationship.				

## Request Body Example

```
{
  "title": "Yes, I love movies",
  "body": "Yes, I want to watch more movies"
}
```

## Response

# Response Body Format

### JSON

Outcome	Status Code	Notes
Success	303 See Other	303 Status code is returned upon success.
		The URL of the updated post will be included in the
		Location header.
Failure	400 Bad Request	If the request is missing all of the two required attributes,
		the post must not be created, and 400 status code must
		be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the post, 403 code is returned.
Failure	404 Not Found	No post with this post_id exists
Failure	406 Not Acceptable	Response Format is in JSON. If client cannot accept JSON,
		then post is not created, and 406 status code is returned.
Failure	415 Unsupported	Request Format must be in JSON. If client's request
	Media Type	format is not in JSON, post is not created, and 415 status
		code is returned.

- The self attribute will contain the live link to the REST resource corresponding to this post. In other words, this is the URL to get this newly created post.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 303 See Other

{
    "id": "abc123",
    "group": "NULL",
    "author": "google-oauth2|103346317843634340680",
    "title": "Yes, I love movies",
    "body": "Yes, I want to watch more movies",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 23:02:21",
    "comments": [],
    "self": "https://final-suhs.appspot.com/posts/abc123"
}
```

```
Status: 400 Bad Request
{
"Error": "The request object is missing at least one of the required attributes"
}
{
"Error": "Group is not a string"
}
{
"Error": "Title is not a string"
}

Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}
Status: 403 Forbidden
{
```

```
"Error": "Post is owned by someone else"
}
Status: 404 Not Found
{
    "Error": "No post with this post_id exists"
}
Status: 406 Not Acceptable
{
    "Error": "Server can only return application/json"
}
Status: 415 Unsupported Media Type
{
    "Error": "Request is an unsupported media type. Request must be JSON"
}
```

# Assign a Group to a Post Protected

# PUT /groups/:group\_id/posts/:post\_id

## Request

## Path Parameters

Name	Туре	Description
group_id	String	ID of the group
post_id	String	ID of the post

## Request Body

None

### Response

No body

Response Body Format

Success: No body Failure: JSON

### Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	Succeeds only if a group exists with this group_id, a post exists with this post id and the post is not assigned to
		any group.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	The post is already assigned to a group and/or user is not
		the owner of the post.
Failure	404 Not Found	No group with this group_id exists, and/or no post with
		this post_id exits.

## Response Examples

### Success

```
Status: 204 No Content
```

```
Status: 401 Unauthorized
{
    "Error": "Invalid JWT"
}
{
    "Error": "Missing JWT"
}
Status: 403 Forbidden
{
    "Error": "The post is already assigned to a group"
}
```

```
"Error": "Post is owned by someone else"
}
Status: 404 Not Found
{
   "Error": "The specified group and post does not exist"
}
{
   "Error": "The specified group does not exist"
}
{
   "Error": "The specified post does not exist"
}
```

### Comment

- A post cannot be assigned to multiple groups.
- A group can hold multiple posts.
- An already assigned post needs to be removed from another group first before being assigned to another group.

# Remove Group From a Post Protected

Group is removed from the post. Post does not belong to any group. Group does not have this post.

DELETE /groups/:group\_id/posts/:post\_id

## Request

### Path Parameters

Name	Туре	Description
group_id	String	ID of the group
post_id	String	ID of the post

## Request Body

None

### Response

No body

Response Body Format

Success: No body Failure: JSON

Response Statuses

Outcome	Status Code	Notes
Success	204 No Content	Succeeds only if a group exists with this group_id, a post exists with this post_id and the post is not assigned to
		any group.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	The post is not assigned to this group and/or user is not
		the owner of the post.
Failure	404 Not Found	No group with this group_id exists, and/or no post with
		this post_id exits.

## Response Examples

### Success

```
Status: 204 No Content
```

```
Status: 401 Unauthorized
{
    "Error": "Invalid JWT"
}
{
    "Error": "Missing JWT"
}
Status: 403 Forbidden
{
    "Error": "Post not in this group"
}
Status: 404 Not Found
```

```
{
"Error": "The specified group and post does not exist"
}
{
"Error": "The specified group does not exist"
}
{
"Error": "The specified post does not exist"
}
```

## Create a Comment Protected

Allows you to create a new comment.

POST /posts/:post\_id/comments

Request

Path Parameters

None

Request Body

Required

Request Body Format

**JSON** 

Request JSON Attributes

Name	Туре	Description	Required?
body	String	The body of the comment.	Yes

## Request Body Example

```
Accepted
{
    "body": "I love movies too!",
}
Unaccepted (missing at least one attribute)
{
    "random": "I love movies too!"
}
Unaccepted (not JSON Format)
    body: I love movies too!
```

### Response

Response Body Format

JSON

**Response Statuses** 

Outcome	Status Code	Notes
Success	201 Created	Only "body" will be added to the new entity. Any other attribute will be ignored.
Failure	400 Bad Request	If the request is missing the required attribute, the comment must not be created, and 400 status code must be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	406 Not Acceptable	Response Format is in JSON. If client cannot accept JSON, then comment is not created, and 406 status code is returned.
Failure	415 Unsupported Media Type	Request Format must be in JSON. If client's request format is not in JSON, comment is not created, and 415 status code is returned.

## Response Examples

• Datastore will automatically generate an ID and store it with the entity being created.

- The self attribute will contain the live link to the REST resource corresponding to this comment. In other words, this is the URL to get this newly created comment.
- Any other attributes in the request will be ignored and will not be added to the entity.

#### Success

```
Status: 201 Created
{
    "id": "def123",
    "author": "google-oauth2|103346317843634340680",
    "body": "I love movies too!",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 22:59:49",
    "post_id": "abc123",
    "self": " https://final-suhs.appspot.com/comments/def123"
}
```

```
Status: 400 Bad Request
{
"Error": "The request object is missing at least one of the required attributes"
}

{
"Error": "body is not a string"
}

Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}

Status: 406 Not Acceptable
{
"Error": "Server can only return application/json"
}

Status: 415 Unsupported Media Type
{
"Error": "Request is an unsupported media type. Request must be JSON"
}
```

# List all Comments Protected

### List all the comments.

## **GET /comments**

### Request

Path Parameters

None

Request Body

None

Response

Response Body Format

JSON

### **Response Statuses**

Outcome	Status Code	Notes
Success	200 OK	
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.

### Response Examples

### Success

```
Status: 401 Unauthorized
{
  "Error": "Invalid JWT"
}
{
  "Error": "Missing JWT"
}
```

# Delete a Comment Protected

# Allows you to delete a group.

DELETE /comments/:comment\_id

### Request

### Path Parameters

Name	Туре	Description
comment_id	String	ID of the comment

### Request Body

None

### Response

No body

Response Body Format

Success: No body Failure: JSON

### **Response Statuses**

Outcome	Status Code	Notes
Success	204 No Content	
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the comment, 403 code is
		returned.
Failure	404 Not Found	No comment with this comment_id exists

## Response Examples

### Success

Status: 204 No Content

```
Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}
Status: 403 Forbidden
{
"Error": "Comment is owned by someone else"
}
Status: 404 Not Found
{
"Error": "No comment with this comment_id exists"
}
```

# Edit a Subset of a Comment Protected

# Allows you to edit a subset of a comment's attributes

PATCH /comments/:comment\_id

## Request

## Path Parameters

Name	Туре	Description
comment_id	String	ID of the comment

# Request Body

Required

Request Body Format

**JSON** 

## Request JSON Attributes

Name	Туре	Description	Required?	
body	String	Body of comment.	Yes	
Since comment has only one updateable attribute, body of comment is required for edit.				

## Request Body Example

```
{
    "body": "I want to watch Superman."
}
```

## Response

# Response Body Format

### **JSON**

Outcome	Status Code	Notes
Success	200 OK	
Failure	400 Bad Request	If the request is missing the required attribute but body is in JSON format with other attributes included, the comment not be created, and 400 status code must be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the comment, 403 code is returned.
Failure	404 Not Found	No comment with this comment_id exists
Failure	406 Not Acceptable	If the request is an empty body, the comment must not be created, and 406 status code must be returned.
		Response Format is in JSON. If client cannot accept JSON, then comment is not created, and 406 status code is returned.
Failure	415 Unsupported Media Type	Request Format must be in JSON. If client's request format is not in JSON, comment is not created, and 415 status code is returned.

- The self attribute will contain the live link to the REST resource corresponding to this comment. In other words, this is the URL to get this newly created comment.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 200 OK
{
    "id": "def123",
    "author": "google-oauth2|103346317843634340680",
    "body": "I want to watch Superman.",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 22:59:49",
    "post_id": "abc123",
    "self": "https://final-suhs.appspot.com/comments/def123"
}
```

```
Status: 400 Bad Request

{
"Error": "No attribute was given"
}

Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}

Status: 403 Forbidden
{
"Error": "Comment is owned by someone else"
}

Status: 404 Not Found
{
"Error": "No comment with this comment_id exists"
}

Status: 406 Not Acceptable
```

```
{
"Error": "Server can only return application/json"
}
Status: 415 Unsupported Media Type
{
"Error": "Request is an unsupported media type. Request must be JSON"
}
```

# Edit all Attributes of a Comment Protected

# Allows you to edit all attributes of a comment

PUT /comments/:comment\_id

## Request

## Path Parameters

Name	Туре	Description
comment_id	String	ID of the comment

# Request Body

Required

Request Body Format

**JSON** 

## Request JSON Attributes

Name	Туре	Description	Required?	
body	String	Body of comment.	Yes	
Since comment has only one updateable attribute, body of comment is required for edit.				

## Request Body Example

```
{
    "body": "I want to watch Superman."
}
```

## Response

# Response Body Format

### **JSON**

Outcome	Status Code	Notes
Success	200 OK	
Failure	400 Bad Request	If the request is missing the required attribute but body is in JSON format with other attributes included, the comment not be created, and 400 status code must be returned.
Failure	401 Unauthorized	If JWT is invalid or missing, 401 code is returned.
Failure	403 Forbidden	If user is not the author of the comment, 403 code is returned.
Failure	404 Not Found	No comment with this comment_id exists
Failure	406 Not Acceptable	If the request is an empty body, the comment must not be created, and 406 status code must be returned.
		Response Format is in JSON. If client cannot accept JSON, then comment is not created, and 406 status code is returned.

Failure	415 Unsupported	Request Format must be in JSON. If client's request
	Media Type	format is not in JSON, comment is not created, and 415
		status code is returned.

- The self attribute will contain the live link to the REST resource corresponding to this comment. In other words, this is the URL to get this newly created comment.
- Any other attributes in the request will be ignored and will not be added to the entity.

### Response Examples

### Success

```
Status: 200 OK
{
    "id": "def123",
    "author": "google-oauth2|103346317843634340680",
    "body": "I want to watch Superman.",
    "creation_date": "06/06/2021 22:59:49",
    "last_modified": "06/06/2021 22:59:49",
    "post_id": "abc123",
    "self": "https://final-suhs.appspot.com/comments/def123"
}
```

```
Status: 400 Bad Request

{
"Error": "No attribute was given"
}

{
"Error": "Body is not a string"
}

Status: 401 Unauthorized
{
"Error": "Invalid JWT"
}
{
"Error": "Missing JWT"
}

Status: 403 Forbidden
{
"Error": "Comment is owned by someone else"
}

Status: 404 Not Found
{
```

```
"Error": "No comment with this comment_id exists"
}
Status: 406 Not Acceptable
{
   "Error": "Server can only return application/json"
}
Status: 415 Unsupported Media Type
{
   "Error": "Request is an unsupported media type. Request must be JSON"
}
```