


Christian Calico  
Team Sanguine Six Dev  
CEN 3031 (Online)

## 1 - Link to Github History Page:

<https://github.com/sanguine-six-dev/TeamGitHub>

## 2 - Git and GitHub installed and configured to connect to the group project:



```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment
Owner@DESKTOP-A3655NC MINGW64 ~
$ git push https://github.com/sanguine-six-dev/create-3d-models.git master
fatal: not a git repository (or any of the parent directories): .git

Owner@DESKTOP-A3655NC MINGW64 ~
$ git push https://github.com/sanguine-six-dev/TeamGitHub.git master
fatal: not a git repository (or any of the parent directories): .git

Owner@DESKTOP-A3655NC MINGW64 ~
$ cd '/c:/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment
$ lcd '/c:/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment'
bash: lcd: command not found

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment
$ git status
fatal: not a git repository (or any of the parent directories): .git

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment
$ git init
Initialized empty Git repository in C:/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment/.git/

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Git Commit.txt

nothing added to commit but untracked files present (use "git add" to track)

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (master)
$ git add Commit.txt
fatal: pathspec 'Commit.txt' did not match any files

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (master)
```

MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment

```
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git add Commit.txt
fatal: pathspec 'Commit.txt' did not match any files

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git add Commit.txt
fatal: pathspec 'Commit.txt' did not match any files

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ ls
'Git Commit.txt'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git add 'Git Commit.txt'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git commit -m "Add Commit.txt"
[master (root-commit) 4968d06] Add Commit.txt
1 file changed, 1 insertion(+)
create mode 100644 Git Commit.txt

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote -v

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote add origin https://github.com/sanguine-six-dev/TeamGitHub.g
it

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote -v
origin https://github.com/sanguine-six-dev/TeamGitHub.git (fetch)
origin https://github.com/sanguine-six-dev/TeamGitHub.git (push)

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master
```

Type here to search



5:27 PM 10/27/2019

### 3 - Make pull, push, and merge requests to your group project:

```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git commit -m "Add Commit.txt"
[master (root-commit) 4968d06] Add Commit.txt
1 file changed, 1 insertion(+)
create mode 100644 Git Commit.txt

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote -v
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote add origin https://github.com/sanguine-six-dev/TeamGitHub.g
it
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote -v
origin https://github.com/sanguine-six-dev/TeamGitHub.git (fetch)
origin https://github.com/sanguine-six-dev/TeamGitHub.git (push)

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote add origin https://github.com/sanguine-six-dev/TeamGitHub.g
it
fatal: remote origin already exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git remote -v
origin https://github.com/sanguine-six-dev/TeamGitHub.git (fetch)
origin https://github.com/sanguine-six-dev/TeamGitHub.git (push)

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use
```

```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git pull
warning: no common commits
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 7 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (7/7), done.
From https://github.com/sanguine-six-dev/TeamGitHub
 * [new branch]   gat0rc0d3-patch-1 -> origin/gat0rc0d3-patch-1
 * [new branch]   master             -> origin/master
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so wi
th:

    git branch --set-upstream-to=origin/<branch> initial_branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git push master
fatal: 'master' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git push
fatal: The current branch initial_branch has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin initial_branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git push --set-upstream origin initial_branch
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 252 bytes | 84.00 KiB/s, done.
```

```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment
* [new branch]      gat0rc0d3-patch-1 -> origin/gat0rc0d3-patch-1
* [new branch]      master -> origin/master
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

git branch --set-upstream-to=origin/<branch> initial_branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (initial_branch)
$ git push master
fatal: 'master' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (initial_branch)
$ git push
fatal: The current branch initial_branch has no upstream branch.
To push the current branch and set the remote as upstream, use

git push --set-upstream origin initial_branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (initial_branch)
$ git push --set-upstream origin initial_branch
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 252 bytes | 84.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'initial_branch' on GitHub by visiting
remote:   https://github.com/sanguine-six-dev/TeamGitHub/pull/new/initial_branch
remote:
To https://github.com/sanguine-six-dev/TeamGitHub.git
 * [new branch]      initial_branch -> initial_branch
Branch 'initial_branch' set up to track remote branch 'initial_branch' from 'origin'.
```

GitHub For Beginners: Commits | sanguine-six-dev/TeamGitHub | Mail - Calico, Christian C - Out | Git - Create New Branch and C | +

https://github.com/sanguine-six-dev/TeamGitHub

sanguine-six-dev / TeamGitHub

Unwatch 1 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Wiki Security Insights Settings

No description, website, or topics provided. Edit

Manage topics

3 commits 4 branches 0 releases 1 contributor

Your recently pushed branches:

- initial\_branch (9 minutes ago) Compare & pull request
- checkout (6 minutes ago) Compare & pull request

Branch: master New pull request

Create new file Upload files Find file Clone or download

gat0rc0d3 Merge pull request #1 from sanguine-six-dev/gat0rc0d3-patch-1 Latest commit 31cfa2a 22 minutes ago

- InitCommit Initial Commit - Christian Calico 22 minutes ago
- README.md Initial commit 25 minutes ago

README.md

GitHub For Beginners: Commits | Branches - sanguine-six-dev/TeamGitHub | Mail - Calico, Christian C - Out | Git - Create New Branch and C | +

https://github.com/sanguine-six-dev/TeamGitHub/branches

sanguine-six-dev / TeamGitHub

Unwatch 1 Star 0 Fork 0

Code Issues 0 Pull requests 0 Projects 0 Wiki Security Insights Settings

Overview Yours Active Stale All branches Search branches...

Default branch

master Updated 22 minutes ago by gat0rc0d3 Default Change default branch


Your branches

checkout	Updated 16 minutes ago by gat0rc0d3	3   1	New pull request	
initial_branch	Updated 16 minutes ago by gat0rc0d3	3   1	New pull request	
gat0rc0d3-patch-1	Updated 23 minutes ago by gat0rc0d3	1   0	#1 Merged	

Active branches

initial_branch	Updated 16 minutes ago by gat0rc0d3	3   1	New pull request	
checkout	Updated 16 minutes ago by gat0rc0d3	3   1	New pull request	
gat0rc0d3-patch-1	Updated 23 minutes ago by gat0rc0d3	1   0	#1 Merged	

## 4 - Create, Checkout, and Checkin Branches:



The image shows a GitHub repository page for 'sanguine-six-dev/TeamGitHub' and a terminal window running Git commands.

**GitHub Repository Page:**

- URL: <https://github.com/sanguine-six-dev/TeamGitHub/branches>
- Navigation: Overview (selected), Yours, Active, Stale, All branches
- Search: Search branches...
- Default branch: master (Updated 18 minutes ago by gat0rc0d3) [Default] [Change default branch]
- Your branches:
  - checkout (Updated 12 minutes ago by gat0rc0d3) [3|1] [New pull request] [Delete]
  - initial\_branch (Updated 12 minutes ago by gat0rc0d3) [3|1] [New pull request] [Delete]
  - gat0rc0d3-patch-1 (Updated 18 minutes ago by gat0rc0d3) [1|0] [#1 Merged] [Delete]
- Active branches:
  - initial\_branch (Updated 12 minutes ago by gat0rc0d3) [3|1] [New pull request] [Delete]
  - checkout (Updated 12 minutes ago by gat0rc0d3) [3|1] [New pull request] [Delete]
  - gat0rc0d3-patch-1 (Updated 18 minutes ago by gat0rc0d3) [1|0] [#1 Merged] [Delete]

**Terminal Window:**

```
MINGW64/c:/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment
Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git push --set-upstream origin master
To https://github.com/sanguine-six-dev/TeamGitHub.git
! [rejected] master -> master (fetch first)
error: Failed to push some refs to 'https://github.com/sanguine-six-dev/
TeamGitHub.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pus
hing
hint: to the same ref. You may want to first integrate the remote change s
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for detail s.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git branch Create_Branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git checkout Checkout_Branch
error: pathspec 'Checkout_Branch' did not match any file(s) known to git

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (master)
$ git checkout -b initial_branch
Switched to a new branch 'initial_branch'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git push
fatal: The current branch initial_branch has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin initial_branch

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub A
ssessment (initial_branch)
$ git pull
warning: no common commits
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (2/2), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 7 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (7/7), done.
From https://github.com/sanguine-six-dev/TeamGitHub
```

```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (initial_branch)
$ git checkout -b initial_branch
fatal: A branch named 'initial_branch' already exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (initial_branch)
$ git checkout -b checkout
Switched to a new branch 'checkout'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git push
fatal: The current branch checkout has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin checkout

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git push --set-upstream origin checkout
Total 0 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'checkout' on GitHub by visiting:
remote:   https://github.com/sanguine-six-dev/TeamGitHub/pull/new/checkout
remote:
To https://github.com/sanguine-six-dev/TeamGitHub.git
 * [new branch]      checkout -> checkout
Branch 'checkout' set up to track remote branch 'checkout' from 'origin'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git branch checkout
fatal: A branch named 'checkout' already exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git checkin checkin_branch
git: 'checkin' is not a git command. See 'git --help'.

The most similar commands are
  check-ignore
  checkout

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$
```

```
MINGW64/c/Users/Owner/Desktop/Christian Calico - Team GitHub Assessment

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git push --set-upstream origin checkout
Total 0 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'checkout' on GitHub by visiting:
remote:   https://github.com/sanguine-six-dev/TeamGitHub/pull/new/checkout
remote:
To https://github.com/sanguine-six-dev/TeamGitHub.git
 * [new branch]      checkout -> checkout
Branch 'checkout' set up to track remote branch 'checkout' from 'origin'

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git branch checkout
fatal: A branch named 'checkout' already exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git checkin checkin_branch
git: 'checkin' is not a git command. See 'git --help'.

The most similar commands are
  check-ignore
  checkout

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git branch checkout
fatal: A branch named 'checkout' already exists.

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git push
Everything up-to-date

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git branch create

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$ git push
Everything up-to-date

Owner@DESKTOP-A3655NC MINGW64 ~/Desktop/Christian Calico - Team GitHub Assessment (checkout)
$
```