

[Courses](#)[Challenges](#)[Reviews](#)[Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

리액트JS 챌린지

신청자 35명

기간 2주

Day 2 of 14

[슬랙 이용방법](#)

[React JS 챌린지 진도표](#)

[챌린지 사용방법](#)

[Code Sandbox 사용방법](#)

Today's Assignment

Progress Report

Q&A

Quiz: Typescript

- 오늘의 강의: [React JS 마스터클래스: From #3.0 to #3.7](#)

[Courses](#)[Challenges](#)[Reviews](#)[Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

- 퀴즈는 단 1회만 응할 수 있습니다.

Your score is: 8/12

QUESTION 1 OF 12

INCORRECT

Typescript and Javascript are the same programming language.

✖ Yes.

YOUR ANSWER

✔ No.

CORRECT ANSWER

QUESTION 2 OF 12

CORRECT

Javascript is strongly typed.

✔ No.

[Courses](#)[Challenges](#)[Reviews](#)[Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

This is valid Typescript syntax.

```
const user = {  
  firstName: "Angela",  
  lastName: "Davis",  
  role: "Professor",  
}  
console.log(user.name)
```

✖ No.

YOUR ANSWER

✔ Yes.

CORRECT ANSWER

QUESTION 4 OF 12

INCORRECT

This is valid Typescript syntax.

```
const plus = (number:a, number:b) => a + b;
```

✖ Yes.

YOUR ANSWER

✔ No.

CORRECT ANSWER

QUESTION 5 OF 12

CORRECT

Modern browsers like Google Chrome understand Typescript code.

[Courses](#)[Challenges](#)[Reviews](#)[Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

QUESTION 6 OF 12

CORRECT

Why did we install `types/styled-components` ?

To teach Typescript the types of styled-components

QUESTION 7 OF 12

CORRECT

DefinitelyTyped has the type definitions of all npm packages.



No.

QUESTION 8 OF 12

CORRECT

Using PropTypes and Typescript to check `props` is the same.

No. Typescript checks before the code runs.

QUESTION 9 OF 12

CORRECT

Why do we use interfaces?



To explain to Typescript the type of the properties on an object.

QUESTION 10 OF 12

CORRECT

[Courses](#)[Challenges](#)[Reviews](#)[Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

```
interface A {  
  color:string;  
  fontSize:string;  
}
```

✓ fontSize?:string;

QUESTION 11 OF 12

CORRECT

Does `color?:string` has the same result as `color: string | undefined;` on Typescript?

✓ Yes.

QUESTION 12 OF 12

INCORRECT

Typescript will complain about this code:

```
const [value, setValue] = useState(true);  
setValue("hello")
```

✗ No.

YOUR ANSWER

✓ Yes.

CORRECT ANSWER

[Courses](#)[Challenges](#)[Reviews](#) [Community](#)[FAQ](#)[Roadmap](#)[Boile](#)

NOMAD CODERS

유한회사 노마드컴퍼니

대표: 박인

개인정보책임관리자: 박인

사업자번호: 301-88-01666

주소: 서울시 마포구 백범로 8, 532호

-

원격평생교육원: 서울시 서부교육지원청(제2020-13호)

통신판매업 신고번호: 2020-서울마포-1987

이메일: help [at] nomadcoders.co

전화번호: 02-6487-1130

NAVIGATION

[Courses](#)[Challenges](#)[Reviews](#) [Community](#)[FAQ](#)[Roadmap](#)[Boilerplates](#)

LEGAL

[이용약관](#)[개인정보취급방침](#)[취소 및 환불정책](#)

COURSES

[Langchain 강의](#)[Supabase 강의](#)[NextJS 무료 강의](#)[React Native 무료 강의](#)[Flutter 무료 강의](#)[Python 무료 강의](#)

© 2017-2025 Nomad Company. All rights reserved.

