

Atman Cloud Storage API

Reference Documentation — v2

Document Code: API-REF-002 | Version 3.2 | Atman Cloud Consultancy

1. Authentication

All API requests require a Bearer token in the Authorization header. Tokens are issued via the /oauth/token endpoint and expire after 3600 seconds. Refresh tokens are valid for 30 days.

```
POST /oauth/token
Content-Type: application/json

{
  "grant_type": "client_credentials",
  "client_id": "YOUR_CLIENT_ID",
  "client_secret": "YOUR_CLIENT_SECRET"
}
```

2. Rate Limits

Plan Tier	Requests / Minute	Burst Allowance
Free	60	10
Standard	600	100
Enterprise	6000	1000

Exceeding the rate limit returns HTTP 429 with a Retry-After header indicating seconds until the limit resets.

3. Endpoints

3.1 Upload a File

```
POST /v2/files
Content-Type: multipart/form-data
```

Parameters:

- file (required) – binary file data, max 5GB
- folder_id (optional) – destination folder UUID
- overwrite (optional, boolean, default false)

3.2 List Files

```
GET /v2/files?folder_id={id}&page={n}&page_size={size}
```

Returns paginated results, max page_size of 100. Default sort is by created_at descending.

3.3 Delete a File

```
DELETE /v2/files/{file_id}
```

Soft-deletes the file; it remains recoverable via `/v2/trash` for 30 days. Pass `?permanent=true` to bypass the trash and delete immediately (irreversible).

4. Error Codes

Code	Meaning	Typical Cause
400	Bad Request	Malformed JSON or missing required field
401	Unauthorized	Missing or expired Bearer token
403	Forbidden	Token valid but lacks permission for this resource
404	Not Found	<code>file_id</code> or <code>folder_id</code> does not exist
409	Conflict	<code>overwrite=false</code> but a file already exists at that path
429	Too Many Requests	Rate limit exceeded for your plan tier