# Source Control/Build Process Instructions

## Prerequisites

Before running the setup script, ensure the following are installed on your machine:

- Node.js (v18 or higher)
- npm
- Expo Go app (on your mobile device or on your choice of emulator)

To verify installation, run `node -v` and `npm -v` in your terminal. If these commands return a version number, you are ready to proceed.

## Source Code

View the complete project repository on GitHub:
https://github.com/sanikadeshmukh3/Habitat

Clone the repository by running:

```
git clone https://github.com/sanikadeshmukh3/Habitat.git
cd Habitat
```

## Running the Application

From the root of the project, run:

```
./setup.sh
```

This single command installs all dependencies and starts both the backend server and the mobile application automatically.

Once Expo starts, enter `a` for Android or `i` for iOS when prompted.

> **Note**: Ensure your emulator is running before entering `a` or `i` .

## Test Login Credentials

The login feature connects to the backend server and validates credentials against the PostgreSQL database, demonstrating a complete round-trip data operation.

The database currently has one user seeded with the following credentials — email: `test@test.com`, password: `password123`.

> **Note:** The database goes to sleep after a period of inactivity and will wake up automatically upon login. Please allow a moment for the database to wake up if you see no response.

# Bug Tracking Instructions

## Overview

Habitat uses GitHub Issues for bug tracking. All bugs, feature requests, and development tasks are logged directly in the project repository.

## Finding the Bug Tracker

To view existing issues, visit the **Issues** tab on the Habitat GitHub repository at: https://github.com/sanikadeshmukh3/Habitat/issues

## Viewing Current Bugs

All issues are listed on the **Issues** page. Each issue includes a title, description, and author, along with optional fields such as category labels, associated projects, milestones, and assignees. Use the filters at the top to toggle between open and closed issues and sort by the various fields.

## Filing a New Bug

1. Click **New Issue**
2. Enter a descriptive title
3. In the description, include steps to reproduce the bug, expected behavior, and actual behavior
4. Use the **Assignees** panel on the right to assign the relevant developer
5. Use the **Labels** panel to categorize the issue or indicate its priority
6. Click **Submit New Issue**

# Database Access Instructions

## Overview

Habitat uses a PostgreSQL database hosted on Render, accessed through the Node.js/Express backend via Prisma ORM.  The backend is live at https://habitat-qel9.onrender.com.

> Note: This URL is an API endpoint, not a website. Visiting the link will return “Cannot GET /” — this is expected behavior. To verify the database connection, use the curl command below.

## Database Structure

The database currently contains the following table:

`User` – stores registered user accounts

- `userid` (String, primary key, UUID)
- `email` (String, unique)
- `password` (String)
- `timezone` (String, optional)
- `creation` (DateTime)

## Verifying Database Access

To confirm the backend is connected to the database, send a POST request to the `/login` endpoint using the test credentials below.

Using curl in your terminal:

```
curl -X POST https://habitat-qel9.onrender.com/login \
  -H "Content-Type: application/json" \
  -d ‘{“email": “test@test.com”, “password”: “password123”}’
```

A successful response confirms a live round-trip to the PostgreSQL database:

```
{ "message": "Login successful", "userId": "..." }
```