

Name : Sanika Jumde


Sem : V


PRN : 23070521225

Code 1:

```
DOMTraversalExamples.html > ...
1  <!DOCTYPE html>
2  <head>
3    <title>DOM Traversal Examples</title>
4  </head>
5  <body>
6    <h1 id="main-title">Hello</h1>
7    <ul id="task-list"></ul>
8    <p class="note">This is a note.</p>
9    <button onclick="addTask()">Add Task</button>
10   <ul id="list"></ul>
11   <ul id="mylist">
12     <li id="item1">Item 1</li>
13   </ul>
14   <ul id="tasks">
15     <li onclick="this.classList.toggle('done')">Click me to mark done</li>
16   </ul>
17   <script>
18     //Change Text Using getElementById
19     document.getElementById('main-title').textContent = 'Welcome to DOM!';
20
21     //Create and Append Element
22     const li = document.createElement('li');
23     li.textContent = 'Buy groceries';
24     document.getElementById('task-list').appendChild(li);
25
26     //Use querySelector to Change Style
27     const note = document.querySelector('.note');
28     note.style.color = 'blue';
29
30     //Add Multiple Items with Button Click
31     function addTask() {
32       const li = document.createElement('li');
33       li.textContent = 'New Task';
34       document.getElementById('list').appendChild(li);
35     }
36
37     //Remove Element from DOM
38     const item = document.getElementById('item1');
39     item.parentNode.removeChild(item);
40   </script>
41   <!-- Toggle Task Done -->
42   <style>
43     .done {
44       text-decoration: line-through;
45     }
46   </style>
47 </body>
48 </html>
```

Output:





Code 2:

```
task1.html > ...
1  <!-- Task 1: Add Items to a List
2  Create an input field and a button.
3  When the button is clicked, add the input value to a list.      -->
4
5  <!DOCTYPE html>
6  <head>
7  |   <title>Add Items to List</title>
8  </head>
9  <body>
10 |   <input type="text" id="itemInput" placeholder="Enter item" />
11 |   <button id="addButton">Add Item</button>
12
13 |   <ul id="itemList"></ul>
14 |   <script>
15 |       const input = document.getElementById('itemInput');
16 |       const button = document.getElementById('addButton');
17 |       const list = document.getElementById('itemList');
18
19 |       button.addEventListener('click', () => {
20 |           const itemText = input.value.trim();
21 |           if (itemText !== '') {
22 |               const li = document.createElement('li');
23 |               li.textContent = itemText;
24 |               list.appendChild(li);
25 |               input.value = '';
26 |               input.focus();
27 |           }
28 |       });
29 |   </script>
30 </body>
31 </html>
```

Output:





Code 3:


```
<? task2.html > ...
1  <!-- Task 2: Delete Items from a List
2  Add a delete button beside each task.
3  Clicking it removes that task.          -->
4
5  <!DOCTYPE html>
6  <head>
7      <title>Add and Delete Items from List</title>
8      <style>
9          li {
10             margin: 8px 0;
11         }
12
13         button.delete-btn {
14             margin-left: 12px;
15             color: white;
16             background-color: red;
17             border: none;
18             padding: 4px 8px;
19             cursor: pointer;
20             border-radius: 4px;
21         }
22     </style>
23 </head>
24 <body>
25     <input type="text" id="itemInput" placeholder="Enter item" />
26     <button id="addButton">Add Item</button>
27
28     <ul id="itemList"></ul>
29     <script>
30         const input = document.getElementById('itemInput');
31         const button = document.getElementById('addButton');
32         const list = document.getElementById('itemList');
```

```

33
34     button.addEventListener('click', () => {
35         const itemText = input.value.trim();
36         if (itemText !== '') {
37             const li = document.createElement('li');
38
39             li.textContent = itemText;
40
41             const deleteBtn = document.createElement('button');
42             deleteBtn.textContent = 'Delete';
43             deleteBtn.className = 'delete-btn';
44
45
46             deleteBtn.addEventListener('click', () => {
47                 list.removeChild(li);
48             });
49
50             li.appendChild(deleteBtn);
51             list.appendChild(li);
52
53             input.value = '';
54             input.focus();
55         }
56     });
57     </script>
58 </body>
59 </html>

```

Output:



Code 4:



```

task3.html > ...
1  <!-- Task 3: Edit a Task
2  Add an "Edit" button beside each task.
3  Clicking it allows the user to change the task content.      -->
4
5  <!DOCTYPE html>
6  <head>
7  |   <title>Add and Edit Tasks from List</title>
8  </head>
9  <body>
10 |   <h2>Task List</h2>
11 |   <input type="text" id="itemInput" placeholder="Enter a task" />
12 |   <button id="addButton">Add Task</button>
13
14 |   <ul id="itemList"></ul>
15 |   <script>
16 |       const input = document.getElementById('itemInput');
17 |       const button = document.getElementById('addButton');
18 |       const list = document.getElementById('itemList');
19
20 |       button.addEventListener('click', () => {
21 |           const taskText = input.value.trim();
22 |           if (taskText === '') return;
23
24 |           const li = document.createElement('li');
25
26 |           const span = document.createElement('span');
27 |           span.textContent = taskText;
28 |           li.appendChild(span);
29
30 |           const editBtn = document.createElement('button');
31 |           editBtn.textContent = 'Edit';
32 |           editBtn.addEventListener('click', () => {
33 |               if (editBtn.textContent === 'Edit') {
34 |                   const inputEdit = document.createElement('input');
35 |                   inputEdit.type = 'text';
36 |                   inputEdit.value = span.textContent;
37 |                   li.insertBefore(inputEdit, span);
38 |                   li.removeChild(span);
39 |                   editBtn.textContent = 'Save';

```

```

40         inputEdit.focus();
41     }
42     else {
43         const inputEdit = li.querySelector('input');
44         const newText = inputEdit.value.trim();
45         if (newText === '') {
46             alert('Task cannot be empty!');
47             inputEdit.focus();
48             return;
49         }
50         span.textContent = newText;
51         li.insertBefore(span, inputEdit);
52         li.removeChild(inputEdit);
53         editBtn.textContent = 'Edit';
54     }
55 });
56 li.appendChild(editBtn);
57
58 const deleteBtn = document.createElement('button');
59 deleteBtn.textContent = 'Delete';
60 deleteBtn.addEventListener('click', () => {
61     list.removeChild(li);
62 });
63 li.appendChild(deleteBtn);
64 list.appendChild(li);
65
66 input.value = '';
67 input.focus();
68 });
69 </script>
70 </body>
71 </html>

```

Output:

