

Name : Sanika Jumde



Sem : V

PRN : 23070521225

Code 1:

```
example1.html > ...
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Required Field Validation</title>
7 </head>
8 <body>
9   <form onsubmit="return validateRequired()">
10     <input type="text" id="username" name="username" placeholder="Enter username" required>
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function validateRequired() {
16       let username = document.getElementById("username").value;
17       if (username.trim() === "") {
18         alert("Username is required");
19         return false;
20       }
21       return true;
22     }
23   </script>
24 </body>
25 </html>
```



Output:



Code 2:

```
example2.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Data Type Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return validateAge()">
10     <input type="text" id="age" placeholder="Enter age">
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function validateAge() {
16       let age = document.getElementById("age").value;
17       if (isNaN(age)) {
18         alert("Age must be a number");
19         return false;
20       }
21       return true;
22     }
23   </script>
24 </body>
25 </html>
```




Output:



Code 3:

```
<? example3.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Length Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return validatePasswordLength()">
10         <input type="password" id="password" placeholder="Enter password">
11         <input type="submit" value="Submit">
12     </form>
13
14     <script>
15         function validatePasswordLength() {
16             let password = document.getElementById("password").value;
17             if (password.length < 6) {
18                 alert("Password must be at least 6 characters");
19                 return false;
20             }
21             return true;
22         }
23     </script>
24 </body>
25 </html>
```




Output:



Code 4:

```
<? example4.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Range Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return validateAgeRange()">
10         <input type="number" id="age" placeholder="Enter age">
11         <input type="submit" value="Submit">
12     </form>
13
14     <script>
15         function validateAgeRange() {
16             let age = document.getElementById("age").value;
17             if (age < 18 || age > 60) {
18                 alert("Age must be between 18 and 60");
19                 return false;
20             }
21             return true;
22         }
23     </script>
24 </body>
25 </html>
```



Output:



Code 5:

```
< example5.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Pattern / Regex Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return validateEmail()">
10     <input type="text" id="email" placeholder="Enter email">
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function validateEmail() {
16       let email = document.getElementById("email").value;
17       let pattern = /^[^ ]+@^[^]+\.[a-z]{2,3}$/;
18       if (!email.match(pattern)) {
19         alert("Invalid email format");
20         return false;
21       }
22       return true;
23     }
24   </script>
25 </body>
26 </html>
```




Output:



Code 6:

```
example6.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Compare Fields Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return comparePasswords()">
10         <input type="password" id="password" placeholder="Enter password"><br>
11         <input type="password" id="confirmPassword" placeholder="Confirm password"><br>
12         <input type="submit" value="Submit">
13     </form>
14
15     <script>
16         function comparePasswords() {
17             let password = document.getElementById("password").value;
18             let confirmPassword = document.getElementById("confirmPassword").value;
19             if (password !== confirmPassword) {
20                 alert("Passwords do not match");
21                 return false;
22             }
23             return true;
24         }
25     </script>
26 </body>
27 </html>
```




Output:



Code 7:

```
example7.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Numeric Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return validatePhone()">
10         <input type="text" id="phone" placeholder="Enter phone number">
11         <input type="submit" value="Submit">
12     </form>
13
14     <script>
15         function validatePhone() {
16             let phone = document.getElementById("phone").value;
17             if (!/^[0-9]+$/.test(phone)) {
18                 alert("Phone must contain only digits");
19                 return false;
20             }
21             return true;
22         }
23     </script>
24 </body>
25 </html>
```




Output:



Code 8:

```
<?xml version="1.0" encoding="UTF-8" ?>
<example8.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Email Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return checkEmail()">
10     <input type="text" id="email" placeholder="Enter email">
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function checkEmail() {
16       let email = document.getElementById("email").value;
17       let pattern = /^[^ ]+@[^.]{2,3}$/;
18       if (!email.match(pattern)) {
19         alert("Invalid email address");
20         return false;
21       }
22       return true;
23     }
24   </script>
25 </body>
26 </html>
```




Output:



Code 9:

```
example9.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Password Strength Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return validateStrongPassword()">
10     <input type="password" id="password" placeholder="Enter strong password">
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function validateStrongPassword() {
16       let password = document.getElementById("password").value;
17       let pattern = /^(?=[A-Z])(?=[a-z])(?=[0-9])(?=[@#%&'&+~]).{8,}$/;
18       if (!password.match(pattern)) {
19         alert("Weak password. Use uppercase, lowercase, number & special char.");
20         return false;
21       }
22       return true;
23     }
24   </script>
25 </body>
26 </html>
```




Output:



Code 10:

```
example10.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Checkbox / Radio Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return validateGender()">
10         Gender:
11         <input type="radio" name="gender" value="Male"> Male
12         <input type="radio" name="gender" value="Female"> Female
13         <br>
14         <input type="submit" value="Submit">
15     </form>
16
17     <script>
18         function validateGender() {
19             if (!document.querySelector('input[name="gender"]:checked')) {
20                 alert("Please select your gender");
21                 return false;
22             }
23             return true;
24         }
25     </script>
26 </body>
27 </html>
```




Output:



Code 11:

```
example11.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Dropdown Validation</title>
7  </head>
8  <body>
9      <form onsubmit="return validateCity()">
10         <select id="city">
11             <option value="">--Select City--</option>
12             <option value="Pune">Pune</option>
13             <option value="Delhi">Delhi</option>
14             <option value="Mumbai">Mumbai</option>
15         </select>
16         <input type="submit" value="Submit">
17     </form>
18
19     <script>
20         function validateCity() {
21             if (document.getElementById("city").value === "") {
22                 alert("Please select a city");
23                 return false;
24             }
25             return true;
26         }
27     </script>
28 </body>
29 </html>
```

Output:






Code 12:

```
<? example12.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Date Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return validateDOB()">
10     <input type="date" id="dob">
11     <input type="submit" value="Submit">
12   </form>
13
14   <script>
15     function validateDOB() {
16       let dob = new Date(document.getElementById("dob").value);
17       let today = new Date();
18       if (dob > today) {
19         alert("Date of Birth cannot be in the future");
20         return false;
21       }
22       return true;
23     }
24   </script>
25 </body>
26 </html>
```

Output:



The screenshot shows a web browser window with the title "Date Validation". The address bar shows the URL "127.0.0.1:5501/example12.html". The form contains a date input field with the placeholder "dd-mm-yyyy" and a "Submit" button. A calendar popup is displayed, showing the month of October 2025. The date "10" is selected. The calendar has a header with "October, 2025" and navigation arrows. The days of the week are listed as Su, Mo, Tu, We, Th, Fr, Sa. The dates 28, 29, 30, 1, 2, 3, 4 are in the first row. The date 10 is in the second row, highlighted with a black border. The dates 5, 6, 7, 8, 9, 11 are in the second row. The dates 12, 13, 14, 15, 16, 17, 18 are in the third row. The dates 19, 20, 21, 22, 23, 24, 25 are in the fourth row. The dates 26, 27, 28, 29, 30, 31, 1 are in the fifth row. The dates 2, 3, 4, 5, 6, 7, 8 are in the sixth row. At the bottom of the calendar, there are "Clear" and "Today" buttons.






Code 13:

```
example13.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>File Upload Validation</title>
7  </head>
8  <body>
9    <form onsubmit="return validateFile()">
10     <input type="file" id="resume">
11     <input type="submit" value="Upload">
12   </form>
13
14   <script>
15     function validateFile() {
16       let file = document.getElementById("resume").files[0];
17       if (!file) {
18         alert("Please upload a file");
19         return false;
20       }
21       if (file.size > 2 * 1024 * 1024) { // 2MB
22         alert("File too large (max 2MB)");
23         return false;
24       }
25       if (!file.name.endsWith(".pdf")) {
26         alert("Only PDF files are allowed");
27         return false;
28       }
29       return true;
30     }
31   </script>
32 </body>
33 </html>
```

Output:









Code 14:

```
<> example14.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  |   <meta charset="UTF-8">
5  |   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6  |   <title>Custom Validation using oninvalid</title>
7  </head>
8  <body>
9  |   <form>
10 |       <input type="email" required
11 |           |   oninvalid="this.setCustomValidity('Enter a valid email!')"
12 |           |   oninput="this.setCustomValidity('')">
13 |       <input type="submit" value="Submit">
14 |   </form>
15 </body>
16 </html>
```

Output:





Code 15:

```
example15.html > ...
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Real-time (Live) Validation</title>
7  </head>
8  <body>
9      <form>
10         <input type="text" id="username" placeholder="Enter username">
11         <span id="error" style="color: red"></span>
12     </form>
13
14     <script>
15         document.getElementById("username").oninput = function() {
16             if (this.value.length < 3) {
17                 document.getElementById("error").innerText = "Must be at least 3 characters";
18             } else {
19                 document.getElementById("error").innerText = "";
20             }
21         }
22     </script>
23 </body>
24 </html>
```

Output:

