


*Theory Questions In Notebook.



Date _____
Page _____

* Html, CSS framework name ?

- 1) Bootstrap
- 2) Tailwind CSS
- 3) Svelte
- 4) Angular → JavaScript
- 5) Angular JS
- 6) JQuery
- 7) Foundation
- 8) Bulma
- 9) Material UI

* Java creates own server or not ?

→ Yes, Java applications can create and run their own servers, and there are several ways to achieve this.

if

* Unordered list tag के type कौनसे ?

-
- 1) Square
 - 2) Circle
 - 3) disc

* Use of computer

- 1) communication
- 2) education
- 3) marketing
- 4) Research
- 5) Healthcare
- 6) Storing important data
- 7) internet browsing
- 8) Training
- 9) games
- 10) government sector
- 11) entertainment

* Computer Languages


python	Smalltalk	Flutter
Java	Rust	R
C	Kotlin	MATLAB
C++	Dart	Scala
C#	Vala	Octave
PHP	Julia	Stan
Fortran	Nim	JAX
Pascal	Typescript	Assembly
Javascript	HTML	Lua
Swift	CSS	COBOL
Go	Razor	Ada
Ruby	Elixir	F#
Scala	Erlang	JS
Delphi	ASP.NET	ocaml
Perl	Svelte	Prolog
Simula	Hack	BASH

- in html, there's no direct, built in functionality that automatically selects a checkbox when you select the text on page.

- within javascript we can select checkbox if we select the text.

* Padding

- padding can be defined as the inner space of element



Margin

- margin can be described as the outer space of element

