

Model Optimization and Tuning Phase

| | |
|---------------|---|
| Date | 12 June 2025 |
| Student Name | Sanika Suresh Patil |
| Project Title | Uncovering the Hidden Treasures of the Mushroom Kingdom A Classification Analysis |
| Maximum Marks | 10 Marks |

Model Optimization and Tuning Phase

The Model Optimization and Tuning Phase involves improving our neural network models to get the best results. This means adjusting the model's settings, comparing how well different settings work, and explaining why we chose our final model.

The neural network models were trained to classify mushroom images into the following three classes: Boletus, Lactarius, and Russula. The training dataset consisted of 911 labeled mushroom images across the three target classes. A separate dataset of 292 images was used for validation and final evaluation of the models.

Hyperparameter Tuning Documentation (8 Marks):

| Model | Tuned Hyperparameters |
|---------------------------------------|--|
| Model 1: InceptionV3 (Baseline) | <p>Learning Rate: We adjusted the learning rate, which controls how much the model learns from its mistakes. We tried different learning rates to find one that helps the model learn effectively without becoming unstable.</p> <pre> 1 optimizer = Adam(learning_rate=0.001) 2 model5.compile(3 optimizer=optimizer, 4 loss="categorical_crossentropy", 5 metrics=["accuracy"] 6) </pre> <p>Batch Size: We changed the batch size, which is the number of images the model processes at once before updating its knowledge. We tested different batch sizes to balance speed and memory usage.</p> |

| | |
|---|---|
| |  <pre> 1 # Load and preprocess training data 2 train_data = train_datagen.flow_from_directory(3 train_dir, 4 target_size=img_size, 5 class_mode="categorical", 6 batch_size=100 7) 8 9 # Load and preprocess test data 10 test_data = test_datagen.flow_from_directory(11 test_dir, 12 target_size=img_size, 13 class_mode="categorical", 14 batch_size=100 15) </pre> |
| <p>Model 2: InceptionV3 (Optimized)</p> | <p>Learning Rate: We made finer adjustments to the learning rate, building on what we learned from Model 1, to see if we could improve performance further.</p>  <pre> 1 optimizer = Adam(learning_rate=0.001) 2 model5.compile(3 optimizer=optimizer, 4 loss="categorical_crossentropy", 5 metrics=["accuracy"] 6) </pre> <p>Batch Size: We used the best batch size from Model 1.</p> |

```

1  # Load and preprocess training data
2  train_data = train_datagen.flow_from_directory(
3      train_dir,
4      target_size=img_size,
5      class_mode="categorical",
6      batch_size=100
7  )
8
9  # Load and preprocess test data
10 test_data = test_datagen.flow_from_directory(
11     test_dir,
12     target_size=img_size,
13     class_mode="categorical",
14     batch_size=100
15 )

```

Accuracy:

```

... Found 911 images belonging to 3 classes.
Found 292 images belonging to 3 classes.
Epoch 1/50
10/10 [=====] - 409s 44s/step - loss: 1.4139 - accuracy: 0.4577 - val_loss: 1.2089 - val_accuracy: 0.2808
Epoch 2/50
10/10 [=====] - 24s 2s/step - loss: 0.9628 - accuracy: 0.6081 - val_loss: 1.3015 - val_accuracy: 0.3219
Epoch 3/50
10/10 [=====] - 25s 3s/step - loss: 0.8397 - accuracy: 0.6773 - val_loss: 1.2984 - val_accuracy: 0.3938
Epoch 4/50
10/10 [=====] - 23s 2s/step - loss: 0.7214 - accuracy: 0.7080 - val_loss: 0.8995 - val_accuracy: 0.5445
Epoch 5/50
10/10 [=====] - 24s 2s/step - loss: 0.6653 - accuracy: 0.7333 - val_loss: 0.7398 - val_accuracy: 0.6096
Epoch 6/50
10/10 [=====] - 24s 2s/step - loss: 0.6067 - accuracy: 0.7673 - val_loss: 0.6160 - val_accuracy: 0.7055
Epoch 7/50
10/10 [=====] - 24s 2s/step - loss: 0.6118 - accuracy: 0.7453 - val_loss: 0.5257 - val_accuracy: 0.7500
Epoch 8/50
10/10 [=====] - 24s 2s/step - loss: 0.5409 - accuracy: 0.7794 - val_loss: 0.4759 - val_accuracy: 0.7979
Epoch 9/50
10/10 [=====] - 24s 2s/step - loss: 0.5510 - accuracy: 0.7629 - val_loss: 0.4671 - val_accuracy: 0.7877
Epoch 10/50
10/10 [=====] - 23s 2s/step - loss: 0.5515 - accuracy: 0.7783 - val_loss: 0.3937 - val_accuracy: 0.8356
Epoch 11/50
10/10 [=====] - 25s 3s/step - loss: 0.5000 - accuracy: 0.7859 - val_loss: 0.3540 - val_accuracy: 0.8699
Epoch 12/50
...
10/10 [=====] - 24s 2s/step - loss: 0.3308 - accuracy: 0.8573 - val_loss: 0.2649 - val_accuracy: 0.8836
3/3 [=====] - 3s 1s/step - loss: 0.2649 - accuracy: 0.8836
Test loss: 0.26492103934288025
Test accuracy: 88.35616707801819

```

Final Model Selection Justification (2 Marks):

| Final Model | Reasoning |
|---|---|
| <p>Model 2: InceptionV3 (Optimized)</p> | <p>We selected Model 2 as our final model because it demonstrated a significant improvement in validation accuracy compared to Model 1, achieving 88.36% compared to Model 1's best of 84.59%</p> <p>The image provided shows the training output. We felt the higher accuracy was worth the extra training time. Model 2 also seemed to generalize better to new images.</p> |