

# WORKBOOK DBMS ASSIGNMENT -1

**Q1) Write SQL commands to create a database named SchoolDB. The program should: 1. Create a new database named SchoolDB. 2. Select the database for use. 3. Display confirmation by creating a simple table inside it.**

```
CREATE DATABASE SchoolDB;


USE SchoolDB;

CREATE TABLE Student (
    StudentID INT PRIMARY KEY,
    StudentName VARCHAR(50),
    Age INT
);

SHOW TABLES;
```

**Q2) Create a table named Student with the following columns: Column Name Data Type StudentID INT Constraint StudentName PRIMARY KEY VARCHAR(50) NOT NULL Age ClassName VARCHAR(30) INT VARCHAR(20) City The program should: 1. Create the table. 2. Define proper data types. 3. Apply primary key on StudentID.**

```
Create Table Student (
StudentID INT PRIMARY KEY,
studentName varchar(50) NOT NULL,
Age INT,
ClassName VARCHAR(20),
City VARCHAR(30)
);
```




### QUESTION 3

**Q3) Insert at least 10 records into the Student table. The records should include: 1. Student ID 2. Student name 3. Age 4. Class name 5. City After inserting data, display all records using the SELECT command.**

INSERT INTO Student (StudentID, StudentName, Age, ClassName, City)

VALUES


- (1, 'Aarav Shah', 18, 'FYBSc IT', 'Mumbai'),
- (2, 'Meera Joshi', 19, 'FYBCA', 'Pune'),
- (3, 'Priya Patil', 19, 'BCA', 'Pune'),
- (4, 'Aman Verma', 21, 'BSc CS', 'Nashik'),
- (5, 'Sneha Joshi', 20, 'BSc IT', 'Mumbai'),
- (6, 'Karan Mehta', 22, 'BCA', 'Thane'),
- (7, 'Pooja Singh', 20, 'SYBCA', 'Chennai'),
- (8, 'Amit Kumar', 21, 'TYBSc IT', 'Delhi'),
- (9, 'Rahul Varma', 23, 'SYBCA', 'Bengaluru'),
- (10, 'Kavita Iyer', 19, 'SYBSc IT', 'Nashik');



## QUESTION 4

**Q4) Create a table named Course with the following fields: Column Name Data Type  
CourseID CourseName INT VARCHAR(50) Duration Fees VARCHAR(20) DECIMAL(10,2) The program should: 1. Create the table. 2. Add a primary key on CourseID. 3. Insert at least 5 course records. 4. Display all course records.**

```
CREATE TABLE Course (
CourseID INT PRIMARY KEY,
CourseName VARCHAR(50),
Duration VARCHAR(20),
Fees DECIMAL(10,2)
);
```




```
INSERT INTO Course (CourseID, CourseName, Duration, Fees)
VALUES
```

```
(1, 'SQL Mastery', '2 Months', 4500.00),
(2, 'Python Basics', '3 Months', 6000.50),
(3, 'Java Pro', '4 Months', 8000.00),
```

(4, 'Web Dev Boot', '6 Months', 12000.75),

(5, 'Data Science', '6 Months', 15000.00);

SELECT \* FROM Course;



Server: 127.0.0.1 » Database: schooldb » Table: Course

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

|                          |      | CourseID | CourseName    | Duration | Fees     |
|--------------------------|------|----------|---------------|----------|----------|
| <input type="checkbox"/> | Edit | 1        | SQL Mastery   | 2 Months | 4500.00  |
| <input type="checkbox"/> | Edit | 2        | Python Basics | 3 Months | 6000.50  |
| <input type="checkbox"/> | Edit | 3        | Java Pro      | 4 Months | 8000.00  |
| <input type="checkbox"/> | Edit | 4        | Web Dev Boot  | 6 Months | 12000.75 |
| <input type="checkbox"/> | Edit | 5        | Data Science  | 6 Months | 15000.00 |

Check all | With selected: Edit Copy Delete Export


Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

**Q5) Write SQL queries to display only selected columns from the Student table. Display: 1. StudentName 2. ClassName 3. City Expected output should show only these three columns.**

Select StudentName, ClassName, City

FROM Student;



Server: 127.0.0.1 » Database: schooldb » Table: Student

Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

|                          |      | StudentName | ClassName | City      |
|--------------------------|------|-------------|-----------|-----------|
| <input type="checkbox"/> | Edit | Aarav Shah  | FYBSc IT  | Mumbai    |
| <input type="checkbox"/> | Edit | Meera Joshi | FYBCA     | Pune      |
| <input type="checkbox"/> | Edit | Priya Patil | BCA       | Pune      |
| <input type="checkbox"/> | Edit | Aman Verma  | BSc CS    | Nashik    |
| <input type="checkbox"/> | Edit | Sneha Joshi | BSc IT    | Mumbai    |
| <input type="checkbox"/> | Edit | Karan Mehta | BCA       | Thane     |
| <input type="checkbox"/> | Edit | Pooja Singh | SYBCA     | Chennai   |
| <input type="checkbox"/> | Edit | Amit Kumar  | TYBSc IT  | Delhi     |
| <input type="checkbox"/> | Edit | Rahul Varma | SYBCA     | Bengaluru |
| <input type="checkbox"/> | Edit | Kavita Iyer | SYBSc IT  | Nashik    |

**Q6) Write SQL commands to view the structure of the Student table. Use the suitable command according to the database environment: Database Command MySQL DESC Student; PostgreSQL tudent SQLite PRAGMA table\_info(Student);**

--MYSQL Environment


DESC Student;.....(only run this)

--postgresql Environment

\d Student

--SQLite Environment

PRAGMA table\_info(Student);



**Q7) Prepare a CSV file named students.csv and import it into the Student table. The CSV file should contain: StudentID StudentName 1 Aarav Shah Age ClassName City 18 2 Meera Joshi FYBSc IT Mumbai 19 3 Rohan Patil 20 FYBCA Pune SYBSc IT Nashik The task should include: 1. Creating a matching table. 2. Importing the CSV file. 3. Displaying imported records using SELECT.**

LOAD DATA INFILE "C:/Users/wadek/Documents/Students.csv"

INTO TABLE Student


FIELDS TERMINATED BY ','

ENCLOSED BY ''

LINES TERMINATED BY '\n'

IGNORE 1 ROWS;

SELECT \* FROM Student;



| StudentID | StudentName | Age | ClassName    | City      |
|-----------|-------------|-----|--------------|-----------|
| 1         | Aarav Shah  | 18  | FYBSc IT     | Mumbai    |
| 2         | Meera Joshi | 19  | FYBCA        | Pune      |
| 3         | Priya Patil | 19  | BCA          | Pune      |
| 4         | Aman Verma  | 21  | BSc CS       | Nashik    |
| 5         | Sneha Joshi | 20  | BSc IT       | Mumbai    |
| 6         | Karan Mehta | 22  | BCA          | Thane     |
| 7         | Pooja Singh | 20  | SYBCA        | Chennai   |
| 8         | Amit Kumar  | 21  | TYBSc IT     | Delhi     |
| 9         | Rahul Varma | 23  | SYBCA        | Bengaluru |
| 10        | Kavita Iyer | 19  | SYBSc IT     | Nashik    |
| 102       | Luna        | 22  | SYBCA        | Delhi     |
| 103       | Raj         | 25  | Data Science | Pune      |
| 104       | Alice       | 28  | Architecture | Mumbai    |

**Q8) Create a database named EmployeeDB and a table named Employee. The table should contain: Column Name Data Type EmployeeID INT EmployeeName VARCHAR(50) Department Salary VARCHAR(30) DECIMAL(10,2) Column Name Data Type City VARCHAR(30) The program should: 1. Create the database. 2. Create the Employee table. 3. Insert 8 employee records. 4. Display all employee records.**

CREATE DATABASE EmployeeDB;


USE EmployeeDB;

CREATE TABLE Employee (

EmployeeID, INT PRIMARY KEY, EmployeeName VARCHAR(50),

Department VARCHAR(30), Salary DECIMAL(10,2), City VARCHAR(30)

);



```
CREATE TABLE IF NOT EXISTS Employee ( EmployeeID INT PRIMARY KEY, EmployeeName VARCHAR(50), Department VARCHAR(30), Salary DECIMAL(10,2), City VARCHAR(30) );
```

INSERT INTO Employee

VALUES

(101, 'John Doe', 'IT', 75000.00, 'New York'),

```

(102, 'Jane Smith', 'HR', 65000.00, 'Chicago'),
(103, 'Sam Brown', 'Finance', 82000.00, 'Boston'),
(104, 'Lisa Ray', 'IT', 78000.00, 'Seattle'),
(105, 'Mark Lee', 'Sales', 60000.00, 'Austin'),
(106, 'Anna Kim', 'Marketing', 68000.00, 'Denver'),
(107, 'Paul Jay', 'Finance', 81880.00, 'Miami'),
(108, 'Emma Watson', 'HR', 66000.00, 'Dallas');

SELECT * FROM Employee;

```

The screenshot shows the phpMyAdmin interface for a database named 'employeeedb'. The 'Table: Employee' is selected, and the 'SQL' tab is active. The table structure is displayed with columns: EmployeeID, EmployeeName, Department, Salary, and City. The data is listed in a table with 8 rows, each with edit, copy, and delete icons. Below the table, there are options to check all, edit, copy, delete, and export. At the bottom, there are options to print, copy to clipboard, export, display chart, and create view.

| EmployeeID | EmployeeName | Department | Salary   | City     |
|------------|--------------|------------|----------|----------|
| 101        | John Doe     | IT         | 75000.00 | New York |
| 102        | Jane Smith   | HR         | 65000.00 | Chicago  |
| 103        | Sam Brown    | Finance    | 82000.00 | Boston   |
| 104        | Lisa Ray     | IT         | 78000.00 | Seattle  |
| 105        | Mark Lee     | Sales      | 60000.00 | Austin   |
| 106        | Anna Kim     | Marketing  | 68000.00 | Denver   |
| 107        | Paul Jay     | Finance    | 81880.00 | Miami    |
| 108        | Emma Watson  | HR         | 66000.00 | Dallas   |

**Q9) Write SQL queries to compare the difference between SELECT \* and selecting specific columns. The task should include: 1. Query using SELECT \* FROM Student; 2. Query using SELECT StudentName, City FROM Student; 3. Write two lines explaining the difference between both outputs.**

--query 1: the wildcard approach


Select \* FROM Student



--query2: the specific approach

Select StudentName, City

From student;



**Q10) Create a complete SQL script for a mini college database. The script should include: 1. Creating database MiniCollegeDB. 2. Creating tables Student, Course, and Faculty. 3. Adding suitable columns and data types. 4. Inserting at least 5 records in each table. 5. Displaying all records from each table. 6. Viewing the structure of each table.**

CREATE DATABASE MiniCollegeDB;

USE MiniCollegeDB;

```
CREATE TABLE Student (SID INT PRIMARY KEY, SName VARCHAR(50));
```

```
CREATE TABLE Course (CID INT PRIMARY KEY, CName VARCHAR(50));
```

```
CREATE TABLE Faculty (FID INT PRIMARY KEY, FName VARCHAR(50));
```

```
INSERT INTO Student
```

```
VALUES (1, 'Ali'), (2, 'Ben'), (3, 'Cam'), (4, 'Dan'), (5, 'Eve');
```

```
INSERT INTO Course
```

```
VALUES (10, 'Math'), (11, 'Sci'), (12, 'Art'), (13, 'Lit'), (14, 'CS');
```

```
INSERT INTO Faculty
```

```
VALUES (100, 'Dr.X'), (101, 'Dr.Y'), (102, 'Dr.Z'), (103, 'Dr.A'), (104, 'Dr.B');
```

```
SELECT * FROM Student; SELECT FROM Course; SELECT FROM Faculty;
```

```
DESC Student; DESC Course; DESC Faculty;
```

The image displays two screenshots of the phpMyAdmin web interface, version 4.7.0.1, running on a MySQL server (127.0.0.1). The left sidebar shows a tree view of databases, including 'college', 'collegedb', 'employeedb', 'employee', 'information\_schema', 'mysql', 'performance\_schema', 'phpmyadmin', 'schooldb', 'course', 'student', 'supportdb', 'supportticket', and 'test'.

The top screenshot shows the 'Student' table selected. The table has two columns: 'SID' and 'SName'. The data is as follows:

| SID | SName |
|-----|-------|
| 1   | Ali   |
| 2   | Ben   |
| 3   | Cam   |
| 4   | Dan   |
| 5   | Eve   |

The bottom screenshot shows the 'Course' table selected. The table has two columns: 'CID' and 'CName'. The data is as follows:

| CID | CName            |
|-----|------------------|
| 10  | Math             |
| 11  | Science          |
| 12  | Art              |
| 13  | Literature       |
| 14  | Computer Science |

phpMyAdmin

Recent Favorites

- New
- college
- collegedb
- employeeedb
  - New
  - employee
- information\_schema
- mysql
- performance\_schema
- phpmyadmin
- schoolodb
  - New
  - course
  - student
- supportodb
  - New
  - supportticket
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export

☐ Profiling [ Edit inline ] [ Edit ] [ Explain SQL ] [ Create PHP code ] [ Refresh ]

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Extra options

|                          |                  | FID | FName |
|--------------------------|------------------|-----|-------|
| <input type="checkbox"/> | Edit Copy Delete | 100 | Dr. X |
| <input type="checkbox"/> | Edit Copy Delete | 101 | Dr. Y |
| <input type="checkbox"/> | Edit Copy Delete | 102 | Dr. Z |
| <input type="checkbox"/> | Edit Copy Delete | 103 | Dr. A |
| <input type="checkbox"/> | Edit Copy Delete | 104 | Dr. B |

☐ Check all With selected: Edit Copy Delete

☐ Show all | Number of rows: 25 | Filter rows: Search this table

Query results operations

phpMyAdmin

Recent Favorites

- New
- college
- collegedb
- employeeedb
  - New
  - employee
- information\_schema
- mysql
- performance\_schema
- phpmyadmin
- schoolodb
  - New
  - course
  - student
- supportodb
  - New
  - supportticket
- test

Server: 127.0.0.1

Databases SQL Status User accounts Export Import Settings

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| SID   | int(11)     | NO   | PRI | NULL    |       |
| SName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Print Copy to clipboard Create view

Your SQL query has been executed successfully.

DESC Course;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| CID   | int(11)     | NO   | PRI | NULL    |       |
| CName | varchar(50) | YES  |     | NULL    |       |

Query results operations

Your SQL query has been executed successfully.

DESC Faculty;

[ Edit inline ] [ Edit ] [ Create PHP code ]

Extra options

| Field | Type        | Null | Key | Default | Extra |
|-------|-------------|------|-----|---------|-------|
| FID   | int(11)     | NO   | PRI | NULL    |       |
| FName | varchar(50) | YES  |     | NULL    |       |