

AMBER ESOL · USER MANUAL

# Amber Admin Guide

A step-by-step guide with pictures from the real system. Written to be read by learners — simple words, short steps.

Generated 2026-08-19 · Amber Training Ltd

# Amber ESOL Platform Admin Guide

*This guide is for Amber staff who run the platform itself. It covers every organisation, every teacher, safeguarding oversight, funding evidence, compliance rules, and the background machinery that keeps the platform honest. Every picture comes from the real system.*

**The idea in one line:** organisations teach and learners practise, but the duties that protect everyone, safeguarding response, funding integrity, and the audit trail, live at this level. This module is where those duties are done.


## Quick reference, the 10 things you will do most

| I want to                                 | Where to go                         |
|-------------------------------------------|-------------------------------------|
| See the whole platform at a glance        | Sidebar, <b>Overview</b>            |
| Add or manage a client organisation       | Sidebar, <b>Organisations</b>       |
| Approve or revoke an ESOL teacher         | Sidebar, <b>ESOL Teachers</b>       |
| Act on a safeguarding alert               | Sidebar, <b>Safeguarding</b>        |
| Edit the crisis messages learners see     | Sidebar, <b>Response texts</b>      |
| Check teacher workload                    | Sidebar, <b>Teacher utilisation</b> |
| Export the ILR funding file               | Sidebar, <b>Reports</b>             |
| See claimable versus total learning hours | Sidebar, <b>GLH analytics</b>       |
| Change ILR, RARPA, or routing rules       | Sidebar, <b>Compliance config</b>   |
| Investigate what happened and when        | Sidebar, <b>Audit search</b>        |

## 1. Overview, the whole platform on one screen

**What it is for:** a live picture of every organisation: learners, learning hours, and revenue for the current period.

**How to get here:** sign in as an Amber admin. You land here. Sidebar, **Overview**.



What you see:

1. **Four platform totals.** Organisations, total learners, GLH this month, and revenue this month.
2. **The organisations table.** One row per client with type, contract end date, learner count, learners active in the last 7 days, monthly GLH, monthly revenue, and a billing status chip. **Contract lapsed** and **No contract** appear in the billing column so a commercial problem is visible the moment you sign in.
3. **Search and the demo toggle.** Search by name, and flip **Hide demo orgs** to see only paying clients.

Press **View** on any row to open that organisation in full.

## 2. Organisations

**What it is for:** provisioning new clients and managing existing ones.

**How to get here:** sidebar, **Organisations**.

AMBER

Administrator > Organisations

AA Amber Admin Administrator

OVERVIEW

Overview

ESOL

Organisations

ESOL Teachers

Safeguarding

Response texts

Teacher utilisation

Placement calibration

FINANCE

Invoices

COMPLIANCE

Reports

GLH analytics

Compliance config

Audit search

SALES

Sales intelligence

Support Tickets

Collapse

Organisations

Manage ESOL client organisations on the platform.

+ Provision organisation

Search by name, slug, or contact email...

| ORGANISATION                                                                                                                                 | CONTACT                                    | PAYMENT            | CREATED     | STATUS | ACTIONS                     |
|----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|--------------------|-------------|--------|-----------------------------|
|  <b>Seed QA Organisation</b><br>@seed-qa-organisation       | Orla Admin<br>seed-qa-orgadmin@example.com | Invoiced · monthly | 9 Jun 2026  | Active | <button>Deactivate</button> |
|  <b>Hillview Adult Learning</b><br>@hillview-adult-learning |                                            | Invoiced · monthly | 8 Jun 2026  | Active | <button>Deactivate</button> |
|  <b>Burnex Solutions</b><br>@burnex-solutions               | Collins Sanni<br>info@burnexsolutions.com  | Stripe · monthly   | 11 May 2026 | Active | <button>Deactivate</button> |

Each row shows the organisation, its admin contact, the payment model (invoiced or Stripe, with the billing cycle), the created date, and an active status chip.

- **Provision organisation** opens the form for a new client. It creates the organisation and its first org admin account in one step.
- **Deactivate** suspends an organisation. Its people can no longer sign in, but nothing is deleted and the audit trail stays intact. Deactivating is reversible; use it for lapsed contracts rather than asking for anything to be removed.

## An organisation in detail

Press a row to open the full record:

Administrator > Dashboard

?
🔔
AA Amber Admin Administrator

OVERVIEW

🕒 Overview

ESOL

📁 Organisations

👤 ESOL Teachers

🛡️ Safeguarding

💬 Response texts

👤 Teacher utilisation

🎯 Placement calibration

FINANCE

💰 Invoices

COMPLIANCE

📄 Reports

📈 GLH analytics

🔧 Compliance config

🔍 Audit search

SALES

✉️ Sales intelligence

🗨️ Support Tickets

🔽 Collapse

← All organisations

Seed QA Organisation

College · Contract: — → — · No contract

👤 LEARNERS

3

0 active in last 7 days

🕒 GLH THIS MONTH

1

AI + imported + teacher contact

£ REVENUE THIS MONTH

£0.00

£0.00 SaaS + £0.00 sessions

📄 CONTRACT

—

Started —

🔌 MIS connection

Configure how Project Silk pushes ILR data into this organisation's MIS. Credentials are encrypted at rest with AES-256 and never returned via the API.

MIS TYPE

None (no MIS integration)

API ENDPOINT URL

Not used when MIS type is none.

API CREDENTIALS

Paste the API token or credential blob

Not used when MIS type is none.

💾 Save

🔌 Test connection

🔄 MIS sync

Manual sync triggers, unresolved conflicts, and the audit trail of every MIS-related event for this organisation.

⏸️ Never pushed

⚠️ 0 open conflicts

⚠️ Open conflicts

No open conflicts for this organisation.

📄 Recent activity

No MIS activity recorded for this organisation yet.

🔄 Sync now

Detail panels

Function 15 To-Do 3+ adds dedicated panels here. The affordances below are visible today so the layout is set.

📄 Recent audit log

COMING SOON

Most-recent state changes for this organisation, drawn from the AuditLog collection.

🕒 Safeguarding history

COMING SOON

Aggregate counts and the most recent unresolved alerts for this organisation.

📄 Billing history

COMING SOON

Invoices, payment status, and outstanding balance.

👤 Teacher roster

COMING SOON

Assigned ESOL teachers, their learner counts, and last-reviewed timestamps.

Top to bottom:

- The header.** Name, type, contract dates, and a contract status chip.
- Four cards.** Learners (with 7 day activity), GLH this month, revenue this month, and the contract summary.
- MIS connection.** How the platform pushes ILR data into the client's management information system. Pick the MIS type, paste the endpoint and credentials, then **Save**. Credentials are encrypted at rest with AES 256 and are never returned by the API, so once saved they cannot be read back out

by anyone, including you. Press **Test connection** to prove the details work before relying on them.

4. **MIS sync.** The push history for this client: when data was last pushed, any open conflicts, and a **Sync now** button for a manual push. Conflicts appear here when the MIS rejects or disputes a record, and each one must be resolved by a person.
5. **Detail panels.** Placeholders for the audit log, safeguarding history, billing history, and teacher roster panels. These are labelled coming soon in the current build.

---

### 3. ESOL Teachers, the approval gate

**What it is for:** deciding who is allowed to deliver ESOL sessions on the platform. A teacher account can exist, but until you approve it here, it cannot teach.

**How to get here:** sidebar, **ESOL Teachers**.

The screenshot shows the AMBER web application interface. The top navigation bar includes the AMBER logo, a breadcrumb trail 'Administrator > ESOL Teachers', and user information 'AA Amber Admin Administrator'. The left sidebar contains a menu with categories: OVERVIEW (Overview), ESOL (Organisations, ESOL Teachers, Safeguarding, Response texts, Teacher utilisation, Placement calibration), FINANCE (Invoices), COMPLIANCE (Reports, GLH analytics, Compliance config, Audit search), SALES (Sales intelligence), and Support Tickets. The main content area is titled 'ESOL Teachers' with the subtitle 'Approve and manage which tutors can deliver ESOL sessions.' It features a search bar 'Search by name or email...' and a dropdown 'All teachers'. Below is a table with columns: TUTOR, QUALIFICATION, DBS, RATING, STATUS, and ACTION. The table contains one row for 'Theo Teacher' (seed-qa-teacher@example.com) with a dash for qualification, 'Not set' for DBS, a 0.0 rating, and an 'Approved' status. The action column has a 'Revoke' button.

| TUTOR                                              | QUALIFICATION | DBS     | RATING | STATUS   | ACTION |
|----------------------------------------------------|---------------|---------|--------|----------|--------|
| <b>Theo Teacher</b><br>seed-qa-teacher@example.com | —             | Not set | ★ 0.0  | Approved | Revoke |

Each row shows the tutor, their qualification, DBS status, rating, and approval status.

#### Step by step, approving a teacher

1. Check the qualification column. A dash means none recorded yet.
2. Check the DBS column. **Not set** shows in red because a missing DBS check is a safeguarding matter, not a paperwork detail.
3. If everything is in order, press **Approve**. The teacher can now be assigned learners and deliver sessions.

4. To withdraw approval later, press **Revoke**. The account remains, but the teacher can no longer act on learners.

**Good to know:** approval is deliberately a platform level decision, not an organisation level one. An org admin can invite a teacher, but only Amber can switch them on. That keeps one consistent vetting bar across every client.

---

## 4. Safeguarding, the most important queue on the platform

**Why this matters:** during AI practice sessions the platform watches for signs that a learner may be at risk: self harm, domestic abuse, radicalisation, concern about a child, exploitation, or a mental health crisis. When something is detected, the learner immediately receives a supportive message with real helpline numbers, the session carries on if they want it to, and an alert lands in this queue. The platform never contacts emergency services and never decides on its own. A person, the designated safeguarding lead, must review every alert. This screen is where that duty is discharged.

**How to get here:** sidebar, **Safeguarding**. The count of open alerts is shown next to the page title.

The screenshot shows the Amber platform's Safeguarding alerts interface. The top navigation bar includes the Amber logo, the path 'Administrator > Safeguarding', and a user profile for 'AA Amber Admin Administrator'. The left sidebar lists various modules: OVERVIEW (Overview), ESOL (Organisations, ESOL Teachers, Safeguarding - highlighted), Response texts, Teacher utilisation, Placement calibration, FINANCE (Invoices), COMPLIANCE (Reports, GLH analytics, Compliance config, Audit search), SALES (Sales intelligence), Support Tickets, and Collapse. The main content area is titled 'Safeguarding alerts' with a '1 OPEN' badge. Below the title is a descriptive text: 'Welfare concerns flagged automatically during AI sessions. Open rows breach SLA after 15 minutes — amber indicator at 5, red after 15.' A filter bar shows 'Filter: All statuses' and 'All levels'. A single alert row is displayed for 'Stephen Sanni — Seed QA Organisation', with status chips for 'HIGH', 'DV', and 'OPEN', and a timestamp of '19 Aug 2026, 11:45'.

Each alert row shows:

- **The level chip.** HIGH means act now.
- **The category chip.** In the picture, DV marks a domestic abuse trigger. Categories match the response texts in section 5.
- **The status chip.** OPEN until a person records an outcome.

- **Who and where.** The learner's name and their organisation, plus the time the alert was raised.

**The clock is running.** Open alerts breach their service level after 15 minutes. The row indicator turns amber at 5 minutes and red at 15. An alert that has gone red is overdue for human attention and should be picked up before anything else on the platform.

Filter by status or level to work the queue. Use **All statuses** to review past alerts and confirm nothing was left open.

## Acting on an alert

Press an alert to open it:

**Safeguarding alert**

Review and record outcome

**HIGH** OPEN

Learner: **Stephen Sanni** (Entry 2)  
 Organisation: **Seed QA Organisation**  
 Raised 19 Aug 2026, 11:45

**OUTCOME**

**Reviewed**  
 Acknowledged, no further action required.

**Escalated**  
 Escalated to safeguarding officer or external authority.

**Resolved**  
 Issue addressed and concluded.

**Dismissed**  
 False positive — no concern present.

**RESOLUTION NOTES**

Action taken, follow-ups arranged, who was contacted...

Cancel Save review

The panel shows the level, status, the learner and their level, the organisation, and when the alert was raised. To close the loop you record an outcome. There are exactly four, and choosing honestly matters because this record is the evidence of how the duty was met:

| Outcome          | When to choose it                                                                                                                                                     |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Reviewed</b>  | You looked at it, spoke to whoever you needed to, and no further action is required.                                                                                  |
| <b>Escalated</b> | You passed it to the safeguarding officer at the learner's organisation, or to an external authority. Use this whenever the concern is real and beyond a quick check. |
| <b>Resolved</b>  | The issue was addressed and concluded, for example support was arranged and confirmed.                                                                                |
| <b>Dismissed</b> | A false positive. The trigger fired but there is no concern present.                                                                                                  |



Write what you did in **Resolution notes**: the action taken, any follow ups arranged, and who was contacted. Then press **Save review**. The outcome, your notes, your identity, and the timestamp all enter the append only audit trail.

#### Scenarios to be ready for:

- **A high alert arrives out of hours.** The SLA clock does not pause. Whoever holds the safeguarding duty should be reachable, and the response texts (section 5) mean the learner has already been given crisis contacts in the moment, before any person responds.
- **You are not sure whether it is real.** Choose **Escalated** and let the organisation's safeguarding officer decide. Dismissing a genuine concern is the failure mode this queue exists to prevent; escalating a false positive costs only a phone call.
- **The same learner triggers more than once.** Each alert is its own record and each needs its own outcome. A repeat pattern is itself a signal worth escalating.
- **What the platform stores.** The alert holds the category, level, time, and a cryptographic fingerprint of the message that triggered it. Treat everything on this screen as strictly confidential and keep the detail in your notes factual and minimal.

---

## 5. Response texts, the words a learner sees in a crisis

**What it is for:** when a disclosure is detected mid session, the learner instantly sees a supportive message. Those messages are written here, by people, in advance. They are served from memory and are never generated live by the AI, so what a learner in crisis reads has always been reviewed by a human being.

**How to get here:** sidebar, **Response texts**.

Administrator > Response texts

AA Amber Admin Administrator

OVERVIEW

Overview

ESOL

Organisations

ESOL Teachers

Safeguarding

Response texts

Teacher utilisation

Placement calibration

FINANCE

Invoices

COMPLIANCE

Reports

GLH analytics

Compliance config

Audit search

SALES

Sales intelligence

Support Tickets

Collapse

**Safeguarding response texts**

These are the pre-written messages a learner sees the instant a disclosure is detected — served from memory, never generated live. Saving updates the live platform immediately. A blank translation falls back to English; English itself can't be blank.

English

Arabic

Cantonese

Turkish

Somali

Dari / Farsi

Chinese

**Self-harm**

Saved

Thank you for telling me — that took courage. You don't have to face this alone. Samaritans is open 24 hours a day on 116 123 (free from any UK phone), or you can text SHOUT to 85258 if you prefer not to talk out loud. I'm here when you're ready to keep practising English.

273/2000

Live on the platform

**Domestic abuse**

Saved

Thank you for sharing that with me. What you're describing is serious, and help is available. The National Domestic Abuse Helpline (0808 2000 247) is free, 24 hours a day, and won't show on your phone bill. They speak many languages. I'm here when you want to carry on with our session.

286/2000

Live on the platform

**Radicalisation**

Saved

Thank you for telling me. I've made a note of what you've said and someone from your organisation will be in touch when they can. There's nothing more you need to do right now. Would you like to carry on practising English, or would a short break be better?

257/2000

Live on the platform

**Child concern**

Saved

Thank you for telling me — keeping children safe is really important. NSPCC has trained advisors available 24 hours a day on 0808 800 5000 (free from any UK phone). You can speak to them in confidence, and they can help you decide what to do next. Whenever you're ready, we can continue.

287/2000

Live on the platform

**Exploitation**

Saved

Thank you for sharing that. Help is available in confidence. The Modern Slavery Helpline (08000 121 700) is free, open 24 hours a day, and you can call from any UK phone. They can advise on what to do next. I'm here when you'd like to carry on with English.

257/2000

Live on the platform

**Mental health crisis**

Saved

Thank you for telling me how you're feeling. You don't have to deal with this alone. NHS 111 (free, 24 hours a day — press option 2 for mental health) can help, or you can text SHOUT to 85258 if you'd rather not speak out loud. I'm here when you're ready to keep going.

269/2000

Live on the platform

There is one message per category: self harm, domestic abuse, radicalisation, child concern, exploitation, and mental health crisis. Each carries the relevant real helpline (Samaritans, the National Domestic Abuse Helpline, NSPCC, the Modern Slavery Helpline, NHS 111) and closes by inviting the learner to continue when ready.

Step by step, editing a message

- 1. Pick the language tab. English is the source text; the other tabs (Arabic, Cantonese, Turkish, Somali, Dari and Farsi, Chinese) hold translations so learners read the message in their own language.
- 2. Edit the text. The counter shows the 2000 character limit.
- 3. Press **Save**. Saving updates the live platform immediately, with no deploy and no restart.


**Good to know:** a blank translation falls back to English rather than showing nothing, and English itself cannot be blank. The badge under each box confirms the text is live on the platform.

**Treat edits here with the same care as a code release.** These words reach people at their lowest moment. Keep helpline numbers exactly right, keep the tone warm and unhurried, and have a second person read any change before you save it.

6. Teacher utilisation

**What it is for:** spotting overloaded and underused teachers across every organisation before it becomes a problem.

**How to get here:** sidebar, **Teacher utilisation**.



The cards count teachers, teachers near capacity (80 percent or more), and teachers over capacity (above 100 percent). The table shows each teacher's organisations, learner count, capacity, utilisation percentage, reviews this month, average review minutes, and teaching hours this month. Filter by organisation, and press **History** for a teacher's month by month record.

**Good to know:** utilisation feeds from the same reviews teachers log in their own module, so a teacher who works but does not log reviews will look idle here. If a number looks wrong, that is the first thing to check.

## 7. Placement calibration, proving the AI places learners correctly

**Why this matters:** the platform's placement assessment assigns each new learner an ESOL level. Funding and teaching decisions rest on that level, so the assessment must be proven against human judgement before it is trusted, and proven again every time the question bank changes. This screen runs that protocol.

**How to get here:** sidebar, **Placement calibration**.

The header shows the current question bank version, progress through the cohort, and the verdict: PENDING, PASS, or FAIL.

### The protocol, in plain terms

1. Take at least 20 learners whose true level is already known to a qualified ESOL practitioner.
2. For each learner, record a calibration row: the learner, the practitioner's name as it appears on the sign off PDF, the known level, the level the platform assigned, and optional notes.
3. Each row lands in one of five buckets: **Correct**, **One below**, **One above**, **Over assigned**, and **Under assigned**.
4. The bank passes only when at least 18 of the 20 land in Correct or One below, and zero land in One above or Over assigned.

The asymmetry is deliberate. Placing a learner one level below their ability costs a little time and is caught quickly. Placing them above their ability sets them up to fail and risks claiming funding for provision they cannot access, so even one over assignment fails the bank.


**Good to know:** the yellow banner lists exactly which criteria are unmet, as in the picture. A new bank version resets the cohort and the protocol starts again from zero.

---

## 8. Invoices

**What it is for:** invoice management across every organisation in one place.

**How to get here:** sidebar, **Invoices**.



Filter by organisation and status, or press **Generate invoice** to raise one manually. Organisations on Stripe bill automatically on their cycle; invoiced clients are managed from here.

---

## 9. Reports, the ILR export

**Why this matters:** this is the file that goes to the funding body. It contains learner enrolment and delivery data for ESFA funded ESOL provision: ULN, level, hours delivered, and funding status. Getting it wrong is not a display bug, it is a compliance incident, so the export is scoped and checked before anything downloads.

**How to get here:** sidebar, **Reports**.

## Step by step

1. Select the organisation. The export covers all learners enrolled with that organisation.
2. Set the period start and end dates.
3. Press **Download CSV**. The button stays disabled until the selections are complete.


**Good to know:** hours delivered are computed from completed sessions within the chosen period, not from anything self reported. Before submitting a return, sanity check the totals against **GLH analytics** (section 10) for the same window; the numbers should tell the same story.

---

## 10. GLH analytics, total versus claimable

**What it is for:** guided learning hours across the platform, split by where they came from: AI tutor practice, hours logged before the platform, and teacher contact time.

**How to get here:** sidebar, **GLH analytics**.



The five cards are the heart of it:

- **Total GLH.** Everything, including AI practice time.
- **Claimable GLH.** The subset that excludes AI time. This is the number that matters for funding claims, because AI practice hours are not claimable guided learning. The two cards exist side by side precisely so nobody ever mistakes one for the other.
- **AI tutor GLH, Pre platform GLH, and Teacher contact GLH** show the mix, each with its share of the total.

The platform targets teacher contact at 10 to 20 percent of total GLH. The teacher contact card carries an **ABOVE TARGET** or below target badge so drift is visible at a glance. Below it, the trend chart shows the mix week by week, and the organisation chart breaks the same numbers down per client. Filter by date range and organisation at the top.

## 11. Compliance config, the rules of the game

**Why this matters:** the rules that drive ILR exports, RARPA evaluation, and ASF postcode routing change from academic year to academic year. This screen versions those rules so a change is deliberate, attributed, reversible, and visible in the audit log, rather than a silent edit somewhere in the code.

**How to get here:** sidebar, **Compliance config**.

**Compliance config**

Versioned rule bag for ILR exports, RARPA evaluation, and the ASF postcode router. Activating a new version reloads the engine cache atomically — no server restart needed.

**ILR** RARPA ASF Routing

ACADEMIC YEAR

2026/27 No active version for this year

**Rules (JSON)** Valid JSON object

```
{}
```

**Changelog**

Plain-English description of what changed and why. Required — appears verbatim in the platform audit log.

e.g. Added 2025/26 SOF code 19 routing per ESFA notice 2025-04-12

0 / 4000

**Activate this version**

**Version history** 0 versions for ilr / 2026/27

| VERSION                                          | ACTIVATED | STATUS | CHANGELOG |
|--------------------------------------------------|-----------|--------|-----------|
| No prior versions — activating below creates v1. |           |        |           |

### Step by step, activating a new rule version

1. Pick the tab: **ILR**, **RARPA**, or **ASF Routing**.
2. Pick the academic year. A badge warns when the year has no active version, as in the picture.
3. Edit the rules JSON. The badge above the editor confirms whether the JSON is currently valid; you cannot activate an invalid object.



4. Write the changelog. This is required, in plain English, and appears verbatim in the platform audit log. Say what changed and why, for example a new SOF code routing per an ESFA notice.
5. Press **Activate this version**. The engine cache reloads atomically. The new rules apply immediately, with no server restart and no window where half the old rules and half the new ones apply.

**Version history** at the bottom lists every prior version with its activation time, status, and changelog, so you can see exactly which rules were in force on any given date. That question comes up in audits, and this table is the answer.

**Good to know:** activating never edits an old version. Each activation creates the next version, so the history is complete by construction. If a new version misbehaves, activate a corrected one; the record of the mistake stays, which is the point.

---

## 12. Audit search

**What it is for:** every compliance event across every organisation, searchable in one place, for support questions, investigations, and compliance reporting.

**How to get here:** sidebar, **Audit search**.

AMBER

Administrator > Audit search

?

AA

Amber Admin

Administrator

OVERVIEW

Overview

ESOL

Organisations

ESOL Teachers

Safeguarding

Response texts

Teacher utilisation

Placement calibration

FINANCE

Invoices

COMPLIANCE

Reports

GLH analytics

Compliance config

SALES

Sales intelligence

Support Tickets

Collapse

Cross-organisation audit search

Every compliance event across every organisation, searchable in one place — for support, investigation, and compliance reporting. The audit trail is append-only; nothing here can be edited or deleted.

ORGANISATION

ACTION

FROM

TO

All organisations

All actions

dd/mm/yyyy

dd/mm/yyyy

| WHEN               | ORGANISATION            | ACTION                   | ACTOR         | LEARNER       | REASON                                                                                                                     | CONFIG V. |
|--------------------|-------------------------|--------------------------|---------------|---------------|----------------------------------------------------------------------------------------------------------------------------|-----------|
| 18 Aug 2026, 23:08 | Seed QA Organisation    | teacher_message_read     | Lara Learner  | Lara Learner  | Learner acknowledged a tutor message (trigger=manual, language=en).                                                        | —         |
| 18 Aug 2026, 22:31 | Seed QA Organisation    | rarpa_stage3_negotiated  | Lara Learner  | Lara Learner  | Learner reviewed and agreed their Stage 3 objectives in their first language (RARPA Stage 3 negotiation)                   | —         |
| 18 Aug 2026, 22:31 | Seed QA Organisation    | session_completed        | Lara Learner  | Lara Learner  | Session ended by learner                                                                                                   | —         |
| 18 Aug 2026, 22:31 | Seed QA Organisation    | session_started          | Lara Learner  | Lara Learner  | Learner started a new AI tutor session                                                                                     | —         |
| 18 Aug 2026, 22:30 | Seed QA Organisation    | teacher_message_read     | Lara Learner  | Lara Learner  | Learner acknowledged a tutor message (trigger=manual, language=en).                                                        | —         |
| 18 Aug 2026, 20:35 | Seed QA Organisation    | rarpa_stage3_negotiated  | system        | Lara Learner  | Stage 3 objectives presented to the learner in their first language for negotiation and agreement (RARPA Stage 3 evidence) | —         |
| 18 Aug 2026, 13:31 | Seed QA Organisation    | session_completed        | Lara Learner  | Lara Learner  | Session ended by learner                                                                                                   | —         |
| 18 Aug 2026, 12:51 | Seed QA Organisation    | session_started          | Lara Learner  | Lara Learner  | Learner started a new AI tutor session                                                                                     | —         |
| 18 Aug 2026, 12:49 | Seed QA Organisation    | teacher_message_read     | Lara Learner  | Lara Learner  | Learner acknowledged a tutor message (trigger=manual, language=en).                                                        | —         |
| 18 Aug 2026, 12:34 | Seed QA Organisation    | org_onboarding_completed | Orla Admin    | —             | Org-admin onboarding embed completed (source: skipped).                                                                    | —         |
| 11 Jun 2026, 13:18 | Seed QA Organisation    | learner_teacher_assigned | Orla Admin    | Stephen Sanni | Auto-assigned (best match): Teaches Entry 2; Speaks French                                                                 | —         |
| 11 Jun 2026, 13:18 | Seed QA Organisation    | learner_teacher_assigned | Orla Admin    | Collins Sanni | Auto-assigned (best match): Speaks French                                                                                  | —         |
| 10 Jun 2026, 23:55 | Seed QA Organisation    | session_completed        | Stephen Sanni | Stephen Sanni | Session ended by learner                                                                                                   | 1         |
| 10 Jun 2026, 20:58 | Seed QA Organisation    | session_started          | Stephen Sanni | Stephen Sanni | Learner started a new AI tutor session                                                                                     | 1         |
| 10 Jun 2026, 20:48 | Seed QA Organisation    | session_completed        | Stephen Sanni | Stephen Sanni | Session ended by learner                                                                                                   | 1         |
| 10 Jun 2026, 20:23 | Seed QA Organisation    | session_started          | Stephen Sanni | Stephen Sanni | Learner started a new AI tutor session                                                                                     | 1         |
| 10 Jun 2026, 20:23 | Seed QA Organisation    | session_started          | Stephen Sanni | Stephen Sanni | Learner started a new AI tutor session                                                                                     | 1         |
| 10 Jun 2026, 13:15 | Seed QA Organisation    | learner_nudge_sent       | Orla Admin    | Collins Sanni | Org admin sent nudge email                                                                                                 | —         |
| 10 Jun 2026, 09:42 | Seed QA Organisation    | org_onboarding_completed | Orla Admin    | —             | Org-admin onboarding embed completed (source: skipped).                                                                    | —         |
| 09 Jun 2026, 15:34 | Hillview Adult Learning | session_completed        | Test Learner  | Test Learner  | Session ended by learner                                                                                                   | 1         |
| 09 Jun 2026, 15:34 | Hillview Adult Learning | session_started          | Test Learner  | Test Learner  | Learner started a new AI tutor session                                                                                     | 1         |
| 09 Jun 2026, 15:23 | Hillview Adult Learning | session_completed        | Test Learner  | Test Learner  | Session ended by learner                                                                                                   | 1         |
| 09 Jun 2026, 15:22 | Hillview Adult Learning | session_started          | Test Learner  | Test Learner  | Learner started a new AI tutor session                                                                                     | 1         |
| 09 Jun 2026, 15:07 | Hillview Adult Learning | session_completed        | Test Learner  | Test Learner  | Session ended by learner                                                                                                   | 1         |

|                    |                         |                     |              |              |                                        |   |
|--------------------|-------------------------|---------------------|--------------|--------------|----------------------------------------|---|
| 09 Jun 2026, 15:07 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 14:53 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 14:40 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 14:39 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 09 Jun 2026, 14:39 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 14:36 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 09 Jun 2026, 14:31 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 14:18 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 09 Jun 2026, 14:18 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 13:47 | Hillview Adult Learning | placement_completed | system       | Test Learner | Placement assessment scored by Gemini  | 1 |
| 09 Jun 2026, 13:35 | Hillview Adult Learning | placement_completed | system       | Test Learner | Placement assessment scored by Gemini  | 1 |
| 09 Jun 2026, 13:23 | Hillview Adult Learning | placement_completed | system       | Test Learner | Placement assessment scored by Gemini  | 1 |
| 09 Jun 2026, 12:34 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 09 Jun 2026, 12:32 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 12:28 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 09 Jun 2026, 12:24 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 09 Jun 2026, 12:22 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 08 Jun 2026, 19:21 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:19 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 08 Jun 2026, 19:12 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:11 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:11 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:05 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:05 | Hillview Adult Learning | session_completed   | Test Learner | Test Learner | Session ended by learner               | 1 |
| 08 Jun 2026, 19:04 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |
| 08 Jun 2026, 19:02 | Hillview Adult Learning | session_started     | Test Learner | Test Learner | Learner started a new AI tutor session | 1 |

Page 1 of 2 - 62 events

<
>

Each event shows when it happened, the organisation, the action, the actor, the learner affected, a plain English reason, and the compliance config version in force at the time. You can watch a learner's whole journey here: placement completed, teacher assigned, sessions started and ended, Stage 3 objectives negotiated, messages acknowledged, nudges sent.

Filter by organisation, action, and date range. The trail is append only; nothing here can be edited or deleted, by anyone, which is what makes it usable as evidence.

---

## 13. Sales intelligence

**What it is for:** submissions from the public ROI calculator on the marketing site, ordered so outstanding leads surface first.

**How to get here:** sidebar, **Sales intelligence**.

AMBER

Administrator > Sales intelligence

AA Amber Admin Administrator

OVERVIEW

Overview

ESOL

Organisations

ESOL Teachers

Safeguarding

Response texts

Teacher utilisation

Placement calibration

FINANCE

Invoices

COMPLIANCE

Reports

GLH analytics

Compliance config

Audit search

SALES

Sales intelligence

Support Tickets

Collapse

Sales intelligence

ROI calculator submissions — outstanding leads first.

Export CSV (0)

TOTAL IN SCOPE

0

Matching the current filters.

PENDING FOLLOW-UP

0

Not yet marked as contacted.

ALREADY CONTACTED

0

Followed up by an Amber admin.

PIPELINE (UNCLAIMED)

£0

Sum of unclaimed annual ASF across the filter set.

STATUS

Pending follow-up

FROM

dd/mm/yyyy

TO

dd/mm/yyyy

ORG TYPE

All


| SUBMITTED                                 | ORGANISATION | CONTACT | WAITING LIST | UNCLAIMED / YR | PAYBACK | STATUS | ACTION |
|-------------------------------------------|--------------|---------|--------------|----------------|---------|--------|--------|
| No submissions match the current filters. |              |         |              |                |         |        |        |

The cards count submissions in scope, pending follow up, and already contacted, plus the unclaimed funding pipeline across the current filter. Each row carries the organisation, contact, waiting list size, unclaimed funding per year, and payback estimate. Mark a lead contacted from its row, and export the current view as CSV.

## 14. Queues and failed jobs, the machinery

**What it is for:** the platform does its heavy work in background queues: grading session turns, compiling RARPA evidence, generating ILR exports, validating compliance artefacts, pushing to client MIS systems, sending notifications, and more. These two screens are how you check that machinery is healthy.

**How to get here:** sidebar, **Queues** (the sidebar shows this under the platform section).



The summary shows live counts per queue: waiting, active, failed, delayed, and completed. The row descriptions say what each queue does, so an unhealthy number points straight at the affected feature. For a deeper look, **Open Bull Board** opens the full queue UI in a new tab, with per job payloads, retry history, and manual controls.

# Failed jobs

AMBER

Administrator > Failed jobs

?

🔔

AA Amber Admin Administrator

OVERVIEW

Overview

ESOL

Organisations

ESOL Teachers

Safeguarding

Response texts

Teacher utilisation

Placement calibration

FINANCE

Invoices

COMPLIANCE

Reports

GLH analytics

Compliance config

Audit search

SALES

Sales intelligence

Support Tickets

Collapse

Failed jobs

BullMQ jobs that exhausted all retries. Each row is the durable audit record; retry re-enqueues a fresh copy with the same data.

Show dismissed

All queues

FROM TO

dd/mm/yyyy, --:-- dd/mm/yyyy, --:--

| JOB ID                                    | ERROR | ATTEMPTS | FAILED AT | STATUS | ACTIONS |
|-------------------------------------------|-------|----------|-----------|--------|---------|
| No failed jobs match the current filters. |       |          |           |        |         |

0 failed jobs match the filters.

A job lands here only after exhausting all its automatic retries. Each row is the durable audit record of that failure: the queue, the job, the error, attempts, and when it failed.

## Step by step, working a failure

1. Read the error. Filter by queue and date to see whether it is one off or a pattern.
2. Press retry on the row. Retrying enqueues a fresh copy of the job with the same data; the failure record itself stays, so the history is never rewritten.
3. If the job should not run again, dismiss it. Dismissed rows stay available under the **Show dismissed** toggle.

**Treat notification queue failures as urgent.** The notifications queue carries safeguarding alert emails among other things. A failure there is not a technical detail; until it is retried successfully, a safeguarding lead may not know an alert exists. Check the failed jobs screen as part of acting on any safeguarding incident, and retry notification failures first.

## 15. Amber admin on your phone

The admin module works at phone size, with the sidebar folded into the menu button:



## All organisations

Platform-wide overview for Amber admins — learners, GLH, and revenue across every org.

Period: 1 Aug 2026 — 1 Sept 2026



ORGANISATIONS

**3**



TOTAL LEARNERS

**6**



GLH THIS MONTH

**1**



REVENUE THIS MONTH

**£0**

Q Search organisations...



Hide demo orgs

Showing 3 of 3 organisations

ORGANISATION

TYPE

CONTRACT  
END

**Burnex Solutions**

—

19 May 2026



---

## 16. If something goes wrong

| Problem                                    | What to do                                                                                                                                             |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| An organisation cannot sign in             | Check its status on <b>Organisations</b> . Deactivated organisations block sign in for all their people.                                               |
| A teacher says they cannot act on learners | Check <b>ESOL Teachers</b> . They may be unapproved or revoked.                                                                                        |
| A safeguarding alert looks stuck open      | Open it and record the true outcome. If you cannot resolve it, choose <b>Escalated</b> and note who now owns it.                                       |
| ILR numbers look wrong                     | Compare the same period in <b>GLH analytics</b> , then check <b>Compliance config</b> for which rule version was active.                               |
| Queue counts will not load                 | The queue layer runs on Redis. If Redis is down the counts cannot load, and background work pauses until it returns.                                   |
| A background feature silently stopped      | Check <b>Failed jobs</b> for that queue, fix the cause, then retry the jobs.                                                                           |
| The MIS push keeps failing                 | Open the organisation, use <b>Test connection</b> , and re enter credentials if needed. Remember saved credentials cannot be read back, only replaced. |

---

Terms like RARPA, GLH, ILR, ULN, and Stage 5 are explained in the [glossary](#).