

SanityOps Platform · Inspect Module · Executive Summary

# Inspect Defect Governance Summary Report

Defect Governance Summary Report · Voyager V3

|                                             |                                                                          |                                  |
|---------------------------------------------|--------------------------------------------------------------------------|----------------------------------|
| Report ID<br><b>SO-INS-20260927-V9BF</b>    | Check Date<br><b>2026-09-27</b>                                          | Version Checked<br><b>V3</b>     |
| Agent Level<br><b>L2 (Multi-tool Agent)</b> | Applicable Items<br><b>QD-P 40 + QD-T 12 + QD-S 20<br/>+ QD-Cross 12</b> | Not Applicable<br><b>0 items</b> |

Release  
Blocked

FAIL

**One-line conclusion:**  
Detected 178 defects(mapped to 4 QD check items + 1 out-of-scope finding), including 55 P0 blocking items  
**release not recommended**

◦  
Basis: Unresolved blocking conclusions exist (SanityOps Core Spec §6.2 Release Summary Status FAIL condition); Inspect Gate rules see Inspect Tool Subspec §5.1 Scoring Principles.

P0 · 55 items

P1 · 123 items

P2 · 0 items

By L3 item severity distribution

0

QDS Score

68

QDT Score

24.3

QDP Score

100

CROSS Score

FAIL

Inspect Gate

**Quick Reference** → See Appendix A for full glossary

**QD-P/QD-T/QD-S/QD-Cross** Inspect check item IDs (Prompt/Tool/Skill/Cross subspecs, QD-Cross includes QD-PS/PT/ST groups)

**P0 / P1 / P2** Defect severity (by L3 item inherent severity)     **Inspect Gate** Release gate (FAIL = P0 exists, PASS = no P0)

**Score** Subspec score (0-100, per Inspect Prompt Subspec §4.2 Calculation Steps)

**Inspect** Static defect inspection (not dynamic testing)

# One-Page Read

For Decision Makers · No Background Required

**FAIL** Not Recommended for Release 「Voyager」 V3

One-line basis: 55 P0 defects exist, per SanityOps Core Spec §6.2 Release Summary Status FAIL condition, overall release status is FAIL.

## Plain Language Reason

- **P0 Defects Concentrated in Core Spec**: 55 P0 defects involve core clauses such as security boundary constraints and output format definitions.

## Business Impact

- System responses could be hijacked or answer with elevated privileges;
- Sensitive information is at risk of being output;

## Recommended Actions (by Timeline)

**Fix Immediately** Fix 55 P0 defects; hold release of V3.

**Fix Within Version** Complete 123 P1 defect fixes; does not individually block release.

**Before Release** Recheck to confirm P0 = 0 and Inspect Gate = PASS.

**Scope & Boundaries (Important)**: This is a static inspection covering Prompt / Tool / Skill definitions and Cross consistency; does not include runtime dynamic attack verification (Risk Implicit) or service quality evaluation (Quality). Conclusions cannot replace dynamic security verification.

# Executive Summary

Inspect (Defect Inspection) is a module of SanityOps Platform that systematically scans, locates, and grades the prompts, tools, skills, and cross-consistency of AI systems. This inspection covered 84 applicable check items for Voyager V3, found 178 defects, and after remapping per Inspect Prompt Subspec §4.2 Calculation Steps, mapped to 4 QD check items (P0: 55 / P1: 123 / P2: 0).

84

Applicable Items

4

Failed QD Items

55

P0 Defects  
By L3 item severity  
distribution

24.3

QD-P Score

FAIL

Inspect Gate

**Note:** Note: Score is for quality reference only, no passing threshold; Inspect Gate only checks P0 existence (per Inspect Tool Subspec §5.1 Scoring Principles).

Defects by Subspec (Total 4)

By QD-P / QD-T / QD-S

4

QD

QD-S (Skill)10056%

QD-T (Tool)4928%

QD-P (Prompt)2916%

QD-Cross (Cross)00%

Subspec Scores & Inspect Gate

Score per Inspect Prompt Subspec §4.2 Calculation Steps, Inspect Gate by P0 existence

QDS

0

P0 30 / P1 70 / P2 0

QDT

68

P0 11 / P1 38 / P2 0

QDP

24.3

P0 14 / P1 15 / P2 0

CROSS

100

P1 0 / P2 0

Inspect Gate

FAIL

P0 exists

## Overall Release Status Release Summary

FAIL

Unresolved blocking conclusions (55 P0 defects), forced gate failed

Note: This status is a release summary wrapper, does not replace subspec original conclusions (SanityOps Core Spec §6.2 Release Summary Status).

## Key Findings

1. **P0 Defects Highly Concentrated in Prompt Subspec**14 of 55 P0 defects are in QD-P (25%), involving missing security boundary constraints, undefined output formats, and other core clauses.

SANITYOPS · Inspect Governance Summary Report

SO-INS-20260927-V9BF · Page 3 / 10

Confidential

3

# Defect Register

Defect Register

Total 55 P0 defect instances, deduplicated to 3 QD check items. P0 (blocking level) defects only, sorted by subspec → artifact → severity.

| QD ID                                  | Level | Description                                                                                                           | Suggestion                        | Artifact              |
|----------------------------------------|-------|-----------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|
| <b>QD-S (Skill)</b> (30 items)         |       |                                                                                                                       |                                   |                       |
| <b>optimize_budget</b> (6 items)       |       |                                                                                                                       |                                   |                       |
| QDS-1.1                                | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries such as...  | State the allowed input source... | optimize_budget       |
| QDS-1.3                                | P0    | The Skill does not declare explicit execution bound — The Skill does not declare explicit execution boundaries suc... | List the permitted execution r... | optimize_budget       |
| QDS-2.1                                | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries for the...  | Replace unbounded quantity ter... | optimize_budget       |
| QDS-2.2                                | P0    | The Skill does not bound execution. It lacks max_t — The Skill does not bound execution. It lacks max_tool_calls,...  | Add a maximum retry count and ... | optimize_budget       |
| QDS-3.4                                | P0    | The Skill does not explicitly declare forbidden re — The Skill does not explicitly declare forbidden resources or...  | Add a non-goals section and st... | optimize_budget       |
| QDS-4.1                                | P0    | The Skill does not explicitly define failure escal — The Skill does not explicitly define failure escalation beha...  | Define the error response and ... | optimize_budget       |
| <b>build_itinerary</b> (6 items)       |       |                                                                                                                       |                                   |                       |
| QDS-1.1                                | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries such as...  | State the allowed input source... | build_itinerary       |
| QDS-1.3                                | P0    | The Skill lacks explicit execution boundaries for — The Skill lacks explicit execution boundaries for maximum to...   | List the permitted execution r... | build_itinerary       |
| QDS-2.1                                | P0    | The Skill does not define explicit input boundarie — The Skill does not define explicit input boundaries. It lack...  | Replace unbounded quantity ter... | build_itinerary       |
| QDS-2.2                                | P0    | The Skill does not define explicit execution bound — The Skill does not define explicit execution boundaries. It ...  | Add a maximum retry count and ... | build_itinerary       |
| QDS-3.4                                | P0    | The Skill does not explicitly declare identity bou — The Skill does not explicitly declare identity boundaries fo...  | Add a non-goals section and st... | build_itinerary       |
| QDS-4.1                                | P0    | The Skill does not explicitly define failure escal — The Skill does not explicitly define failure escalation beha...  | Define the error response and ... | build_itinerary       |
| <b>prep_travel_documents</b> (6 items) |       |                                                                                                                       |                                   |                       |
| QDS-1.1                                | P0    | No explicit input boundary is declared. The Skill — No explicit input boundary is declared. The Skill does not s...   | State the allowed input source... | prep_travel_documents |
| QDS-1.3                                | P0    | Execution boundaries are largely absent. Although — Execution boundaries are largely absent. Although timeout_se...   | List the permitted execution r... | prep_travel_documents |
| QDS-2.1                                | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries. The in...  | Replace unbounded quantity ter... | prep_travel_documents |
| QDS-2.2                                | P0    | The Skill does not declare explicit execution bound — The Skill does not declare explicit execution boundaries. Th... | Add a maximum retry count and ... | prep_travel_documents |
| QDS-3.4                                | P0    | The Skill does not explicitly declare identity bou — The Skill does not explicitly declare identity boundaries fo...  | Add a non-goals section and st... | prep_travel_documents |
| QDS-4.1                                | P0    | The Skill does not explicitly define a failure esc — The Skill does not explicitly define a failure escalation re...  | Define the error response and ... | prep_travel_documents |
| <b>replan_disruption</b> (6 items)     |       |                                                                                                                       |                                   |                       |

# Defect Register

Defect Register · Cont'd

(Continued from previous page, headers repeated)

| QD ID                               | Level | Description                                                                                                          | Suggestion                        | Artifact              |
|-------------------------------------|-------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------------------|
| QDS-1.1                             | P0    | No explicit input boundary is declared: the Skill — No explicit input boundary is declared: the Skill does not s...  | State the allowed input source... | replan_disruption     |
| QDS-1.3                             | P0    | Execution boundaries are largely undeclared: no ma — Execution boundaries are largely undeclared: no max_tool_cal... | List the permitted execution r... | replan_disruption     |
| QDS-2.1                             | P0    | The Skill does not declare any input boundary for — The Skill does not declare any input boundary for the disrupt... | Replace unbounded quantity ter... | replan_disruption     |
| QDS-2.2                             | P0    | The Skill does not bound its execution. It declare — The Skill does not bound its execution. It declares no max_t... | Add a maximum retry count and ... | replan_disruption     |
| QDS-3.4                             | P0    | The Skill does not explicitly declare identity bou — The Skill does not explicitly declare identity boundaries fo... | Add a non-goals section and st... | replan_disruption     |
| QDS-4.1                             | P0    | The Skill does not explicitly define failure escal — The Skill does not explicitly define failure escalation beha... | Define the error response and ... | replan_disruption     |
| monitor_travel_alerts (6 items)     |       |                                                                                                                      |                                   |                       |
| QDS-1.1                             | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries. It lac... | State the allowed input source... | monitor_travel_alerts |
| QDS-1.3                             | P0    | The Skill does not declare explicit execution boun — The Skill does not declare explicit execution boundaries. It... | List the permitted execution r... | monitor_travel_alerts |
| QDS-2.1                             | P0    | The Skill does not declare explicit input boundari — The Skill does not declare explicit input boundaries for the... | Replace unbounded quantity ter... | monitor_travel_alerts |
| QDS-2.2                             | P0    | The Skill does not bound execution. It allows per- — The Skill does not bound execution. It allows per-destinatio... | Add a maximum retry count and ... | monitor_travel_alerts |
| QDS-3.4                             | P0    | The Skill does not explicitly declare identity bou — The Skill does not explicitly declare identity boundaries fo... | Add a non-goals section and st... | monitor_travel_alerts |
| QDS-4.1                             | P0    | The Skill does not explicitly define failure escal — The Skill does not explicitly define failure escalation beha... | Define the error response and ... | monitor_travel_alerts |
| QD-T (Tool) (11 items)              |       |                                                                                                                      |                                   |                       |
| search_flights (1 items)            |       |                                                                                                                      |                                   |                       |
| QD-T-1.4                            | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...                | Explicitly declare additionalP... | search_flights        |
| search_accommodations (1 items)     |       |                                                                                                                      |                                   |                       |
| QD-T-1.4                            | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...                | Explicitly declare additionalP... | search_accommodations |
| search_activities (1 items)         |       |                                                                                                                      |                                   |                       |
| QD-T-1.4                            | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...                | Explicitly declare additionalP... | search_activities     |
| get_weather_forecast (1 items)      |       |                                                                                                                      |                                   |                       |
| QD-T-1.4                            | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...                | Explicitly declare additionalP... | get_weather_forecast  |
| convert_currency (1 items)          |       |                                                                                                                      |                                   |                       |
| QD-T-1.4                            | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...                | Explicitly declare additionalP... | convert_currency      |
| check_travel_requirements (2 items) |       |                                                                                                                      |                                   |                       |

# Defect Register

Defect Register · Cont'd

(Continued from previous page, headers repeated)

| QD ID                       | Level | Description                                                                                                  | Suggestion                        | Artifact                  |
|-----------------------------|-------|--------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------|
| QD-T-1.4                    | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...        | Explicitly declare additionalP... | check_travel_requirements |
| QD-T-1.4                    | P0    | additionalProperties not controlled — The returns object does not declare additionalProperties:fal...        | Explicitly declare additionalP... | check_travel_requirements |
| get_travel_alerts (2 items) |       |                                                                                                              |                                   |                           |
| QD-T-1.4                    | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...        | Explicitly declare additionalP... | get_travel_alerts         |
| QD-T-1.4                    | P0    | additionalProperties not controlled — The returns object does not declare additionalProperties:fal...        | Explicitly declare additionalP... | get_travel_alerts         |
| save_itinerary (2 items)    |       |                                                                                                              |                                   |                           |
| QD-T-1.4                    | P0    | additionalProperties not controlled — The parameters object does not declare additionalProperties:...        | Explicitly declare additionalP... | save_itinerary            |
| QD-T-1.4                    | P0    | additionalProperties not controlled — The returns object does not declare additionalProperties:fal...        | Explicitly declare additionalP... | save_itinerary            |
| QD-P (Prompt) (14 items)    |       |                                                                                                              |                                   |                           |
| QDP-1.2.1                   | P0    | Role/responsibility mismatch — Voyager is defined as a leisure travel planner that 'does no...               | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-1.3.3                   | P0    | Boundary not defined — The prompt does not define the boundary for handling non-lei...                       | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-1.5.2                   | P0    | Resources do not support workflow — The workflow requires booking-summary generation, confirmati...          | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-1.6.1                   | P0    | Ambiguous key decision word — Severity classification for alerts uses 'low / medium / high...                | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.2.1                   | P0    | Input source not declared — The prompt names tools (search_flights, get_weather_forecast...                  | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.2.2                   | P0    | Input format not constrained — No input types, formats, ranges, or length limits are define...               | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.2.3                   | P0    | Required/optional status not distinguished — It is not stated which trip inputs are required (destination... | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.2.4                   | P0    | Missing-input handling not defined — There is no defined behavior for missing required inputs (e...          | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.3.1                   | P0    | Output format not defined — The prompt describes content (itinerary, cost table, checkli...                  | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.3.2                   | P0    | Incomplete output schema — Referenced fields such as documents_needed, itinerary versio...                   | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.3.4                   | P0    | Missing security/privacy filtering — The prompt allows users to paste confirmation numbers and ho...         | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.4.2                   | P0    | Resources/tools not declared — Tools are named but not declared with their providers, endpo...               | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.4.3                   | P0    | Missing tool-call convention — No tool parameter types, return structures, error handling, ...               | Review the prompt and address ... | Prompt: System Prompt     |
| QDP-2.5.2                   | P0    | Missing security-boundary constraint — Prohibited operations and data boundaries are only partially...       | Review the prompt and address ... | Prompt: System Prompt     |

# Appendix A · Glossary

Glossary

This report is self-contained for first-time SanityOps readers: each abbreviation in the body is given with full form and one-line explanation on first use; this table summarizes all terms alphabetically.

|                                                                                                                                                                                                              |                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Gate</b> Release Gate<br>Inspect's release decision mechanism: any P0 exists → FAIL, no P0 → PASS. Score is for reference only, does not replace Inspect Gate.                                            | <b>Inspect</b> Defect Inspection<br>One of the three SanityOps modules, systematically scanning, locating, and grading the Prompt, Tool, Skill, and Cross consistency of AI systems.                                 |
| <b>L1/L2/L3</b> Agent Level<br>Three levels of Inspect check item coverage: L1 (basic Agent), L2 (multi-tool Agent), L3 (complex Agent). This inspection is L2.                                              | <b>LLM</b> Large Language Model<br>The foundational model that drives AI systems to understand user intent and generate responses.                                                                                   |
| <b>Localization</b> Defect Localization<br>Inspect's three-tier localization table: Prompt-side, Tool-side, Relationship-level.                                                                              | <b>P0 / P1 / P2</b> Severity Levels<br>By check item inherent severity: P0 (blocking, must fix), P1 (significant, fix within version), P2 (general, can be scheduled). Inspect Gate decision only considers P0.      |
| <b>QD-P / QD-T / QD-S / QD-Cross</b> Check Item IDs<br>Inspect subspec IDs: QD-P (Prompt, 40 items), QD-T (Tool, 12 items), QD-S (Skill), QD-Cross (Cross, 12 items, includes QD-PS / QD-PT / QD-ST groups). | <b>Score</b> Subspec Score<br>Calculated per Inspect Prompt Subspec §4.2 Calculation Steps: $Score = \max(100 - \sum(\text{each check item deducted once}), 0)$ . Each subspec is calculated separately, not merged. |
| <b>Skill</b> Skill<br>Agent's reusable capability unit, corresponds to QD-S check items.                                                                                                                     | <b>Static Inspection</b> Static Inspection<br>Inspect's core method: analyzing static artifacts such as Prompt, Tool Schema, Skill, and Cross definitions; not runtime dynamic testing.                              |
| <b>W_total / base</b> Scoring Parameters<br>Score calculation intermediate parameters: $W\_total = 5 \cdot N\_P0 + 3 \cdot N\_P1 + 1 \cdot N\_P2$ ; $base = 100 / W\_total$ .                                |                                                                                                                                                                                                                      |

## Referenced Documents (Basis of This Report)

| Cited By This Report                                     | Document               | Purpose                                                                                      |
|----------------------------------------------------------|------------------------|----------------------------------------------------------------------------------------------|
| QD-P 40 L3; §4.2; §4.3                                   | Inspect Prompt Subspec | Prompt check item distribution, scoring calculation steps, and check item distribution table |
| QD-T 12 L3; §5.1; §5.2.1                                 | Inspect Tool Subspec   | Tool check item distribution, scoring principles, and check item distribution table          |
| QD-Cross 12 (QD-PS / QD-PT / QD-ST) ; §8.3.1; Appendix A | Inspect Cross Subspec  | Cross check items and severity level statistics                                              |
| §6.2                                                     | SanityOps Core Spec    | Five release summary statuses                                                                |

# Appendix B · Scoring & Inspect Gate

Inspect scoring rules (source: Inspect Prompt Subspec §4.2 Calculation Steps): Total Weight takes the full check item table for that Agent Level (not failed item count); each check item ID is deducted once only; severity uses L3 inherent severity.

## QD-S (Skill) Score Calculation ( Subspec · L3)

|                           |                                                                                      |
|---------------------------|--------------------------------------------------------------------------------------|
| Total Check Items (L3)    | 20 items (P0: 6 / P1: 14 / P2: 0)                                                    |
| Total Weight              | $5 \times 6 + 3 \times 14 = 72$                                                      |
| Base Score                | 1.39                                                                                 |
| Per-item Deduction        | P0 6.94 / P1 4.17                                                                    |
| Failed                    | 20 items (P0: 6 / P1: 14 / P2: 0) (100 defect instances, deduplicated by check item) |
| Total Deduction           | Each Skill deducted independently, averaged = 100.00                                 |
| <b>QD-S (Skill) Score</b> | <b>0</b>                                                                             |

## QD-T (Tool) Score Calculation ( Subspec · L3)

|                          |                                                                                   |
|--------------------------|-----------------------------------------------------------------------------------|
| Total Check Items (L3)   | 12 items (P0: 5 / P1: 7 / P2: 0)                                                  |
| Total Weight             | $5 \times 5 + 3 \times 7 = 46$                                                    |
| Base Score               | 2.17                                                                              |
| Per-item Deduction       | P0 10.87 / P1 6.52                                                                |
| Failed                   | 6 items (P0: 1 / P1: 5 / P2: 0) (49 defect instances, deduplicated by check item) |
| Total Deduction          | Each Skill deducted independently, averaged = 32.00                               |
| <b>QD-T (Tool) Score</b> | <b>68</b>                                                                         |

## QD-P (Prompt) Score Calculation ( Subspec · L3)

|                            |                                                |
|----------------------------|------------------------------------------------|
| Total Check Items (L3)     | 40 items (P0: 18 / P1: 20 / P2: 2)             |
| Total Weight               | $5 \times 18 + 3 \times 20 + 1 \times 2 = 152$ |
| Base Score                 | 0.66                                           |
| Per-item Deduction         | P0 3.29 / P1 1.97 / P2 0.66                    |
| Failed                     | 29 items (P0: 14 / P1: 15 / P2: 0)             |
| Total Deduction            | $14 \times 3.29 + 15 \times 1.97 = 75.66$      |
| <b>QD-P (Prompt) Score</b> | <b>24.3</b>                                    |

Appendix B · Scoring & Inspect Gate

Appendix B · Scoring & Inspect Gate

(Cont'd)

QD-Cross (Cross) Score Calculation ( Subspec · L3)

|                        |                                  |
|------------------------|----------------------------------|
| Total Check Items (L3) | 12 items (P0: 9 / P1: 3 / P2: 0) |
| Total Weight           | 5×9 + 3×3 = 54                   |
| Base Score             | 1.85                             |
| Per-item Deduction     | P0 9.26 / P1 5.56                |
| Failed                 | 0 items (P0: 0 / P1: 0 / P2: 0)  |
| Total Deduction        | 0                                |
| QD-Cross (Cross) Score | 100                              |

Inspect Gate Decision

FAIL

P0 defects exist (55 items), release blocked

Note (Inspect Tool Subspec §5.1 Scoring Principles): Score is for quality reference only; Inspect Gate decision only considers P0 existence — any subspec with P0 is FAIL.

Fields

**Reader Note:** This page is for implementers and auditors (for system integration and field implementation); decision makers may skip it.

Release Summary StatusSanityOps Core Spec §6.2 Release Summary Status

| Status              | Meaning                                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------------------------------|
| PASS                | All applicable mandatory gates passed; no unresolved blocking defects.                                                    |
| PASS_WITH_EXCEPTION | Approved, traceable, unexpired exceptions exist; residual risks, compensating controls, and owners are clear.             |
| FAIL                | Unresolved and unacceptable blocking conclusions exist, or mandatory gate failed.                                         |
| NEEDS_REVIEW        | Unresolved conflicts in applicability, evidence, conclusions, or responsibility; release cannot be reliably determined.   |
| ERROR               | Artifacts, version, environment, dependencies, evaluator, or input incomplete; evaluation cannot be effectively executed. |

This report uses FAIL; no status name outside the five states above is used; this status does not replace subspec original conclusions.

**Report Layering Note:** 'Summary / Detailed' is a project implementation convention, not a framework document definition. This report is the summary type; for detailed archives (defect evidence, original code snippets, full evidence chain) see the detailed report.