

THE LANCET Oncology

Supplementary appendix

This appendix formed part of the original submission and has been peer reviewed. We post it as supplied by the authors.

Supplement to: Gravis G, Fizazi K, Joly F, et al. Androgen-deprivation therapy alone or with docetaxel in non-castrate metastatic prostate cancer (GETUG-AFU 15): a randomised, open-label, phase 3 trial. *Lancet Oncol* 2013; published online Jan 8. [http://dx.doi.org/10.1016/S1470-2045\(12\)70560-0](http://dx.doi.org/10.1016/S1470-2045(12)70560-0).

Appendix

Table: Comparison of the EORTC QLQ-C30 scores between treatment groups

		<i>Assessment times</i>							
		Baseline (n=311)		M3 (n=260)		M6 (n=237)		M12 (n=160)	
	<i>Arm</i>	Mean	p-value*	Mean	p-value*	Mean	p-value*	Mean	p-value
Global QOL	ADT-D	67.41	0.405	63.95	0.005	61.84	0.001	67.62	0.696
	ADT	65.38		70.96		70.92		66.36	
Functioning scales ¹									
Physical	ADT-D	87.97	0.837	79.87	0.001	74.077	<0.001	80.62	0.141
	ADT	87.58		86.90		87.10		84.71	
Role	ADT-D	85.25	0.921	75.21	0.011	68.22	<0.001	73.57	0.267
	ADT	81.95		83.33		84.96		78.43	
Cognitive	ADT-D	89.07	0.717	84.16	0.676	82.60	0.374	84.56	0.835
	ADT	88.39		85.12		84.96		85.18	
Emotional	ADT-D	69.54	0.300	75.04	0.191	72.87	0.028	77.38	0.874
	ADT	66.53		78.84		79.60		76.84	
Social	ADT-D	85.93	0.707	75.84	0.001	73.95	<0.001	78.09	0.259
	ADT	86.90		86.28		86.46		82.52	
Symptom scales ²									
Fatigue	ADT-D	24.51	0.655	39.38	<0.001	46.87	<0.001	31.79	0.364
	ADT	23.30		24.55		25.37		28.29	
Nausea/ vomiting	ADT-D	18.94	0.796	6.18	0.029	4.16	0.221	4.28	0.565
	ADT	23.27		2.94		2.56		5.56	
Pain	ADT-D	21.94	0.938	22.93	0.05	25.59	0.177	22.46	0.533
	ADT	21.07		16.66		20.53		25.21	
Toxicity single items ²									
Dyspnea	ADT-D	12.45	0.493	25.53	0.063	36.91	<0.001	29.11	0.078
	ADT	14.22		19.25		21.79		21.46	
Appetite loss	ADT-D	6.33	0.817	12.36	<0.001	12.12	0.001	2.31	0.005
	ADT	6.84		3.43		3.49		9.96	
Constipation	ADT-D	14.01	0.862	18.88	0.181	16.52	0.891	10.95	0.012
	ADT	14.51		14.10		16.01		21.69	
Diarrhea	ADT-D	8.12	0.034	16.38	<0.001	15.94	0.002	10.48	0.892
	ADT	4.57		5.64		7.51		10.04	


Abbreviations: EORTC QLQ-C30, European Organization for Research and Treatment of Cancer Quality of Life Questionnaire C-30; QOL, Quality of Life.

* ADT-D vs ADT

¹ higher scores indicates better function

² higher scores indicate more symptoms

Supplementary figure 1: Landmark analysis at 7 months.



Patients	325	300	244	149	78	27	no psa prog at landmark
at risk :	34	18	9	1	0	0	psa prog. at landmark

Supplementary figure 2: log (HR) of docetaxel effect on bPFS over time.

