



1. End-to-End System Workflow Sequence Flowchart

FULL-SCREEN INTERACTIVE SEQUENCE



2. Frontend Component Hierarchy Tree

REACT 18 & THREE.JS ARCHITECTURE



3. Backend Database & Services Architecture

SUPABASE & SERVICE PIPELINES





Frontend Services Layer

destinationService.ts

stripeService.ts

⚡ High-Speed Caching Layer

In-Memory SWR Cache 5m TTL

Pre-seeded Local Repository

☁ Cloud Backend & Public APIs

Stripe Elements Sandbox API


supabaseService.ts

Supabase PostgreSQL Database

travelDataService.ts

OpenStreetMap Nominatim API

Open-Meteo Weather API



4. Supabase Relational Database Schema

POSTGRESQL RELATIONAL TABLES

Table Name	Primary Key	Foreign Keys & JSONB Fields	Description & Business Logic
destinations	city_slug (VARCHAR PK)	city_name, country, lat, lon, daily_rate, rating	Core catalog of worldwide luxury destinations.
destination_details	id (UUID PK)	city_slug (FK), landmarks (JSONB), itinerary_days (JSONB)	Rich relational content for Hyderabad (Charminar, Golconda, Nizam Itineraries).
reservations	id (AV-XXXX PK)	user_email, full_name, dates, amount_paid, stripe_intent_id	Confirmed guest booking records and lead capture persistence.
reviews	id (UUID PK)	city_id (FK), user_name, rating, comment, created_at	Real-time user feedback with dynamic average rating recalculation.