Status	Finished
Started	Wednesday, 21 October 2026, 7:17 PM
Completed	Wednesday, 21 October 2026, 7:21 PM
Duration	3 mins 51 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

a. name

b. age

c. Emma 20

d. Emma 25 ✓

Question **2**

Correct

Mark 1.00 out of 1.00

The return statement in function is used to ____.

a. None of the mentioned

b. return value

c. returns the control to the calling function

d. Both return value and returns the control to the calling function ✓

Question **3**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. Step Programming
b. Programming
c. More Programming
d. Modular Programming ✓

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a, b, c = 3, d)

b. def fun(a, b = 2, c = 3) ✓

c. def fun(a = 2, b, c = 3)

d. def fun(a = 2, b = 3, c)

Question **5**

Correct

Mark 1.00 out of 1.00

6. Which of the following is not the built-in function?

a. input( )

b. dictionary( ) ✓

c. tuple( )

d. print( )

Question **6**

Correct

Mark 1.00 out of 1.00

In a program, a function can be called ____ times.

- a. 2
- b. 5
- c. Multiple times ✓
- d. 3

Question **7**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

- a. All of the mentioned
- b. user defined function ✓
- c. library function
- d. built in functions

Question **8**

Correct

Mark 1.00 out of 1.00

Write the output of : print(max([1, 2, 3, 4], [4, 5, 6], [7]))

- a. 7
- b. [7] ✓
- c. [1, 2, 3, 4]
- d. [4, 5, 6]

Question **9**

Correct

Mark 1.00 out of 1.00

Fill in the line of the following Python code for calculating the factorial of a number?

```
def factorial🦴 :
    if (n==1 or n==0):
        return 1
    else:
        return ——
num = 5;
print("number : ",num)
print("Factorial : ",factorial(num))
```

a. fact(n)*fact(n-1)

b. (n * factorial(n - 1)) ✓

c. n*(n-1)

d. (n-1)*(n-2)

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following items are present in the function header?

a. A. function name

b. Both A and B ✓

c. B. parameter list

d. return value

Question **11**

Incorrect

Mark 0.00 out of 1.00

Which of the following is not the scope of variable?

a. Global

b. Local ✗

c. None of the mentioned

d. Outside

Question **12**

Incorrect

Mark 0.00 out of 1.00

The ____ statement returns the values from the function to the calling function.

a. take ✗
b. return
c. send
d. give

Question **13**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using ____.

a. Tuple ✓
b. Dictionary
c. List
d. String

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following display() function call?

```
def display(**kwargs):
    for i in kwargs:
        print(i)
display(emp="Kelly", salary=9000)
```

a. TypeError

b. ('emp', 'Kelly')
('salary', 9000)

c. Kelly
9000

d. emp ✓
salary

Question **15**

Correct

Mark 1.00 out of 1.00

Write the output of : print(min(tuple("computer")))

- a. c ✓
- b. u
- c. t
- d. o