

CS23334 Fundamentals of Data Science Lab

Experiment 4

To Count the frequency of occurrence of a word in a body of text is often needed during text processing.

Description: Import the word_tokenize function and gutenber.

Code:

```
import nltk

from nltk.tokenize import word_tokenize

from nltk.corpus import gutenber

nltk.download('gutenberg')

nltk.download('punkt')

sample = gutenber.raw("austen-emma.txt")

token = word_tokenize(sample)

wlist = []

for i in range(50):
    wlist.append(token[i])

wordfreq = [wlist.count(w) for w in wlist]

print("Pairs\n" + str(list(zip(wlist, wordfreq))))
```

OUTPUT:

Pairs

```
[(['', 1), ('Emma', 2), ('by', 1), ('Jane', 1), ('Austen', 1), ('1816', 1), (''], 1), ('VOLUME', 1), ('I', 2), ('CHAPTER', 1), ('I', 2), ('Emma', 2), ('Woodhouse', 1), ('', 5), ('handsome', 1), ('', 5), ('clever', 1), ('', 5), ('and', 3), ('rich', 1), ('', 5), ('with', 2), ('a', 1), ('comfortable', 1), ('home', 1), ('and', 3), ('happy', 1), ('disposition', 1), ('', 5), ('seemed', 1), ('to', 1), ('unite', 1), ('some', 1), ('of', 2), ('the', 2), ('best', 1), ('blessings', 1), ('of', 2), ('existence', 1), (';', 1), ('and', 3), ('had', 1), ('lived', 1), ('nearly', 1), ('twenty-one', 1), ('years', 1), ('in', 1), ('the', 2), ('world', 1), ('with', 2)]
```