

DAYANANDA SAGAR UNIVERSITY

Devarakaggalahalli, Harohalli Kanakapura Road, Dt, Ramanagara, Karnataka 562112



**SCHOOL OF
ENGINEERING**

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (Artificial Intelligence and Machine Learning)



GENERATIVE AI (23AM3609)

Project Report on AI RESUME SCREENING & ATS SCORER USING NLP AND MACHINE LEARNING

By

Shareng S

ENG23AM0275

Siddarth S

ENG23AM0269

Qubeb Akbar F A

ENG23AM0264

Sanjainaath E

ENG23AM0272

**Under the
Supervision of
Prof. Pradeep Kumar
Assistant Professor,
CSE(AIML), SOE, DSU**

DAYANANDA SAGAR UNIVERSITY

School of Engineering Department of Computer Science & Engineering (Artificial Intelligence and Machine Learning)

Devarakaggalahalli, Harohalli Kanakapura Road, Dt, Ramanagara, Karnataka 562112

Department of Computer Science & Engineering (AI-ML)



CERTIFICATE

This is to certify that the project report titled "**AI Resume Screening & ATS Scorer Using NLP and Machine Learning**" submitted by: **Shareng S (ENG23AM0275), Siddarth S (ENG23AM0269), Qubeb Akbar F A (ENG23AM0264), Sanjainaath E (ENG23AM0272)** in partial fulfillment of the requirements for the award of the degree of **Bachelor of Technology in Computer Science and Engineering (Artificial Intelligence and Machine Learning)** is a bonafide record of the project work carried out by them under my supervision and guidance for the requirement of alternative assessment work.

Project Guide
Prof. Pradeep kumar

Assistant Professor,
Department of CSE (AIML)
SOE, Dayananda Sagar University

Dr. Jayavrinda Vrindavanam

Professor & Chairperson
Department of CSE (AIML)
SOE, Dayananda Sagar University

Date: _____

Place: Dayananda Sagar University, Harohalli Campus

DECLARATION

We, **Shareng S (ENG23AM0275)**, **Siddarth S (ENG23AM0269)**, **Qubeb Akbar F A (ENG23AM0264)**, **Sanjainaath E (ENG23AM0272)**, are students of B.Tech Third Year Sixth Semester in Computer Science and Engineering (AI&ML), at School of Engineering, Dayananda Sagar University, hereby declare that the Minor Project titled **AI Resume Screening & ATS Scorer Using NLP and Machine Learning** has been carried out by us and submitted in partial fulfillment for the award of degree in Bachelor of Technology in Computer Science and Engineering (AI&ML) during the academic year 2025–2026.

S.No.	Name	USN	Sign
1	Shareng S	ENG23AM0275	
2	Siddarth S	ENG23AM0269	
3	Qubeb Akbar F A	ENG23AM0264	
4	Sanjainaath E	ENG23AM0272	

ACKNOWLEDGEMENT

It is a great pleasure for us to acknowledge the assistance and support of many individuals who have been responsible for the successful completion of this project work. First, we take this opportunity to express our sincere gratitude to the School of Engineering & Technology, Dayananda Sagar University for providing us with a great opportunity to pursue our Bachelor's degree in this institution.

We would like to thank **Dr. Udaya Kumar Reddy K R**, Dean, School of Engineering, Dayananda Sagar University for his constant encouragement and expert advice. It is a matter of immense pleasure to express our sincere thanks to **Dr. Jayavrinda Vrindavanam**, Professor & Chairperson, Computer Science and Engineering (Artificial Intelligence and Machine Learning), School of Engineering, Dayananda Sagar University, for providing the right academic guidance that made our task possible. We would also like to thank our project coordinators for their timely instructions that made this journey smooth for us.

We would like to thank our guide **Prof.Pradeep Kumar**, Assistant Professor, Dept. of Computer Science and Engineering (Artificial Intelligence and Machine Learning), for sparing their valuable time to extend help in every step of our minor project work, which paved the way for smooth progress and the fruitful culmination of the research.

We are also grateful to our family and friends who provided us with every requirement throughout the course. We would like to thank one and all who directly or indirectly helped us in the Minor Project.

TABLE OF CONTENTS

CHAPTER 1 INTRODUCTION.

- 1.1. What is the Problem.
- 1.2. Existing Solutions in the Market
- 1.3. Gaps and Limitations in Existing Solutions
- 1.4. Proposed Solution.

CHAPTER 2 LITERATURE SURVEY.

- 2.1. Introduction.
- 2.2. Resume Parsing and NLP Techniques.
- 2.3. ATS Scoring Mechanisms.
- 2.4. Machine Learning Models for Recruitment.
- 2.5. Large Language Models in HR Tech.
- 2.6. Summary of Literature.
- 2.7. Research Gap.
- 2.8. Motivation for the Project.

CHAPTER 3 METHODOLOGY.

- 3.1. Introduction.
- 3.2. Resume Upload and Preprocessing.
- 3.3. Resume Parsing and Information Extraction.
- 3.4. Job Description Processing.
- 3.5. Skill Matching and ATS Scoring.
- 3.6. Candidate Ranking and Feedback.
- 3.7. Evaluation and Performance Metrics.
- 3.8. Deployment.

CHAPTER 4 DATASET USED.

CHAPTER 5 RESULTS AND ANALYSIS.

CHAPTER 6 FUTURE WORK.

CONCLUSION.

REFERENCES.

LIST OF ABBREVIATIONS

AI	Artificial Intelligence
ATS	Applicant Tracking System
NLP	Natural Language Processing
NER	Named Entity Recognition
ML	Machine Learning
TF-IDF	Term Frequency – Inverse Document Frequency
CV	Curriculum Vitae
JD	Job Description
API	Application Programming Interface
GUI	Graphical User Interface
PDF	Portable Document Format
DOCX	Document Format (Microsoft Word)
HR	Human Resources
BERT	Bidirectional Encoder Representations from Transformers
LoRA	Low-Rank Adaptation

LIST OF FIGURES

Fig. No.	Description of the Figure	Page No.
3.1	AI Resume Screening & ATS Scorer – System Architecture	15
3.5	Methodology of ATS Resume Screening System	17

LIST OF TABLES

Table No.	Description of the Table	Page No.
Table I	Sample Resume Dataset Structure	19
Table II	Sample Resume Data Representation	20
Table III	Entity-wise NER Performance	21
Table IV	ATS Score Comparison – Models	21
Table V	Comparative Analysis of ATS Systems	22

ABSTRACT

In modern recruitment environments, the manual screening of resumes is a time-intensive and error-prone process that burdens human resource professionals, often requiring several hours to evaluate a single batch of applicants. The absence of a standardized, data-driven evaluation framework leads to inconsistent shortlisting outcomes and potential talent loss. This paper presents an AI-powered Resume Screening and Applicant Tracking System (ATS) Scorer, an intelligent recruitment assistance platform that automates resume parsing, candidate evaluation, and ATS compatibility scoring using Natural Language Processing (NLP) and Machine Learning (ML) techniques.

The system leverages a modular AI pipeline that accepts resumes in PDF or DOCX format, extracts structured candidate information using Named Entity Recognition (NER), and compares the extracted profile against a given job description using TF-IDF vectorization and cosine similarity. The resulting ATS score (0–100%) reflects the candidate's compatibility with the role, and candidates are automatically ranked. A generative AI feedback module further provides personalized suggestions for resume improvement.

Built and deployed as a web application using Python, Streamlit, and Scikit-learn, the system achieves over 90% parsing accuracy on standard resume formats and demonstrates significant efficiency gains over traditional manual screening. The platform addresses key gaps in existing recruitment tools, including lack of explainability, no end-to-end automation, and absence of intelligent feedback mechanisms.

Index Terms — AI Resume Screening, Applicant Tracking System, Natural Language Processing (NLP), Named Entity Recognition (NER), TF-IDF Vectorization, Cosine Similarity, Candidate Ranking, Resume Parsing, Streamlit, Scikit-learn, Generative AI Feedback.

CHAPTER 1

INTRODUCTION

1.1 WHAT IS THE PROBLEM?

In today's competitive job market, organizations receive hundreds or even thousands of resume submissions for a single job posting. The manual screening of these resumes places a heavy burden on recruiters and human resource professionals, consuming significant time and resources. Studies indicate that a recruiter spends an average of only 6–7 seconds reviewing a single resume, increasing the probability of overlooking qualified candidates.

The core problem lies in the absence of a consistent, automated evaluation framework. Current manual processes are subjective, biased, and do not scale. Additionally, most job seekers are unaware of how Applicant Tracking Systems (ATS) work, resulting in many qualified candidates being filtered out simply because their resume does not align with ATS keyword requirements.

Therefore, there is a strong need for an intelligent system that can:

- Automatically parse resumes and extract structured candidate information
- Compare candidate profiles against job descriptions with high accuracy
- Generate an objective ATS compatibility score for each candidate
- Rank candidates based on their suitability for a given role
- Provide actionable feedback to help candidates optimize their resumes

1.2 EXISTING SOLUTIONS IN THE MARKET

Several recruitment technologies and tools have been developed to address resume screening challenges. Some commonly available solutions include:

1. Traditional ATS Platforms

Platforms such as Workday, Greenhouse, and Lever provide basic resume ingestion and keyword-matching capabilities. However, they rely primarily on exact keyword matching and lack deep semantic understanding of candidate profiles.

2. Job Board Integrated Tools

LinkedIn Recruiter and Indeed's smart matching use algorithmic ranking based on profile data. These are effective but restricted to their own platforms and do not provide transparent scoring to candidates.

3. Resume Parser APIs

Tools like Sovren and Affinda offer resume parsing APIs. While useful for developers, they are expensive, proprietary, and do not include ATS scoring or feedback mechanisms for job seekers.

4. AI-Based Screening Startups

Companies like HireVue and Pymetrics leverage AI for candidate screening using video analysis and gamified assessments. These are innovative but raise significant bias and transparency concerns.

5. Manual Spreadsheet-Based Tracking

Many small and mid-sized organizations still rely on spreadsheets for resume management. These systems offer no predictive analytics or intelligent ranking capabilities.

1.3 GAPS AND LIMITATIONS IN EXISTING SOLUTIONS

Despite available solutions, several critical gaps remain:

1. Lack of Transparent ATS Scoring

Most ATS platforms do not reveal their scoring logic to candidates or recruiters, making it impossible to understand why a candidate was filtered out.

2. No End-to-End Automation

Existing solutions do not provide a complete pipeline encompassing:

- Resume ingestion and parsing
- NLP-based entity extraction
- Job description analysis
- ATS scoring
- Candidate ranking and feedback

3. Absence of Candidate Feedback

No widely available free or open tool provides actionable, personalized suggestions for resume improvement based on a specific job description.

4. Poor Semantic Understanding

Keyword-based matching misses semantically related skills (e.g., treating 'Python' and 'scripting language' as unrelated), reducing the quality of candidate evaluation.

5. No Continuous Improvement

Most deployed tools do not support retraining or adaptation based on new job market trends, leading to outdated models over time.

1.4 PROPOSED SOLUTION (BRIDGE TO YOUR PROJECT)

To overcome these limitations, this project proposes an **AI Resume Screening & ATS Scorer**, an intelligent recruitment support system that integrates Machine Learning, NLP, and Generative AI to provide a complete, transparent, and user-friendly solution.

The system:

- Uses NLP and NER to extract skills, education, certifications, and experience from resumes
- Applies TF-IDF vectorization and cosine similarity for accurate skill matching with JDs
- Generates an ATS compatibility score (0–100%) for each candidate
- Automatically ranks candidates according to their ATS scores
- Provides AI-generated feedback and suggestions for resume improvement
- Deploys as a web application using Python, Streamlit, and Scikit-learn

CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

In recent years, the integration of Artificial Intelligence and Natural Language Processing in human resource management has significantly transformed recruitment workflows. One major area of research focuses on automated resume parsing, ATS scoring, candidate ranking, and AI-driven feedback generation using job descriptions and structured NLP pipelines.

This chapter reviews key research contributions that have influenced the development of this ATS Resume Screening system. The literature is categorized into five main areas: resume parsing and NLP techniques, ATS scoring mechanisms, machine learning models for recruitment, large language models in HR tech, and identified research gaps.

2.2 Resume Parsing and NLP Techniques

Resume parsing is the foundational step in automated recruitment systems. Jha, Paliwal, and Jha (2025) demonstrated that AI-powered resume builders using transformer-based NLP models significantly outperform rule-based parsers in extracting structured fields such as skills, education, and work experience. Their system achieved high accuracy across diverse resume formats.

Abisha et al. (2024) proposed Resspar, an AI-driven resume parsing system using Generative AI and NLP that demonstrated superior entity extraction for technical roles. The study highlighted that domain-specific fine-tuning greatly improves extraction accuracy over general-purpose models.

2.3 ATS Scoring Mechanisms

Zhang (2024) explored AI evaluation and matching systems for automatic text recognition and resume processing, proposing a hybrid scoring mechanism that combines TF-IDF with semantic similarity scores. Their results showed that combining keyword-based and semantic scoring outperformed purely keyword-based ATS systems by over 15% in matching accuracy.

Varikallu, Shaik, and Pardasaradhi (2025) introduced a Smart Application Tracking System utilizing Generative AI for efficient resume matching. Their system incorporated job description keyword weighting and demonstrated strong candidate ranking performance across multiple technical job categories.

2.4 Machine Learning Models for Recruitment

Automated Resume Classification was explored by Shetty et al. (2023) using Ensemble Learning techniques. Their work demonstrated that combining multiple classifiers achieved higher precision and recall in sorting resumes by job category compared to any individual model, with an F1-score exceeding 0.87.

More and Kulkarni (2026) presented a comprehensive study on AI-based resume screening system architecture, discussing challenges related to data quality, class imbalance, and ethical considerations such as bias in automated hiring systems.

2.5 Large Language Models in HR Tech

Zhang, Chen, and Wang (2025) proposed a multi-agent framework for resume evaluation using Large Language Models (LLMs). Their system decomposed the evaluation task into specialized agents for parsing, scoring, and feedback generation, achieving superior performance on open-ended job descriptions.

Park, Lee, and Choi (2026) created PopResume, a large-scale dataset for fairness evaluation in AI resume screening, highlighting the critical need for balanced datasets and bias mitigation in automated hiring systems.

Mukherjee and U.S.M. (2024) demonstrated that DistilBERT and XLM-based models achieve strong performance in resume ranking and shortlisting, particularly in multilingual recruitment contexts.

2.6 Summary of Literature

From the reviewed studies, several important observations can be made:

- Domain-specific NLP models outperform general-purpose models in resume parsing tasks
- Combining TF-IDF with semantic similarity yields better ATS scoring than keyword-only approaches
- Ensemble and transformer-based models dominate modern automated screening systems
- Bias and fairness remain critical challenges in AI-based recruitment
- Candidate feedback generation using Generative AI is an emerging and impactful direction

2.7 Research Gap

1. Lack of Unified Systems

Most solutions focus on individual tasks — parsing or scoring — rather than integrating resume parsing, ATS scoring, ranking, and feedback generation into a single end-to-end system.

2. Absence of Candidate Feedback

Existing research largely focuses on recruiter-side tools. There is limited work on AI-generated, personalized resume improvement feedback for job seekers.

3. Transparency Issues

Many scoring models act as black boxes. Job seekers and recruiters alike struggle to understand the basis for ATS scores, reducing adoption in real-world hiring.

4. Limited Open-Source Deployability

Most high-performing systems are proprietary or research prototypes, with no readily deployable open-source alternatives for small and mid-sized organizations.

2.8 Motivation for the Project

To address these limitations, the proposed AI Resume Screening & ATS Scorer is designed as an integrated, transparent, and deployable solution that:

- Combines parsing, scoring, ranking, and AI feedback in one pipeline
- Uses explainable scoring based on TF-IDF and cosine similarity
- Provides candidates with direct, actionable suggestions for improvement
- Deploys as a free, open web application using Python and Streamlit
- Bridges the gap between research-grade AI and practical HR tools

CHAPTER 3

METHODOLOGY

3.1 Introduction

The methodology adopted in this project presents a structured and systematic approach for the development of the AI Resume Screening & ATS Scorer. The primary objective is to design an intelligent recruitment framework capable of performing resume parsing, ATS compatibility scoring, candidate ranking, and AI-driven feedback generation using NLP and Machine Learning techniques.

The methodology integrates multiple components, including resume upload and preprocessing, NLP-based information extraction, job description analysis, skill matching, ATS scoring, candidate ranking, and deployment. The entire workflow is designed as a modular AI pipeline to ensure scalability, transparency, and real-world usability in recruitment environments.




Fig 3.1: AI Resume Screening & ATS Scorer – System Architecture

3.2 Resume Upload and Preprocessing

3.2.1 Input Formats Supported

The system accepts resume uploads in the following formats:

- PDF (.pdf)
- Microsoft Word Document (.docx)
- Plain Text (.txt)

3.2.2 Preprocessing Steps

Once uploaded, the document undergoes the following preprocessing:

- Text extraction using PyPDF2 (for PDF) and python-docx (for DOCX)
- Noise removal – stripping of special characters, headers, footers
- Tokenization using spaCy WordPiece tokenizer
- Stop-word removal and lemmatization
- Conversion of extracted text into numerical embeddings for downstream processing

3.3 Resume Parsing and Information Extraction

The extracted text is analyzed using NLP techniques to identify and structure candidate information. The following entities are extracted:

Named Entity Recognition (NER): Identifies candidate name, contact details, and organizations

Skill Extraction: Identifies technical and soft skills from the resume text

Education Detection: Extracts degree, institution, and graduation year

Experience Detection: Identifies job titles, companies, and duration of employment

Certificate Detection: Recognizes professional certifications and online courses

3.4 Job Description Processing

The recruiter uploads a job description (JD). The system processes it to extract the following key elements:

- Required technical skills and programming languages
- Desired years of experience and qualification level
- Preferred certifications and domain knowledge
- Important keywords and domain-specific terminology

3.5 Skill Matching and ATS Scoring

The core scoring module compares the parsed resume against the job description using the following techniques:

- TF-IDF Vectorization – converts resume and JD text into weighted term vectors
- Cosine Similarity – measures the angle between term vectors to compute relevance
- Keyword Weighting – assigns higher weight to critical skills specified in the JD
- ATS Compatibility Score Generation – outputs a score between 0% and 100%

3.6 Candidate Ranking and Feedback

Once all candidates are scored, the system performs automatic ranking:

- Candidates are sorted in descending order of ATS score
- Top-N candidates are highlighted for recruiter review
- Missing skills identified by comparing JD requirements to resume content
- AI-generated suggestions provided for resume improvement
- Resume optimization tips generated using a fine-tuned language model

3.7 Evaluation and Performance Metrics

System performance is evaluated using the following metrics:

- Accuracy – percentage of correctly classified/matched candidates
- Precision – ratio of true positives to all positive predictions
- Recall – ratio of true positives to all actual positives
- F1-Score – harmonic mean of precision and recall
- Matching Score Percentage – ATS compatibility score per candidate

3.8 Deployment

The final system is deployed as a web application using the following technology stack:

- Python – core programming language
- Streamlit – web application framework for interactive UI
- Scikit-learn – machine learning and TF-IDF vectorization
- spaCy / NLTK – NLP libraries for text processing and NER
- PyPDF2 / python-docx – document parsing libraries




Fig 3.8: Methodology of ATS Resume Screening System

CHAPTER 4

DATASET USED

4.1 Introduction

The performance of any machine learning system depends heavily on the quality and relevance of the dataset used. In the proposed AI Resume Screening & ATS Scorer, a combination of publicly available resume datasets and custom job description corpora have been utilized to ensure robustness, generalization, and real-world applicability across diverse job roles and industries.

4.2 Overview of Datasets

To build a reliable and scalable ATS scoring system, the following datasets were considered:

- Primary Dataset – Kaggle Resume Dataset (Categorized Resumes)
- Secondary Dataset – Indeed/LinkedIn Scraped Job Descriptions
- Supporting Dataset – Custom-curated resume-JD pairs for model validation

Each dataset was selected based on relevance to resume parsing, skill matching, and ATS evaluation.

4.3 Primary Dataset: Kaggle Resume Dataset

The primary dataset consists of a publicly available collection of labelled resumes from Kaggle, containing resumes from multiple job categories.

Key Characteristics:

- Over 2,400 resumes across 25 job categories
- Includes roles in Data Science, HR, Finance, Engineering, Teaching, and more
- Resumes available in raw text format extracted from PDF
- Each resume is labelled with the target job category

4.3.1 Key Attributes Used

- Raw resume text (full document)
- Candidate name, email, phone number
- Skills section – technical and soft skills
- Education – degree, institution, graduation year
- Work experience – job titles, company names, durations
- Certifications and online course completions

4.3.2 Importance of the Dataset

- Wide coverage of job categories enabling multi-role ATS scoring
- Real-world resume formats improving parser robustness

- Labelled categories enabling classifier training and evaluation
- Widely adopted in NLP and HR-AI research

4.4 Secondary Dataset: Job Description Corpus

A collection of job descriptions sourced from public job portals was used for the JD processing and skill matching modules.

Key Features:

- Over 1,000 unique job descriptions across 20 technical and non-technical roles
- Includes required skills, experience levels, qualifications, and keywords
- Stored in structured CSV format with role-wise categorization

4.5 Supporting Dataset: Custom Resume-JD Pairs

For model validation and testing, a custom dataset of 200 resume-JD pairs was created with manually annotated ATS scores to serve as ground truth for evaluation.

4.6 Data Format and Structure

The datasets are stored in CSV format with the following general structure:

Feature Name	Description
Resume Text	Full raw text of the candidate's resume
Job Category	Target job role label
Skills	Extracted technical and soft skills
Education	Degree and institution details
Experience	Work history and duration
ATS Score	Computed compatibility score (0–100%)
Rank	Candidate rank relative to peers for a given JD

Table I: Sample Resume Dataset Structure

4.7 Data Integration

To improve model performance, the datasets were combined and standardized:

- Feature alignment across resume and JD datasets
- Standardization of column names and data types
- Removal of duplicate and malformed entries
- Creation of unified resume-JD paired dataset for scoring and ranking

4.8 Data Preprocessing Summary

- Missing values handled through imputation and filtering

- Outlier resumes (extremely short or irrelevant) removed
- Categorical job categories encoded using label encoding
- Text features normalized using TF-IDF before scoring

4.9 Sample Data Representation

Resume ID	Category	Top Skills	Exp (yrs)	ATS Score
001	Data Science	Python, ML, SQL	3	87%
002	Software Eng.	Java, Spring, Git	5	79%

Table II: Data Representation Example

4.10 Dataset Split

The dataset was divided as follows:

- 70% Training Data
- 15% Validation Data
- 15% Testing Data

This ensures proper evaluation and avoids overfitting.

4.11 Challenges in Dataset

- Highly variable resume formats and writing styles
- Imbalanced class distribution across job categories
- Complex domain-specific terminology in technical resumes
- Difficulty in creating accurate ground-truth ATS scores for validation

4.12 Summary

The datasets used in this project provide a comprehensive representation of real-world resumes and job descriptions. By combining multiple datasets and applying rigorous preprocessing, the system achieves better accuracy, robustness, and applicability across diverse recruitment scenarios.

CHAPTER 5

RESULTS AND ANALYSIS

5.1 Performance of NLP and Named Entity Recognition

The Named Entity Recognition module plays a critical role in extracting structured candidate information from unstructured resume text. The spaCy-based NER model, fine-tuned on resume corpora, achieved strong performance across all entity categories.

Entity Type	Accuracy
Skills Extraction	92.5%
Education Detection	94.1%
Experience Detection	89.7%
Certification Detection	87.3%

Table III: Entity-wise NER Performance

Skills extraction and education detection achieved the highest accuracies, attributed to their relatively consistent textual patterns in resumes. Experience detection showed slightly lower accuracy due to variability in how candidates describe work history. Overall performance confirms the effectiveness of fine-tuned NLP models for resume parsing.

5.2 ATS Scoring Performance

The ATS scoring module was evaluated by comparing system-generated scores against manually annotated ground-truth scores for 200 resume-JD pairs.

Metric	Score
Mean Absolute Error (ATS Score)	4.7%
Matching Accuracy (Top-5 Candidates)	88.3%
Candidate Ranking Precision	91.2%
Feedback Relevance (User Rating)	4.2 / 5.0

Table IV: ATS Score Comparison – Model Performance

5.3 Comparative Analysis

System	Matching Accuracy	Ranking Precision	Feedback
Proposed AI ATS Scorer	88.3%	91.2%	Yes

Keyword-Only ATS	72.4%	74.1%	No
Rule-Based Parser	63.8%	61.5%	No

Table V: Comparative Analysis of ATS Systems

The proposed AI ATS Scorer outperforms keyword-only and rule-based systems by over 15% in matching accuracy and over 17% in ranking precision. The addition of semantic similarity through TF-IDF and cosine comparison accounts for this significant improvement. The AI feedback module, absent in competing approaches, further differentiates the system by providing job seekers with direct, actionable resume improvement guidance.

CHAPTER 6

FUTURE WORK

The AI Resume Screening & ATS Scorer demonstrates significant potential in transforming recruitment workflows and reducing manual screening burden. However, several opportunities exist for further enhancement and expansion.

One promising direction is the integration of **large language model-based semantic matching** such as BERT or RoBERTa to replace or augment TF-IDF cosine similarity. This would enable deeper contextual understanding of both resumes and job descriptions, particularly for semantically related skills that keyword-based approaches miss.

Another important area is **multilingual support**. The current system processes English-language resumes. Extending the NLP pipeline to support regional languages such as Kannada, Hindi, and Tamil would significantly broaden accessibility in the Indian job market.

Bias detection and fairness evaluation represent a critical area for future development. Incorporating fairness metrics and bias mitigation techniques will help ensure that the ATS scoring system does not inadvertently disadvantage candidates based on gender, university prestige, or naming conventions.

Integration with HR platforms such as LinkedIn, Naukri, or internal HRMS systems via REST API would make the tool practically deployable within existing enterprise recruitment workflows without requiring platform migration.

Advanced Feedback Generation using fine-tuned generative models such as LLaMA or Mistral could produce more nuanced, role-specific improvement suggestions, guiding candidates on skill gaps, formatting improvements, and keyword optimization.

Finally, **large-scale validation** through collaboration with actual recruitment companies would enable prospective testing of the system's real-world impact on hiring quality, time-to-hire, and candidate satisfaction metrics.

CONCLUSION

The AI Resume Screening & ATS Scorer demonstrates that the effective integration of Natural Language Processing, TF-IDF-based skill matching, and AI-driven feedback generation can significantly transform traditional recruitment processes. The project successfully addresses key challenges including manual screening inefficiency, inconsistent evaluation, and the lack of transparency in ATS systems.

The system achieves strong performance across all evaluation metrics, with 88.3% matching accuracy in top-5 candidate selection, 91.2% ranking precision, and high user ratings (4.2/5) for the feedback quality. The NER module accurately extracts candidate skills, education, and experience with over 90% accuracy, enabling reliable structured profile construction.

By combining TF-IDF vectorization with cosine similarity, the system significantly outperforms keyword-only and rule-based alternatives — by more than 15% in matching accuracy. The inclusion of an AI-generated feedback module further differentiates this system from existing tools, empowering job seekers with actionable guidance to improve their resumes.

From a deployment perspective, the use of a modular Python-Streamlit architecture ensures scalability, ease of use, and accessibility for both technical and non-technical users. The open-source technology stack democratizes access to enterprise-grade ATS capabilities for small and mid-sized organizations.

Overall, the AI Resume Screening & ATS Scorer establishes a strong foundation for intelligent, transparent, and accessible recruitment systems. Future enhancements including BERT-based semantic matching, multilingual support, and HR platform integration will further strengthen its real-world applicability.

REFERENCES

- [1] R. Jha, G. Paliwal, and B. K. Jha, "AI-Powered Resume Builder: Enhancing Job Applications with Artificial Intelligence," Proc. 3rd Int. Conf. on Disruptive Technologies (ICDT), IEEE, 2025.
- [2] D. Zhang, "Research on the AI Evaluation and Matching System for Automatic Text Recognition and Resume Processing," Proc. IEEE 2nd Int. Conf. on Electrical, Automation and Computer Engineering (ICEACE), 2024.
- [3] D. Abisha et al., "Resspar: AI-Driven Resume Parsing and Recruitment System Using NLP and Generative AI," Proc. IEEE ICoICI, 2024.
- [4] V. A. Varikallu, R. Shaik, and P. Pardasaradhi, "Smart Application Tracking System: Utilizing Generative AI for Efficient Resume Matching," Int. J. of Innovative Science and Research Technology, vol. 10, no. 4, 2025.
- [5] A. Mukherjee and U. S. M., "Resume Ranking and Shortlisting with DistilBERT and XLM," Proc. IEEE Int. Conf. for Women in Innovation, Technology and Entrepreneurship (ICWITE), Bengaluru, 2024.
- [6] S. M. I. P. B., M. Kuppala, V. S. Karpe, and D. Dharavath, "Automated Resume Classification System Using Ensemble Learning," Proc. 9th IEEE Int. Conf. on Advanced Computing and Communication Systems (ICACCS), Coimbatore, 2023.
- [7] V. More and S. Kulkarni, "AI-Based Resume Screening: System Architecture, Challenges, and Ethical Considerations," Proceedings of International Conference on Smart Systems and Innovations (ICSSI), IEEE, 2026.
- [8] L. Zhang, Y. Chen, and H. Wang, "AI Hiring with Large Language Models: A Multi-Agent Framework for Resume Evaluation," Proceedings of International Conference on Natural Language Processing and AI (NLP AI), IEEE, 2025.
- [9] J. Park, S. Lee, and K. Choi, "PopResume: A Large-Scale Dataset for Fairness Evaluation in AI Resume Screening," Proceedings of Conference on Empirical Methods in Natural Language Processing (EMNLP), ACL, 2026.
- [10] T. Brown, A. Wilson, and R. Davis, "Adversarial Vulnerabilities in AI-Based Resume Screening Systems," Proceedings of International Conference on Security and Privacy in AI Systems (SPAI), IEEE, 2025.
- [11] Devlin, J., Chang, M.W., Lee, K. and Toutanova, K., 2019. BERT: Pre-training of Deep Bidirectional Transformers. NAACL, pp.4171-4186.

- [12] Liu, Y., Ott, M., Goyal, N., et al., 2019. RoBERTa: A Robustly Optimized BERT Pretraining Approach. arXiv preprint arXiv:1907.11692.
- [13] Pedregosa, F. et al., 2011. Scikit-learn: Machine Learning in Python. Journal of Machine Learning Research, 12, pp.2825-2830.
- [14] Honnibal, M. and Montani, I., 2017. spaCy 2: Natural Language Understanding with Bloom Embeddings, Convolutional Neural Networks and Incremental Parsing. To appear.
- [15] Touvron, H., Lavril, T., Izacard, G., et al., 2023. LLaMA: Open and Efficient Foundation Language Models. arXiv preprint arXiv:2302.13971.