Aim 2 - Between-Visit Titration Assistant

Cases for Clinical Review

For Dr. Kristen Barbour · Synthetic cases - no patient information

---

For each case, please check the one recommendation you would make. Use the “Notes” column for anything you’d change or anything you’d want the survey to ask. These are invented scenarios across the 11 in-scope medicines; none is a real patient.

Reported seizures, taking medicine well, no side effects

Case	What the family reported	Your recommendation (check one)	Notes
A1	**Keppra (levetiracetam); age 8, 30 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week - quick jerks - more frequent than before Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine X no change ☐ need more info	
A2	**Trileptal (oxcarbazepine); age 11, 38 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week - one part of the body shaking - about the same as before Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
A3	**Lamictal (lamotrigine); age 14, 55 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week - whole-body shaking or stiffening - more frequent than before Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
A4	**Keppra (levetiracetam); age 14, 55 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week - one part of the body shaking Side effects (past 2 weeks): none reported Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change X need more info: I would increase to a max dose of 80 mg/kg/day with a max of 3000 mg/day, whichever is smaller	We won’t have the additional “Chart context”

Case	What the family reported	Your recommendation (check one)	Notes
	Chart context: no further dose increase approved; approved switch option = Briviact		
A5	**Topamax (topiramate); age 12, 44 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week - one part of the body shaking Side effects (past 2 weeks): none reported Dose status: at the goal dose Chart context: no further dose increase approved	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info: I would increase to max dose of 9 mg/kg/day or 400 mg/day, which ever is smaller	
A6	**Depakote (valproic acid); age 6, 21 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week - whole-body shaking or stiffening Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	If they are having breakthrough seizures, can you add something to ask how long they are? For example, if it is a brief jerk then next to that have duration, then if they also check whole body shaking have a box next to that for duration. If someone is having breakthrough seizures lasting < 2 minutes and we are still increasing dose, then I would probably be fine. I would also be find if they are having a lot of seizures less than 31 seconds. But if they are having more than 3 seizures per week lasting 31 seconds +, I would increase dose faster. Or if they are having more than 1 seizure per week lasting 2 minutes +, I would increase dose faster.
A7	**Vimpat (lacosamide); age 15, 60 kg** Adherence: takes it every day as prescribed Seizures: yes - ~3 per week - one part of the body shaking - more frequent than before Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change xneed more info	See case above
A8	**Onfi (clobazam); age 6, 19 kg** Adherence: takes it every day as prescribed	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	See case above

Case	What the family reported	Your recommendation (check one)	Notes
	Seizures: yes - ~2 per week - whole-body shaking or stiffening Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose		

Reported seizures plus side effects

Case	What the family reported	Your recommendation (check one)	Notes
B1	**Trileptal (oxcarbazepine); age 11, 38 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week - one part of the body shaking Side effects (past 2 weeks): sleepiness/tiredness; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	See above for clarifying the duration/frequency of seizures to decide if it should be increased faster.
B2	**Depakote (valproic acid); age 11, 40 kg** Adherence: takes it every day as prescribed Seizures: yes - ~4 per week Side effects (past 2 weeks): sleepiness/tiredness; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	See above for clarifying the duration/frequency of seizures to decide if it should be increased faster.
B3	**Tegretol (carbamazepine); age 13, 50 kg** Adherence: takes it every day as prescribed Seizures: yes - ~3 per week - one part of the body shaking Side effects (past 2 weeks): behavior changes; impact on daily life: intolerable - would like to change Dose status: still increasing toward the goal dose Chart context: approved switch option = Trileptal	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	We won't have access to the chart review. We would need to think about adding more questions if the algorithm decided to switch a medication, because we would need more information: ● Prior medications tried (dont' consider these ones) ● If having intolerable side effects, would not switch from trileptal to tegratol and would not switch from

Case	What the family reported	Your recommendation (check one)	Notes
			briviact to keppra, because the second ones have more side effects ● Maybe a way to flag who would be a candidate for oxcarbazepine (trileptal), but this might be too complicated ○ Think about after we do the other things ● An added menu that shows options for medications with potential side effects and considerations, so families can select their preference in a medication: can list medication, side effects, contraindications, if lab monitoring is required. Have a way to defer to doctor and then go to the ranked list of favorite medications. ● Defining that we would avoid lamotrigine in someone with myoclonic jerks ● We would avoid keppra in someone with autism, depression, anxiety, difficulty with emotional outbursts or aggressive behavior

Case	What the family reported	Your recommendation (check one)	Notes
B4	**Topamax (topiramate); age 13, 47 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week Side effects (past 2 weeks): trouble with words/thinking, behavior changes; impact on daily life: difficult but tolerable Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	I would want to know if these symptoms are improving as the body is adjusting to the dose (say after 1 week of being on a new dose)
B5	**Keppra (levetiracetam); age 9, 31 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week Side effects (past 2 weeks): irritability/mood change; impact on daily life: difficult but tolerable Dose status: still increasing toward the goal dose Chart context: approved switch option = Briviact	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	I would want to know if these symptoms are improving as the body is adjusting to the dose (say after 1 week of being on a new dose)
B6	**Lamictal (lamotrigine); age 13, 48 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week Side effects (past 2 weeks): dizziness/unsteadiness; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose (to max dose) ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	See above for clarifying seizure duration/frequency
B7	**Briviact (brivaracetam); age 12, 43 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week Side effects (past 2 weeks): irritability/mood change; impact on daily life: intolerable - would like to change Dose status: still increasing toward the goal dose Chart context: approved switch option = Vimpat	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	See above for switching medication

Reported seizures with possible reasons (adherence / triggers)

Case	What the family reported	Your recommendation (check one)	Notes
C1	**Keppra (levetiracetam); age 9, 31 kg** Adherence: misses some doses (reason: hard to remember) Seizures: yes - ~2 per week - possible triggers: missed medication	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	I would add to the generated patient message tips for how to remember taking the medication (pill box, phone alarms, putting

Case	What the family reported	Your recommendation (check one)	Notes
	Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose		it next to your toothbrush and getting into a routine)
C2	**Trileptal (oxcarbazepine); age 9, 30 kg** Adherence: has stopped taking it (reason: side effects) Seizures: yes - ~2 per week - possible triggers: missed medication Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	
C3	**Tegretol (carbamazepine); age 9, 31 kg** Adherence: has stopped taking it (reason: cost) Seizures: yes - ~1 per week - possible triggers: missed medication Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	
C4	**Depakote (valproic acid); age 9, 30 kg** Adherence: misses some doses Seizures: yes - ~1 per week - possible triggers: illness or fever Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	See above for seizure frequency/duration. I would add to the patient message tips for remembering the medicine.
C5	**Vimpat (lacosamide); age 14, 54 kg** Adherence: misses some doses Seizures: yes - ~2 per week - possible triggers: missed medication, not enough sleep Side effects (past 2 weeks): none reported Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	I would add to the generated patient message tips for how to remember taking the medication (pill box, phone alarms, putting it next to your toothbrush and getting into a routine)
C6	**Onfi (clobazam); age 6, 19 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week - possible triggers: not enough sleep Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	See above for seizure frequency/duration. Not for this patient, but we will also need to add the max dose for each age/weight for each medication. If they are at max dose, then we would need to have a system for selecting a second medicine to add. We would want to think about

Case	What the family reported	Your recommendation (check one)	Notes
			interactions (not combining too many sedating medications) and family preference (similar to when switching medicine) ● If they are at the max dose and still having seizures, then we have to decide if we would add a new medicine vs. switch medicine. If the original medicine was helpful, then we can add. If the original medicine was not helpful, then we can switch.
C7	**Lamictal (lamotrigine); age 16, 62 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per month - possible triggers: menstrual cycle Side effects (past 2 weeks): none reported Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	Not for this patient, but if the patient misses medication, then I would ask them if they would like to switch it (and let them know it is because they are at risk for Stevens Johnson Syndrome if they start-stop-start abruptly)

Seizure-free, still increasing the dose

Case	What the family reported	Your recommendation (check one)	Notes
D1	**Keppra (levetiracetam); age 10, 35 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Overall: better overall	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
D2	**Lamictal (lamotrigine); age 11, 40 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine xno change ☐ need more info	

Case	What the family reported	Your recommendation (check one)	Notes
	Overall: better overall		
D3	**Zarontin (ethosuximide); age 8, 28 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Overall: better overall	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
D4	**Briviact (brivaracetam); age 12, 43 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
D5	**Zonegran (zonisamide); age 13, 48 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Overall: better overall	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	

Seizure-free with manageable side effects, still increasing

Case	What the family reported	Your recommendation (check one)	Notes
E1	**Keppra (levetiracetam); age 10, 34 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): sleepiness/tiredness, irritability/mood change; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine xno change ☐ need more info	For people that are still increasing toward goal dose, I would want to schedule another digital update for 4 weeks from now.
E2	**Zonegran (zonisamide); age 10, 33 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): nausea/appetite change; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	

Case	What the family reported	Your recommendation (check one)	Notes
E3	**Depakote (valproic acid); age 8, 27 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): irritability/mood change; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
E4	**Trileptal (oxcarbazepine); age 7, 25 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): sleepiness/tiredness; impact on daily life: not noticeable Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
E5	**Topamax (topiramate); age 10, 33 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): trouble with words/thinking; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	

Seizure-free with intolerable side effects

Case	What the family reported	Your recommendation (check one)	Notes
F1	**Lamictal (lamotrigine); age 12, 45 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): dizziness/unsteadiness; impact on daily life: intolerable - would like to change Dose status: at the goal dose Chart context: approved switch option = Keppra	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	See above for switching medicine
F2	**Tegretol (carbamazepine); age 14, 52 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): dizziness/unsteadiness; impact on daily life: difficult but tolerable	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	For the medium-moderate impact, then I would want to know if it is getting better as the body adjusts. I would also want a repeat digital update in 4 weeks.

Case	What the family reported	Your recommendation (check one)	Notes
	Dose status: still increasing toward the goal dose Chart context: approved switch option = Trileptal		
F3	**Topamax (topiramate); age 10, 33 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): behavior changes; impact on daily life: difficult but tolerable Dose status: at the goal dose Chart context: approved switch option = Depakote	☐ increase the dose ☐ increase more slowly ☐ switch medicine xno change ☐ need more info	
F4	**Zonegran (zonisamide); age 12, 46 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): dizziness/unsteadiness; impact on daily life: intolerable - would like to change Dose status: at the goal dose Chart context: approved switch option = Vimpat	☐ increase the dose ☐ increase more slowly xswitch medicine ☐ no change ☐ need more info	See above for switching medicine
F5	**Briviact (brivaracetam); age 16, 64 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): irritability/mood change; impact on daily life: intolerable - would like to change Dose status: still increasing toward the goal dose Chart context: approved switch option = Vimpat	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	See above for switching medicine

Seizure-free, at the goal dose

Case	What the family reported	Your recommendation (check one)	Notes
G1	**Vimpat (lacosamide); age 15, 60 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: at the goal dose Overall: better overall	☐ increase the dose ☐ increase more slowly ☐ switch medicine xno change ☐ need more info	
G2	**Lamictal (lamotrigine); age 16, 62 kg** Adherence: takes it every day as prescribed Seizures: none reported	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	

Case	What the family reported	Your recommendation (check one)	Notes
	Side effects (past 2 weeks): none reported Dose status: at the goal dose Overall: about the same overall		
G3	**Trileptal (oxcarbazepine); age 7, 25 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): sleepiness/tiredness; impact on daily life: not noticeable Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
G4	**Depakote (valproic acid); age 8, 27 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): irritability/mood change; impact on daily life: manageable, not very bothersome Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
G5	**Zarontin (ethosuximide); age 9, 29 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	

Safety symptoms reported

Case	What the family reported	Your recommendation (check one)	Notes
H1	**Lamictal (lamotrigine); age 7, 24 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): rash (rash: spreading/blistering) Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	Would stop it and start a new medication. Would ask about preference (same as when switching a medication)
H2	**Tegretol (carbamazepine); age 9, 31 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): rash (rash: spreading/blistering) Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	Would stop it and start a new medication. Would ask about preference (same as when switching a medication)
H3	**Keppra (levetiracetam); age 10, 34 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week	x increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	If keppra has been helpful for seizures (overall improved them), I would increase dose faster (increase today and then

Case	What the family reported	Your recommendation (check one)	Notes
	Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Safety check (Q0): a seizure lasting >5 minutes		again every 3 days instead of every 1 week until at goal dose) If keppra has not been helpful (unchanged seizure frequency) and they have been on it for at least 4 weeks, then I would consider switching If keppra has not been helpful (worse frequency) and they have been on it for at least 2 weeks, then I would consider switching
H4	**Depakote (valproic acid); age 6, 21 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Safety check (Q0): repeated seizures without recovery in between	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	If depakote has been helpful for seizures (overall improved them), then I would increase dose faster
H5	**Trileptal (oxcarbazepine); age 11, 40 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Safety check (Q0): an ER visit or hospital stay, a new widespread rash / blistering / mouth sores	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	Would stop it and start a new medication. Would ask about preference (same as when switching a medication)
H6	**Lamictal (lamotrigine); age 11, 40 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): rash (rash: small, not spreading); impact on daily life: manageable, not very bothersome Dose status: at the goal dose Chart context: also prescribed Depakote	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	I would ask follow up questions if the rash is small: ● Southeast Asian ancestry -> switch ● On more than 1 medication (aside from vitamins, asthma/allergy medications, GERD medications like pepcid, and bowel regimen medications) → switch this

Case	What the family reported	Your recommendation (check one)	Notes
			medicine or the other medication, talk to doctor ● Stopped medicine or missed doses for 2+ days and restarted → switch ● Less than 6 months on medicine → switch ● More than 6 months on medicine and no viral illness or cold symptoms → switch

Limited or unclear information

Case	What the family reported	Your recommendation (check one)	Notes
I1	**Onfi (clobazam); age 5, 18 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: not sure of the dose goal	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
I2	**Lamictal (lamotrigine); age 11, 41 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: not sure of the dose goal	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
I3	**Zonegran (zonisamide); age 11, 42 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: not sure of the dose goal	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
I4	**Keppra (levetiracetam); age 8, 30 kg** Adherence: the dose has been changed; takes it every day as prescribed Seizures: yes - ~1 per week Side effects (past 2 weeks): none reported	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	If not taking medication as prescribed (taking a smaller dose), then instruct to take it as prescribed.

Case	What the family reported	Your recommendation (check one)	Notes
	Dose status: not sure of the dose goal		Recommend contacting the doctor to schedule follow up if continuing to have seizures and we didn't get enough information. Recommend contacting pharmacy or clinic if they have questions about what the recommended dose is
I5	**Topamax (topiramate); age 12, 44 kg** Adherence: takes it every day as prescribed Seizures: yes - type/frequency not specified Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	Continue increasing medicine toward goal dose. Contact the office if there are concerns about the number or duration of seizures.

Medication-specific scenarios

Case	What the family reported	Your recommendation (check one)	Notes
J1	**Lamictal (lamotrigine); age 9, 30 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Overall: better overall Chart context: also prescribed Depakote	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
J2	**Keppra (levetiracetam); age 7, 24 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): behavior changes, irritability/mood change; impact on daily life: intolerable - would like to change Dose status: at the goal dose Chart context: approved switch option = Briviact	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	Offer options to switch
J3	**Zonegran (zonisamide); age 6, 22 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week Side effects (past 2 weeks): none reported	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	Need seizure frequency/duration. If they do not have it, then recommend contacting office if they are concerned

Case	What the family reported	Your recommendation (check one)	Notes
	Dose status: still increasing toward the goal dose		about the number or duration of seizures.
J4	**Zarontin (ethosuximide); age 7, 25 kg** Adherence: takes it every day as prescribed Seizures: yes - ~2 per week - one part of the body shaking Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly x switch medicine ☐ no change ☐ need more info	Ethosuximide only treats staring spell seizures, so if they have any other seizure type then I would recommend switching. It would be useful for the doctor if you add to the bottom of the recommendations your reason for the recommendation, so they can quickly decide if they agree/disagree
J5	**Depakote (valproic acid); age 15, 52 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: at the goal dose Overall: better overall	☐ increase the dose ☐ increase more slowly ☐ switch medicine x no change ☐ need more info	
J6	**Trileptal (oxcarbazepine); age 12, 44 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): nausea/appetite change; impact on daily life: manageable, not very bothersome Dose status: still increasing toward the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	This is same as other ones above
J7	**Tegretol (carbamazepine); age 13, 50 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: at the goal dose Family preference: would like to try a different medicine	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change x need more info	Would give options for switching
J8	**Topamax (topiramate); age 13, 47 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): trouble with words/thinking; impact on daily life: difficult but tolerable Dose status: at the goal dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	Would give options for switching

Case	What the family reported	Your recommendation (check one)	Notes
	Family preference: would like to try a different medicine Chart context: approved switch option = Depakote		
J9	**Keppra (levetiracetam); age 10, 34 kg** Adherence: takes it every day as prescribed Seizures: none reported Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Family preference: would prefer a slower/changed dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	Would recommend slower titration schedule
J10	**Onfi (clobazam); age 6, 20 kg** Adherence: takes it every day as prescribed Seizures: yes - ~1 per week Side effects (past 2 weeks): none reported Dose status: still increasing toward the goal dose Family preference: would prefer a slower/changed dose	☐ increase the dose ☐ increase more slowly ☐ switch medicine ☐ no change ☐ need more info	Would recommend slower titration schedule