



Mini Project Report - 10

Master of Computer Application
Semester – I

Sub: Front-End Framework and Technologies

Topic: Dynamic To-Do List Application

By

Name: M.Sanjana

Reg no. : PROV/ASAC/MCA/7/26/077

Faculty Name: Veera Raghav Kathula

Faculty Signature: _____

**Department of Computer Application
Alliance University**

**Chandapura - Anekal Main Road, Anekal
Bengaluru - 562 106**

September 2026

INDEX

SL. NO	NAME OF TOPIC	PG NO
1	INTRODUCTION	2
2	INPUT CODE	3-6
3	OUTPUT CODE	7
4	CONCLUSION	8

INTRODUCTION

This project is a simple To-Do List web application created using HTML, CSS, and JavaScript. It allows users to add, edit, delete, and complete tasks. Users can also filter tasks as all, pending or completed.

INPUT CODE

```
<html>
<head>
  <title>To-Do List</title>

  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #e6e6e6;
    }

    .box {
      width: 400px;
      margin: 50px auto;
      background-color: white;
      padding: 20px;
      border: 1px solid gray;
    }

    h1 {
      text-align: center;
    }

    #taskInput {
      width: 70%;
      padding: 6px;
    }

    button {
      padding: 6px 10px;
      cursor: pointer;
    }

    .filters {
      margin: 15px 0;
    }

    ul {
      padding-left: 0;
      list-style: none;
    }

    li {
      padding: 8px;
      border-bottom: 1px solid #ccc;
    }
```

```

li button {
  float: right;
  margin-left: 5px;
}

.done {
  text-decoration: line-through;
  color: gray;
}
</style>
</head>

<body>
<div class="box">
  <h1>My To-Do List</h1>

  <div class="add">
    <input type="text" id="taskInput" placeholder="Enter a task">
    <button onclick="addTask()">Add</button>
  </div>

  <div class="filters">
    <button onclick="setFilter('all')">All</button>
    <button onclick="setFilter('pending')">Pending</button>
    <button onclick="setFilter('completed')">Completed</button>
  </div>

  <ul id="taskList"></ul>

  <p id="count"></p>
  <button onclick="clearCompleted()">Clear Completed</button>
</div>

<script>
var tasks = [];
var currentFilter = "all";
var saved = localStorage.getItem("tasks");
if (saved != null) {
  tasks = JSON.parse(saved);
}
function saveTasks() {
  localStorage.setItem("tasks", JSON.stringify(tasks));
}
function addTask() {
  var input = document.getElementById("taskInput");
  var text = input.value;

```

```

if (text == "") {
    alert("Please enter a task");
    return;
}

var task = {
    text: text,
    completed: false
};

tasks.push(task);
input.value = "";
saveTasks();
showTasks();
}
function deleteTask(index) {
    tasks.splice(index, 1);
    saveTasks();
    showTasks();
}

// edit a task
function editTask(index) {
    var newText = prompt("Edit your task:", tasks[index].text);
    if (newText != null && newText != "") {
        tasks[index].text = newText;
        saveTasks();
        showTasks();
    }
}

function toggleTask(index) {
    tasks[index].completed = !tasks[index].completed;
    saveTasks();
    showTasks();
}

// change the filter
function setFilter(f) {
    currentFilter = f;
    showTasks();
}

function clearCompleted() {
    var newTasks = [];
    for (var i = 0; i < tasks.length; i++) {
        if (tasks[i].completed == false) {
            newTasks.push(tasks[i]);
        }
    }
}

```

```

tasks = newTasks;
saveTasks();
showTasks();
}

function showTasks() {
  var list = document.getElementById("taskList");
  list.innerHTML = "";

  var pendingCount = 0;

  for (var i = 0; i < tasks.length; i++) {
    var task = tasks[i];

    if (task.completed == false) {
      pendingCount++;
    }
    if (currentFilter == "pending" && task.completed == true) {
      continue;
    }
    if (currentFilter == "completed" && task.completed == false) {
      continue;
    }

    var li = document.createElement("li");

    var checked = "";
    var cls = "";
    if (task.completed) {
      checked = "checked";
      cls = "done";
    }


    li.innerHTML =
      '<input type="checkbox" ' + checked + ' onclick="toggleTask(' + i + ')"> ' +
      '<span class="' + cls + '">' + task.text + '</span> ' +
      '<button onclick="deleteTask(' + i + ')">Delete</button> ' +
      '<button onclick="editTask(' + i + ')">Edit</button>';

    list.appendChild(li);
  }

  document.getElementById("count").innerHTML =
    "Total: " + tasks.length + " | Pending: " + pendingCount;
}
showTasks();
</script>
</body> </html>

```

OUTPUT



CONCLUSION

In conclusion, this To-Do List application makes task management simple and organized. It demonstrates the use of HTML for structure, CSS for design, and JavaScript for functionality. The use of `localStorage` also helps save tasks even after refreshing the page.